











Qh  
543  
W 88X  
Ent.

Mr. J.  
Bampton Ledge  
Date 1875

*Index Entomologicus;*

OR,

A COMPLETE

ILLUSTRATED CATALOGUE,

CONSISTING OF 1944 FIGURES,

OF THE

LEPIDOPTEROUS INSECTS

OF

GREAT BRITAIN /

By W. WOOD, F.R.S. & L.S.

AUTHOR OF ZOOGRAPHY, GENERAL CONCHOLOGY, INDEX TESTACEOLOGICUS,  
LINNEAN GENERA OF INSECTS, ETC.

LONDON:

WILLIAM WOOD, 39 TAVISTOCK STREET, COVENT GARDEN.

1839.

347674



PRINTED BY RICHARD AND JOHN E. TAYLOR,  
RED LION COURT, FLEET STREET.

Q.L.  
543  
W.W.  
1239  
S.C. 22 - 2

## P R E F A C E.

---

OUR object in the present undertaking is to incorporate in one Volume octavo a Catalogue of all the known Insects of the order Lepidoptera inhabiting Great Britain; illustrated throughout with figures, reduced, where necessary, to a small size, but with a degree of accuracy that will enable the Entomologist to fix at once upon any particular species he may wish to define.

The utility of such an undertaking, if properly conducted, will be readily acknowledged, as we have no Work that figures even a quarter of the species known at present to inhabit this country. Any book, therefore, must become important to the Entomologist, that will comprise an accurate figure of every species of insect included in the Order to which it belongs.

It may be objected, that to combine so much in so small a space it may be necessary to reduce the figures till we lose the essential character. This, however, has by no means been the case. None of the insects have been reduced to less than an inch, and some hundreds are of the natural size.

With reference to the Plates, it may not be improper to remark, that they have been entirely executed by the same artist (Mr. W. Wood, Jun.), whose accurate figures are already before the public in the Illustration of the *Index Testaceologicus*, or Catalogue of British and Foreign Shells, which comprises 2780 figures of distinct species.

No pains have been spared to make the figures perfectly accurate; and to accomplish this most essential purpose, re-

course (where possible) has always been had to the Insect, which has been drawn by the graver immediately on the copper, without the intervention of any copy.

The Systematic Catalogue of British Insects by Mr. Stephens has been the guide throughout the Work; but where the generic names have been subsequently altered in the Illustrations of British Entomology, the alterations are constantly noticed in the third column.

It was originally intended strictly to confine the Work to one figure only of each species; nor was this plan departed from till after the first Plate was finished, and the second and third in progress. It was then observed that the great dissimilarity between the Male and Female of several species amongst the Butterflies, made it quite necessary to figure some of the latter. This has caused an unavoidable confusion in the numbering of the second and third Plates; but it is presumed that the benefit arising from the deviation will more than counterbalance the apparent defect. It must be observed, that where the Male and Female are both figured, the number is always repeated. Thus, in Pl. II. 40 *a* + the male; 40 the female: again, Pl. II. 58 *a* + the male; 58 Pl. III. the female.

Each page of the work (as in the *Index Testaceologicus*) is divided into columns. The first column contains the Linnæan names, to be found in the twelfth edition of the *Systema Naturæ*:—the names printed in Italics mark the species discovered since the time of Linnæus. The second column contains the English names. The third, the synonyms of British Authors, and the new genera as adopted by Mr. Stephens and others. The high numbers preceding each generic name in small capitals refer to the Systematic Catalogue of British Insects, (where the Lepidoptera begin with No. 5794,)\* and

\* Where no such number precedes the name, the Insect has been discovered since the publication of the Catalogue in 1829.

the name to the species in the first column: Thus *Gonepteryx Rhamni* of Stephens is the *Papilio Rhamni* of Linnæus; The *Colias Europome* of Stephens is not a Linnæan species, being printed in Italics; The *Colias Hyale* of Stephens is the *Papilio Hyale* of Linnæus, and so on. The fourth column gives the Habitat of the Insect, and the time of the year when it may be found.

As a guide to the comparative size of the different Insects, a mark or a letter of the Alphabet is added after the number engraved on the Plate. Thus *a* indicates an insect an inch and a quarter wide; *a +* an inch and a half; *a +* an inch and three quarters; *b* two inches; *c* three inches, and so on: *n* denotes insects of the natural size; and *m* such as are magnified. For example: in Pl. I., fig. 1. is three inches and three quarters wide when expanded; fig. 2. two inches and a half; fig. 70. Pl. III. is the natural size, and all in Pl. XLIII. are magnified.

The great expense attending works on Natural History, where the subjects are accurately drawn and coloured, has in a considerable degree confined the sale to persons of opulence, and prevented that general access to figures which is so essential to the promotion of the science. In the present Work this objection is removed, since the figures, (excepting those on royal paper,) though drawn and coloured with the greatest possible care, do not exceed one penny each!

It now only remains for us gratefully to acknowledge the ready assistance we have received from several scientific gentlemen, and most especially from J. F. Stephens, Esq., to whom we cannot sufficiently express our thanks for his unwearied assistance throughout the work, and for the liberal manner in which he placed his invaluable Collection at our service, notwithstanding the risk of injury occasioned by the removal of the different Insects from Camberwell to London.

To the kindness of J. G. Children, Esq., of the British

#### PREFACE.

Museum, we are much indebted, not only for a ready access to his Collection, but also for permission to refer to his valuable Entomological Library.

To John Curtis, Esq., we are also greatly indebted for permission to make drawings from any of his rare and beautiful specimens we might require, and occasionally to use his most elegant work on the Genera of Insects found in Great Britain and Ireland.

We have sincerely to thank Messrs. Bentley and Chant for the loan of many very fine specimens of the British Lepidoptera from their valuable Cabinets; and our acknowledgements are also due to Edward Newman, Esq., for the use of some of the very rare British species.

Tavistock-street, Covent Garden.

---

#### ABBREVIATIONS.

- A.* Albin's Natural History of English Insects.
- C.* Curtis's British Entomology.
- D.* Donovan's Natural History of British Insects.
- H.* Harris's Aurelian, or Natural History of English Insects; namely, Moths and Butterflies.
- L.* Lewin's Papilio's of Great Britain.
- St.* Stephens's Illustrations of British Entomology:—Haustellata.
- W.* Wilkes's English Moths and Butterflies.

## DIRECTIONS TO THE BINDER.

---

Pl.	Page.	Pl.	Page.
1.		28.....	... to face 126
2. } .....	to face 10	29. }	136
3. }		30. }	140
4.....	14	31.....	148
5. }		32. }	148
6. }	28	33. }	158
7. }		34. }	158
8. }	38	35. }	168
9. }		36. }	168
10. }	48	37. }	172
11. }		38.....	172
12. }		39.....	178
13. }	64	40.....	182
14. }		41.....	186
15. }		42.....	192
16. }	72	43.....	196
17. }		44.....	202
18. }	80	45.....	206
19.....	84	46.....	212
20. }		47. }	222
21. }	94	48. }	228
22. }		49.....	228
23. }	108	50. }	238
24. }		51. }	242
25. }		52.....	242
26. }	122	53. }	254
27. }		54. }	

## ERRATA.

- Page 8, for 63 Asis, read 63 Acis.  
— 11, for 3 Trifolii, read 3 Loti.  
— 11, for 4 Loti, read 4 Trifolii.  
— 12, for 8 Populi, read 8 Tiliae.  
— 12, for 9 Tiliae, read 9 Populi.  
— 12, for 15 Galli, read 15 Galii.  
— 16, 3rd col., after 5951 Cossus, add Ligniperda.  
— 22, after 49 Castrensis, add M. & F.  
— 53, for 259 Leucipara, read Lucipara.  
— 68, for 373 Geminipunctata, read 373 Geminipuncta.  
— 70, for 386 Fiscina, read 386 Fissina.  
— 70, for 389 Thapsiphaga, read 389 Solidaginis.  
— 71, for 397 Percontationis, read 397 Iota.  
— 71, for 398 Iota, read 398 Percontationis.  
— 72, for 405 Aurichalcea, read Orichalcea.  
— 74, 424, 3rd col., after St. 3, p. 116, add Euphasia.  
— 78, for { 454 } Carbonaria, read { 454 } Atomaria M. & F.  
— 84, for 505 Distrigaria, read 505 Destrigaria.  
— 89, for 539 Purpuraria, read 539 Gilvaria F.  
— 93, for 567 Substriata, read 567 Subtristata.  
— 97, for 596 Performata, read 596 Praeformata.  
— 98, for 611 Elutata, read 611 Elatata.  
— 108, for 690 Caecata, read 690 Cesia.  
— 108, for 691 Flavicincta, read 691 Flavicinctata.  
— 112, for 719 Degeneraria, read 719 Contiguaria.  
— 112, for 720 Contiguaria, read 720 Degeneraria.  
— 118, 764, 3rd col., add St. 4, p. 15.  
— 134, for 887 Betulatana, read Betuletana.  
— 138, 913, under St. 4, p. 97, add 6915.  
— 139, for 927 Puncticostata, read 927 Puncticostana.  
— 144, for 962 Nigromaculata, read 962 Nigromaculana.  
— 148, for 999 Sinuana, read 999 Obsoletana.  
— 148, for 1003 Obsoletana, read 1003 Sinuana.  
— 148, for 1004 Rutifasciana, read 1004 Rectifasciana.  
— 155, for 1057 Fulvovittana, read 1057 Cristalana.  
— 155, for 1058 Cristalana, read 1058 Fulvovittana.  
— 163, 3rd col., for Argyrotoposa, read Argyrotoza.  
— 165, 1132, 3rd col., for Rhacionia, read Carpocapsa.  
— 167, for 1145 Griceana, read Griseana.  
— 172, for 1182 Costata, read Costosa.  
— 181, for 1252 Olivella, read Sulphurella.  
— 182, for 1253 Sulphurella, read Olivella.  
— 185, for 1277 Echiella, read Pusiella.  
— 185, for 1278 Pusiella, read Echiella.  
— 185, for 1279 Dodecca, read Dodocaea.  
— 189, for { 1304 } Ossea, read { 1304 Ossea.  
— 189, for { 1306 } Ossea, read { 1306 Aphelosetia Subocellea, St. 4,  
 p. 290.  
— 201, 1390 and 1391, 3rd col., for Harfagus, read Harpagus.  
— 208, for 1443 Pyrallella, read Pyralella.  
— 213, 3rd col., for Onocera, read Oncocera.  
— 217, for 1502 Cerucellus, read Cerusellus.  
— 222, for 1544 Vitellus, read Vittellus.  
— 229, for 1585 Lerzella, read Luzella.  
— 233, for 1615 Ochreacea, read Ochracea.

## LIST OF SUBSCRIBERS.

---

- A.MHERST, Lady Sarah, Grosvenor-street.  
Austen, G., Esq., Temple, F.L.S.  
Austin, G., Esq., Canterbury.
- Bedford, His Grace the Duke of, K.G. F.L.S. F.A.S. & H.S.  
Babington, Charles C., Esq., M.A. F.L.S. F.G.S. & C.P.S.  
Baker, Creswell, Mrs.  
Bain, Mr. 3 copies.  
Bailli re, Mr., Regent Street.  
Bartlett, W., Esq.  
Bathurst, Charles, Esq., Lydney Park. 2 copies.  
Bell, Thomas, Esq., F.R.S. & F.L.S. Professor of Zoology, King's College, London.  
Bell, Rev. J., Congleton.  
Bentley, Mr.  
Bennett, Mr. W.  
Bennett, Rev. W., Canterbury.  
Beck, C., Esq.  
Beck, C. W., Esq.  
Bland, M., Esq., F.R.S. F.A.S. F.L.S. F.G.S. Hastings.  
Blake, Lady.  
Blythe, Mr. John.  
Breadnell, ——, Esq.  
Braikenridge, G. W., Esq., F.S.A. &c.  
Bromfield, Dr., F.L.S., Ryde. 2 copies.  
Brown, J., Esq.  
Brown, Rev. Mr.  
Buney, H., Esq.  
Burney, Rev. Charles Parr, D.D. F.R.S. F.L.S. F.S.A. F.G.S.  
F.R.A.S. M.R.A.S. M.R.S.L., Greenwich.  
Butlery, John, Esq.  
Butler, Mr. Joseph.
- Children, J. G., Esq., F.R.S. L. & E. F.S.A. F.L.S. & F.G.S., British Museum.  
Chapman, Mr., York. 5 copies.

- Christy, W., jun., Esq.  
Conway, ——, Esq.  
Cotting, F. J., Esq.  
Crewe, Rev. H. R.  
Curtis, J., Esq., F.L.S. Hon. M.A.S. Oxf, Robert Street, Hampstead  
Road. 3 copies.  
Currie and Bowman, Messrs., Newcastle. 5 copies.  
Cust, Miss E.  
  
Dale, J. C., Esq., F.L.S.  
De Jersey, P. Frederick, M.D. F.L.S.  
Dossetor, T. P., Esq.  
Drummond, Rev. Heneage.  
  
Edwards, Mrs.  
Edwards, Dr., Canterbury.  
Edwards, Mr. 3 copies.  
Englehart, N. B., Esq.  
Everett, W., Esq.  
  
Fielding, G. H., Esq., Hull.  
Fisher, Marshall, Esq., Ely.  
Fisher, J. Esq., Hull.  
Fiennes, The Hon. T.  
Foljambe, T. T., Esq., Retford.  
Freeland, F. E., Esq.  
  
Galway, Lady.  
Garden, Rev. J. L.  
Goodall, Rev. Joseph, D.D. Provost of Eton, F.L.S. F.A.S. H.S., &c.  
Graham, J. E., Esq., the Sheet near Ludlow.  
Gray, J. E., Esq., F.R.S. F.G.S. & F.R.G.S., British Museum.  
Grey, Mr. W., St. Petersburg.  
Grantham, H., Esq.  
Griffith, Edward, Esq., F.R.S. F.S.A. & F.L.S., Gray's Inn Square.  
Guilleard, J., Esq., M.A. F.R.S. F.L.S. F.G.S. M.R.A.S., Gower  
Street.  
  
Hale, R. B., Esq., Alderley.  
Hall, T. B., Esq. Woodside, near Liverpool.  
Hamilton, Lady, Iping, Sussex.  
Harrison, T., Esq., F.L.S. F.H.S., Alpha Road.  
Harrison, Robert, Esq., Hull.  
Harris, Mr., St. Paul's Churchyard.  
Harrison, W., Esq., Cheshunt.  
Hervey, Miss, Deal.  
Heysham, D. C., Esq., Carlisle.  
Heales, G. S., Esq., Doctor's Commons.  
Hely, Gorges, Esq., Johnstown, Ireland.

- Hodgkinson, ——, Esq., Carlisle.  
Hodgson, Miss, Boston, Lincolnshire.  
Hudson, R., Esq., F.R.S. F.G.S., Clapham Common.  
Hurst, J. C., Esq., F.L.S., Dartford.
- Image, Rev. J., Dulwich College.  
Johnson, Rev. W.  
Jones, Mrs., Bedfont Vicarage.
- King, John, Esq.  
Kirkman, Thomas, Esq., Manchester.
- Lang, Dr.  
Leach, ——, Esq.  
Lockey, Rev. F., Bath.  
Longman and Co. 12 copies.
- Marryat, Miss, Wimbledon.  
Martin, Mr.  
Mercier, F., Esq., 70, Torrington Square.  
Meynell, Thomas, Esq., jun., North Kilvington Hall, Thirsk.  
Miles, F., Esq., Sidmouth, Devon.  
Morgan, Mr., Crown Court, Old Broad Street.  
Morgan, O., Esq., Pall Mall.  
Mossop, Rev. J., Loreth.
- Norwich, The Lord Bishop of, D.D. P.L.S., &c., 38 Brook Street.  
Norris, Thomas, Esq.
- Peckover, A., Esq., Wisbeach.  
Perry, W. G., Esq., Warwick.  
Phillips, Edward, Esq.  
Phillips, N., Esq.  
Poore, Sir Edward, Bart., Cuffnalls, Lyndhurst, Hants.  
Powell, J. H., Esq., Hengrave Hall.  
Preston, Rev. J. D. J., Beechfield, Doncaster.
- Radcliffe Library, Oxford.  
Rackett, Rev. Thomas, M.A. F.R.S. F.L.S. & A.S., Upper Gower Street.  
Richardson, Mr., Cornhill.  
Rivington, Messrs., Waterloo Place. 4 copies.  
Robinson, Esq.  
Robinson, Rev. J. M., Barrington, Cambridge.  
Roake, Mr., Strand.  
Rudge, E., Esq., F.R.S. F.L.S. & A.S., Wimpole Street.  
Rudd, Rev. G. T., M.A.
- Scarborough, Countess of, Portman Square.

- Savory, A. B., Esq., Stamford Hill.  
Setchell, Mr., King Street.  
Simpkin and Marshall, Messrs. 50 copies.  
Solly, R. H., Esq., M.A., F.R.S. F.S.A. F.L.S. F.G.S., 48 Great  
Ormond Street.  
Spurrell, F., Esq.  
Stephens, J. F., Esq., F.L.S. &c., Camberwell.  
Steggall, Rev. W., Bury St. Edmund's.  
Streatfield, Rev. John, Margate.  
Sullivan, L., Esq., War Office.  
  
Thynne, Lady John, St. James's Square.  
Thackeray, Rev. Dr., F.L.S. F.C.P.S., Provost of King's College,  
Cambridge.  
Thompson, C. I., Esq., F.L.S., Hanover Square.  
  
Wailes, Mr., Newcastle.  
Wainright, A., Esq.  
Walker, John, Esq., Chesterfield, Derbyshire.  
Walford, Rev. W.  
Walker, Mr., Strand. 2 copies.  
Walton, —, Esq.  
Walther, Mr., Piccadilly. 2 copies.  
West, W., Esq., Forster Lane.  
Weatherhead, J. R., Esq., Wisbeach.  
Williams, Miss Gregory.  
Woolley, W., Esq., Hull.  
  
Young, James, Esq.

# CATALOGUE

OF THE

## LEPIDOPTEROUS INSECTS OF GREAT BRITAIN.

### I. PAPILIO. BUTTERFLY.

Linn. names.	Engl. names.	Synonyms and new genera.	Habitat, and when found.
1 Machaon	Swallow-tail	W. t. 93. H. t. 36. D. 6, t. 211 L. t. 34. St. 1, p. 16. 5794 PAPILIO.	Fenny places. Norfolk and Cambridge- shire. End of May.
2 Rhamni	Brimstone	W. t. 94. L. t. 31. D. 5, t. 145. C. 4, t. 173. St. 1, p. 8. 5796 GONEPTERYX.	Woods and road- sides. June to Autumn.
3 Europome	Clouded Sul- phur	St. 1, p. 10, t. 1*, f. 1, 2, 3. 5797 COLIAS.	Meadows, rare.
4 Chrysothe- me,	Small Clouded Yellow	St. 1, p. 11, t. 2*, f. 1, 2. 5799 COLIAS.	Meadows in Nor- folk. Sept.
5 Edusa.	Clouded Yel- low	H. t. 29, f. n. m. L. t. 32. D. 7, t. 238, f. 2. St. 1, p. 12. & 145. 5800 COLIAS.	Meadows, &c., near Ipswich in Suffolk, and Devonshire. Middle of Au- gust.

## PAPILIO.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
6 <i>Hyale</i>	Pale Clouded Yellow	<i>L. t. 33. D. 7, t. 238, f. 1.</i> <i>C. 6, t. 242. St. 1, p. 13.</i> 5801 <b>COLIAS.</b>	Meadows on the S.E. coast. August.
7 <i>Brassicæ</i>	Large garden White	<i>W. t. 96. L. t. 25. D. 13,</i> <i>t. 446. St. 1, p. 15.</i> 5802 <b>PONTIA.</b>	Gardens. May to August.
8 <i>Chariclea</i>	Great White	<i>A. t. 1. St. 1, p. 17, t. 3*, f. 1, 2.</i> 5803 <b>PONTIA.</b>	Meadows and gardens. Apr.
9 <i>Rapæ</i>	Small White	<i>A. t. 51. W. t. 97. L. t. 26.</i> <i>St. 1, p. 18.</i> 5804 <b>PONTIA.</b>	Gardens. May to August.
10 <i>Metra</i>	Mr. Howard's White	<i>St. 1, p. 19. &amp; App. 146.</i> 5805 <b>PONTIA.</b>	Gardens. End of March and April.
11 <i>Napi</i>	Green-veined White	<i>A. t. 52, f. d—g. W. t. 98.</i> <i>L. t. 27. D. 8, t. 280, f. 1. St. 1, p. 20.</i> 5806 <b>PONTIA.</b>	Gardens, woods, and thickets. May to July.
12 <i>Sabellicæ</i>	Early green- veined White	<i>St. 1, p. 22, t. 3*, f. 3, 4.</i> 5808 <b>PONTIA.</b>	Gardens. April.
13 <i>Daplidice</i>	Green-check- ered White	<i>L. t. 28. D. 6, t. 200. C. 1,</i> <i>t. 48. St. 1, p. 2.</i> 5809 <b>PONTIA.</b>	Dover Cliffs. May and August.
14 <i>Cardamini- nes</i>	Orange-tip	<i>W. t. 99. H. t. 32, f. f. i.</i> <i>L. t. 30. D. 5, t. 169.</i> <i>St. 1, p. 23, &amp; App. 147.</i> 5810 <b>PONTIA.</b>	Woods and lanes. Suffolk and Devonshire. End of May.
15 <i>Sinapis</i>	White Wood	<i>H. t. 29, f. t—u. L. t. 29.</i> <i>D. 8, t. 280, f. 2. St. 1,</i> <i>p. 24. &amp; App. 147.</i> 5811 <b>LEUCOPHASIA.</b>	Woods in Kent, Essex, &c. May to August.



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
16 <i>Crataegi</i>	Black-veined White	<i>A. t. 2, f. 2, a—d. W. t. 95.</i> <i>H. t. 9, f. g—k. L. t. 24.</i> <i>D. 13, t. 454. C. 8, t. 360.</i> <i>St. 1, p. 27.</i>	New Forest, Hampshire. June.
		5812 <i>PIERIS.</i>	
17 <i>Lucina</i>	Duke of Bur- gundy Fri- tillary	<i>H. t. 27, f. n. o. L. t. 15.</i> <i>D. 7, t. 242, f. 2. C. 7,</i> <i>t. 316. St. 1, p. 29. &amp;</i> <i>App. 147.</i>	Woods and hedges. Cam- bridgeshire, Suffolk, and Essex. May and June.
		5815 <i>NEMEOBIUS.</i>	
18 <i>Athalia.</i> Underside, <i>pl. 3, f. 1.</i>	Heath, pearl- bordered likeness	<i>W. t. 112. H. t. 38, f. f. g.</i> <i>L. t. 14, f. 5, 6. St. 1, p. 30.</i>	Woods & heaths. End of May.
		5816 <i>MELITÆA.</i>	
19 <i>Artemis</i>	Greasy Fri- tillary	<i>W. t. 114. H. t. 28, f. e—i.</i> <i>L. t. 15. St. 1, p. 32.</i>	Meadows in Suf- folk, &c. May.
		5819 <i>MELITÆA.</i>	
— 20 <i>Cinxia,</i> Underside, <i>pl. 3, f. 2.</i>	Glanville Fri- tillary	<i>W. t. 111. H. t. 16, f. a—f.</i> <i>L. t. 14. D. 7, t. 242, f. 1.</i> <i>St. 1, p. 33.</i>	Isle of Wight. Dover. June.
		5820 <i>MELITÆA.</i>	
— 21 <i>Selene,</i> Underside, <i>pl. 3, f. 3.</i>	Small pearl- border Fri- tillary	<i>H. t. 31, f. i. k. L. t. 13.</i> <i>St. 1, p. 34.</i>	Heaths & wo ols, Essex, and Devonshire. May and June.
		5823 <i>MELITÆA.</i>	
— 22. <i>Euphosy-</i> ne. Underside, <i>pl. 3, f. 4.</i>	Pearl-bordered Fritillary	<i>H. t. 40, f. e. f. L. t. 13.</i> <i>D. 11, t. 312. C. 8, t. 386.</i> <i>St. 1, p. 35, &amp; App. 147.</i>	Heaths & woods. Essex and De- vonshire. May.
		5824 <i>MELITÆA.</i>	
23 <i>Lathonia</i>	Queen of Spain Fritillary	<i>L. t. 12. D. 3, t. 73. St. 1,</i> <i>p. 36.</i>	Woods. Cam- bridgeshire, Dover Cliffs, &c. June and July.
		5825A <i>RGYNNIS.</i>	

## PAPILIO.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
24 Adippe.	High Brown	<i>H. t. 28, f. a, d. L. t. 10.</i>	Woods in Suf-
Underside, <i>pl. 3, f. 5.</i>	Fritillary	<i>D. 13, t. 448. St. 1, p. 38.</i>	folk, Essex,
		<b>5827 ARGYNnis.</b>	&c. July.
25 Aglaia.	Dark-green	<i>W. t. 115. H. t. 26. f. o. p.</i>	Heaths, &c. Suf-
Underside, <i>pl. 3, f. 6.</i>	Fritillary	<i>L. t. 11. D. 9, t. 302.</i>	folk, Essex,
		<i>St. 1, p. 39.</i>	&c.
		<b>5828 ARGYNnis.</b>	
26 Paphia	Silver-washed	<i>W. t. 110. H. t. 34, f. k—u.</i>	Woods in Essex,
	Fritillary	<i>L. t. 9. D. 7, t. 247.</i>	&c. July.
		<b>5829 ARGYNnis.</b>	
27 C. Album	Comma	<i>A. t. 54. W. t. 109. H. t. 1,</i> <i>f. a—d. L. t. 5. D. 6,</i> <i>t. 199. St. 1, p. 42.</i>	Gardens and thickets, Suf-
		<b>5830 VANESSA.</b>	folk. July and August.
28 Polychlo- ros	LargeTortoise- shell	<i>A. t. 55. W. t. 108. L. t. 2.</i> <i>D. 8, t. 278. St. 1, p. 42.</i>	Roads and lanes, Essex, Suffolk,
		<b>5831 VANESSA.</b>	&c. July.
29 Urticæ	SmallTortoise- shell	<i>A. t. 4, f. 6. W. t. 107. H.</i> <i>t. 2, f. i—n. L. t. 3. D. 2,</i> <i>t. 55. St. 1, p. 43. &amp; 148.</i>	Gardens, hedges, &c.
		<b>5832 VANESSA.</b>	July to Sep- tember.
30 io	Peacock	<i>A. t. 4, f. 5. W. t. 106. H.</i> <i>t. 8, f. f—k. L. t. 4. D. 6,</i> <i>t. 206. St. 1, p. 44</i>	Woods, road- sides, &c.
		<b>5833 VANESSA.</b>	May to July.
31 Antiopa	Camberwell Beauty	<i>W. t. 113. H. t. 12, f. a—e.</i> <i>L. t. 1. D. 3, t. 89. St. 1,</i> <i>p. 45.</i>	WoodsinSurrey, on the oak;
		<b>5834 VANESSA.</b>	also near Nor- wich. May.
32 Atalanta	Red Admiral	<i>A. t. 3. W. t. 105. H. t. 6,</i> <i>f. a—h. L. t. 7. D. 8,</i> <i>t. 260. St. 1, p. 46.</i>	Woods, &c.
		<b>5835 VANESSA.</b>	Devonshire.
			June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
33 Cardui	Painted Lady	<i>A. t. 56. W.t.107, f. 1. H. 11, f. a—f. L. t. 6. D. 9, t. 292. St. 1, p. 47.</i> <b>5836 CYNTHIA.</b>	Fields and gardens, Middlesex, &c. June and July.
34 Iris	Purple Emperor	<i>W.t.120. H.t.3, upp. fig. L. t.16. D.2,t.37. C.8, t. 338. St. 1, p. 50.</i> <b>5839 APATURA.</b>	Woods: on the oak. Middlesex, Essex, &c. July.
35 Camilla	White Admiral	<i>H. t. 30, f. m. n. L.t.8. D.8, t. 244. C.3,t.124. St.1, p. 52.</i> <b>5841 LIMENITIS.</b>	New Forest, Hampshire; woods in Sussex, &c. July.
36 Ægeria	Speckled Wood	<i>W.t.103. H.t.41,f.f.f.K. L. t. 19. D. 14, t. 493. St. 1, p. 54.</i> <b>3843 HIPPARCHIA.</b>	Woods and hedges, Suffolk. April, June, August.
37 Megaera	Wall	<i>W.t.102. H.t.27,f.a—g. L. t. 21. D. 3, t. 279. St. 1, p. 55.</i> <b>3845 HIPPARCHIA.</b>	Woods and roadsides. May, July, August.
38 Semele, M. and F.	Grayling	<i>H.t.44, f. d. e. L.t.17. D.8, t. 259. St.1, p. 56.</i> <b>5848 HIPPARCHIA.</b>	Heaths, &c. Suffolk, Essex, Devonshire. July.
39 Galathea	Marbled White	<i>W.t.100. H.t.11,f.g—k. L.t.28. D. 8, t. 258. St. 1, p. 57.</i> <b>5849 HIPPARCHIA.</b>	Moist woods. Essex. July.
40 Tithonus, M. and F.	Large Heath	<i>H.t.44,f.f.g. L.t.22. D. 12, t. 405. St.1, p. 58.</i> <b>5850 HIPPARCHIA.</b>	Woods and commons. July.
41 Janira, M. and F.	Meadow Brown	<i>A. t.53,f.a—e. W.t.101. H.t.32,f.a—e. L.t.18. D. 9, t. 320. St. 1, p. 59.</i> <b>5851 HIPPARCHIA.</b>	Woods and meadows. June.

## PAPILIO.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
42 <i>Ligea</i> , M. and F. Underside, <i>pl.</i> 3, <i>f.</i> 8.	Arran Argus	<i>St. 1, p. 61, t. 6, f. 1, 2, 3.</i> 5852 <b>HIPPARCHIA</b> .	Isle of Arran. July.
43 <i>Blandina</i> . Underside, <i>pl.</i> 3, <i>f.</i> 7.	Scotch Argus	<i>D. 12, t. 426.</i> <i>St. 1, p. 62.</i> 5853 <b>HIPPARCHIA</b> .	Isle of Arran. June.
44 <i>Cassiope</i>	Mountain Ringlet	<i>St. 1, p. 63, t. 8, f. 1, 2, 3.</i> 5854 <b>HIPPARCHIA</b> .	Mountains, Cumberland. June.
45 Hyperan- thus	Ringlet	<i>H. t. 35, f. f. h.</i> <i>L. t. 20.</i> <i>D. 8, t. 271.</i> <i>St. 1, p. 60.</i> 5856 <b>HIPPARCHIA</b> .	Woods, Devon- shire. End of June.
46 <i>Polydama</i> , M. and F.	Scarce Heath	<i>St. 1, p. 64, t. 7, f. 1, 2.</i> 5857 <b>HIPPARCHIA</b> .	Marshes, York- shire. July.
47 <i>Davus</i>	Small Ringlet	<i>L. t. 23, f. 5, 6.</i> <i>D. 7, t. 186.</i> <i>St. 1, p. 67.</i> 5858 <b>HIPPARCHIA</b> .	Marshes. July.
48 Hero	Silver border- ed Ringlet	<i>C. 5, t. 205.</i> <i>St. 1, p. 68,</i> & <i>App. 149.</i> 5859 <b>HIPPARCHIA</b>	Ashdown Fo- rest. June and July.
49 Pamphilus, M. and F.	Small Heath	<i>H. t. 21, f. e—h.</i> <i>L. t. 23,</i> <i>f. 3, 4.</i> <i>St. 1, p. 69.</i> 5861 <b>HIPPARCHIA</b>	Heaths, &c. De- vonshire, &c. June, Septem- ber.
50 Betulæ	Brown Hair- streak	<i>A. t. 5, f. 7.</i> <i>W. t. 117.</i> <i>H.</i> <i>t. 42, f. b. c. f. g.</i> <i>L.</i> <i>t. 42.</i> <i>D. 8, t. 250.</i> 5862 <b>THECLA</b> .	Woods, Suffolk and Devon. August.
51 Pruni.	Dark Hair- streak	<i>C. 6. t. 264.</i> <i>St. 2, p. 69. note.</i> 5862* <b>THECLA</b> .	Woods. Hunt- ingdonshire. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
52 <i>W. album.</i>	Black Hair-streak <i>pl. 3, f. 11.</i>	<i>L. t. 44. D. 13, t. 437.</i> <i>St. 2, p. 69. note.</i> 5863 THECLA.	Gardens and hedges. June.
53 <i>Spini</i>	Pale brown Hair-streak	<i>St. 1, p. 78.</i> 5864 THECLA.	Norfolk. July.
54 <i>Quercus</i>	Purple Hair-streak	<i>A.t. 52, f. a—c. W.t. 116.</i> <i>H. t. 10, f. a—g. L. t. 43. D. 13, t. 460. St. 1. p. 76, &amp; App. 149.</i> 5865 THECLA.	Tops of oaks: Essex, &c. July.
55 Rubi	Green Hair-streak	<i>A.t. 5, f. 8. W.t. 118. H. t. 26, f. a. b. d. g. L. t. 44. D. 13, t. 443.</i> 5866 THECLA.	Woods and hedges, Devonshire. June, August.
56 Phlæas	Common Copper	<i>H. t. 34, f. p. L. t. 41. D. 13, t. 466.</i> 5867 LYCÆNA.	Commons, roadsides, &c. April, June, and August.
57 <i>Chryseis</i>	Purple-edged Copper	<i>St. 1, p. 80.</i> 5868 LYCÆNA.	Marshes. Essex and Sussex. Autumn.
58 Hippothoë,	Dark under-winged	<i>St. 1, p. 82.</i>	Marshes, Cambridgeshire.
M. <i>pl. 2.</i>			
F. <i>pl. 3.</i>	Copper	5807 LYCÆNA.	July.
59 <i>Dispar,</i>	Large Copper	<i>L.t. 40. D. 7, t. 217. C. 1, t. 12. St. 1, p. 81.</i>	Marshes, Suffolk. July.
M. and F. <i>pl. 3.</i>			
60 Virgaureæ,	Scarce Copper	<i>L.t. 41, f. 1, 2. D. 5, t. 173.</i>	Marshes, Isle of Ely.
M. and F. <i>pl. 3.</i>		<i>St. 1, p. 83.</i>	
61 Argiolus	Azure Blue	<i>L.t. 36, f. 4, 5, 6. D. 14, t. 481. St. 1, p. 85, &amp; App. 149.</i> 5872 POLYOMMATUS.	Meadows, Middlesex, &c. May to Aug.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
62 <i>Alsus</i>	Small Blue	<i>L. t.39, f.3,4. D.9, t.322. f. 1. St.1, p. 86, &amp; App. 149.</i>	Fields, Surrey, Kent, &c. Ma- to July.
		5873 <b>POLYOMMATUS.</b>	
63 <i>A sis</i>	Mazarine Blue	<i>L. t.38, f. 6,7. St.1, p. 86, &amp; App. 149.</i>	Chalk soils, Kent. May to July.
		5874 <b>POLYOMMATUS.</b>	
64 <i>Arion,</i> M. and F. <i>pl. 3.</i>	Large Blue	<i>L. t.37. D.6, t.184. St.1, p. 87.</i>	Commons, Kent, Surrey, &c.
		5875 <b>POLYOMMATUS.</b>	
65 <i>Corydon</i>	Chalk-hill Blue	<i>L. t.36. D.7, t. 236, f.1. St.1, p. 88.</i>	Chalk-pits near Dartford. July.
		5877 <b>POLYOMMATUS.</b>	
66 <i>Adonis</i>	Clifden Blue	<i>L. t.38, f.1-3. D.4, t.143, f. 1. St. 1, p. 89.</i>	Dover Cliffs, & Chalky places, Kent. May to August.
		5878 <b>POLYOMMATUS.</b>	
67 <i>Dorylas</i>	Light Blue	<i>St. 1, p. 90.</i>	Hills in Wales. June and July.
		5879 <b>POLYOMMATUS.</b>	
68 <i>Icarius,</i> M. and F. <i>pl. 3.</i>	Black-border- ed Blue	<i>St. 1, p. 91.</i>	Kent. June.
		5880 <b>POLYOMMATUS.</b>	
69 <i>Alexis,</i> M. and F. <i>pl. 3.</i>	Common Blue	<i>W. t.119. H. t.39, f.g. i. L. t.38. D. 4, t.143. St. 1, p. 91.</i>	Pastures, Suf- folk, Devon- shire, &c. May to Aug.
		5881 <b>POLYOMMATUS.</b>	
70 <i>Eros,</i> M. and F. <i>pl. 3.</i>	Pale Blue	<i>St. 1, p. 93.</i>	Lanes, Surrey and Kent. July.
		5882 <b>POLYOMMATUS.</b>	
71 <i>Argus</i>	Silver studded Blue	<i>L. t.39, f.5-7. St.1, p.93. 5883 <b>POLYOMMATUS.</b></i>	Fields and marshes, Suf- folk. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
72 <i>Agestis.</i>	Brown Argus Underside, <i>pl. 3.f. 9.</i>	<i>L.t.39,f. 1,2. D.9,t.322,</i> <i>f. 2.</i> 5884 <b>POLYOMMATUS.</b>	Chalky districts, and birds' nests. Kent and Surrey.
73 <i>Salmacis,</i>	Durham Argus <i>St. 1, p. 94.</i> M. and F. Underside, <i>pl. 3.f. 12.</i>	<b>POLYOMMATUS.</b>	Castle Eden Dean, Dur- ham.
74 <i>Artaxerxes.</i>	Scotch Argus Underside, <i>pl. 3.f. 13.</i>	<i>L.t.39,f.8,9. D.16,t.541.</i> <i>Meadows. Scot-</i> <i>St.1, p. 95.</i> 5885 <b>POLYOMMATUS.</b>	<i>land. June.</i>
75 <i>Alveolus</i>	Grizzled	<i>W.t.104? H.t.32,f. k n. Heaths, &amp;c.</i> <i>L.t.46,f.8,9. St.1,p.97.</i> May and Au- 5887 <b>THYMELE.</b>	gust.
76 Tages	Dingy Skipper	<i>H.t.34,f.f.o. L.t.45,f.3,4.</i> Heaths, woods, <i>St. 1, p. 98.</i> 5889 <b>THYMELE.</b>	&c. Middle- sex and Suf- folk. May and August.
77 <i>Paniscus</i>	Chequered Skipper	<i>D.8,t.254,f.1. St.1,p.160.</i> Woody places. 5891 <b>PAMPHILA.</b>	End of May.
78 <i>Linea</i>	Small Skipper	<i>H.t.42,f.1. L.t.45,f. 5-7.</i> Margins of <i>D.7, t. 236, f. 2. St. 1,</i> woods. July. <i>p. 101.</i> 5893 <b>PAMPHILA.</b>	<i>p. 101.</i>
79 <i>Actæon</i>	Lulworth Skipper	<i>C. 10. t. 442.</i> <b>PAMPHILA.</b>	Dorsetshire. August.
80 <i>Sylvanus</i>	Large Skipper	<i>H.t. 42,f.h. L.t.46. f.1-3.</i> Woods. June <i>D.8,t.254,f.2. St.1,</i> and July. <i>p. 101.</i> 5894 <b>PAMPHILA.</b>	<i>C</i>

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
81 <i>Comma</i>	Pearl Skipper	<i>L. t. 45, f. 1, 2. D. 9, t. 295.</i> <i>St. 1, t. 102.</i>	Chalky soils. Sussex. August.
3895	<i>Bucephalus</i> Large-headed Skipper	<i>5896 PAMPHILA.</i>	Devonshire and Surrey. July.


## II. SPHINX. HAWK MOTH.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1 <i>Statics</i>	Green Fores- ter	<i>H. t. 34, f. a—f. D. 6,</i> <i>t. 204, f. 2. C. 9, t. 396.</i> <i>St. 1, p. 105.</i> <b>5898 INO.</b>	Woods and mead- ows; Kensing- ton Gardens; Essex, Hertford- shire, &c. June.
2 <i>Meliloti</i>	Pale 5-spot Burnet	<i>St. 1, p. 107.</i> <b>5900 ANTHROCERA.</b>	West Horsley Park, Surrey. June and July.
3 <i>Trifolii</i>	Broad-border- ed 5-spot Burnet	<i>St. 1, p. 108.</i> <b>5902 ANTHROCERA.</b>	Middlesex, De- vonshire, near Newcastle, &c. June.
4 <i>Loti</i>	5-spot Burnet	<i>D. 9, t. 319. St. 1, p. 109.</i> <b>5903 ANTHROCERA.</b>	Middlesex, Kent. June.
5 <i>Filipen- dulæ</i>	6-spotted Bur- net	<i>W. t. 91. upper fig. H. t. 1,</i> <i>f. e—h. D. 1, t. 6. St. 1,</i> <i>p. 111.</i> <b>5905 ANTHROCERA.</b>	Fields and mead- ows by wood- sides, in Middle- sex, Devon- shire, S. Wales, &c. June and July.
6 <i>Hippocre- pidis</i>	Narrow-bor- dered 6-spot Burnet	<i>St. 1, p. 110.</i> <b>5904 ANTHROCERA.</b>	Middlesex, Sur- rey, near Coombe Wood. June.
7 <i>Ocellata</i>	Eyed Willow	<i>W. t. 24. A. t. 8. H. t. 5,</i> <i>f. a—c. D. 8, t. 269.</i> <i>St. 1, p. 112.</i> <b>5907 SMERINTHUS.</b>	Middlesex, in Battersea-fields; Essex, on Epping Forest, &c. May and June.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
8 Populi	Poplar	<i>A.t.57. W.t.25. H.t.33,</i> <i>f.a—g. D.7, t. 241.</i> <i>St. 1, p. 112.</i> 5908 <b>SMERINTHUS.</b>	Meadows in Devonshire, Cambridgeshire, &c. June and July.
9 Tiliæ.	Lime	<i>A.t.10. W.t.23. H.t.20,</i> <i>f.a—g. D. 10, t. 325.</i> <i>St. 1, p. 113.</i> 5909 <b>SMERINTHUS.</b>	Woods and meadows, Middlesex, Essex, &c. May and June.
10 Atropos	Death's-head	<i>A.t.6. W.t.19. H.t.37.</i> <i>D.9, t.289. St.1,p.114.</i> 5910 <b>ACHERONTIA.</b>	Yorkshire, Cambridgeshire. October.
11 Convolvuli	Bind-weed	<i>W.t. 20 &amp; 21. H.t. 21,</i> <i>a—d. D.7, t. 228 &amp;</i> <i>229. St. 1, p. 119.</i> 5913 <b>SPHINX.</b>	Kent, Sussex, Surrey. Middle of September.
12 Ligustri	Privet	<i>A.t. 7. W.t. 22. H.t.2,</i> <i>f. a—h. D. 8, t. 248.</i> <i>St. 1, p. 121.</i> 5915 <b>SPHINX.</b>	Hertfordshire, Cambridgeshire, &c. July.
13 Pinastri	Pine	<i>D. 9, t. 296. St.1,p.121.</i> 5916 <b>SPHINX.</b>	Rivelston Wood, near Edinburgh; also near Colney Hatch Wood and Esher, Surrey. June.
14 Euphorbiæ	Spotted Elephant	<i>H. t. 44, f. a. c. D.3,</i> <i>t. 91 &amp; 92. C. 1, t. 3.</i> <i>St. 1, p. 124.</i> 5919 <b>DEILEPHILA.</b>	Sand-hills near Barnstaple. June.
15 Galli	Galium	<i>H. t. 44, f. 6. (Caterpillar).</i> <i>St. 1, p. 125,</i> <i>t. 12, f. 2.</i> 5920 <b>DEILEPHILA.</b>	Middlesex, Cornwall and Devon. June.

PAPILIO.


Pl. I











## UNDERSIDES.





W. Wedd Jan.



*SPHILYX.*

Pl. 4





<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
16 <i>Livornica</i>	Striped	<i>St. 1, p. 126, t. 12, f. 1.</i> <i>Lineata.</i> 5921 <b>DEILEPHILA.</b>	Norfolk; and near Kingsbridge, Devon.
17 <i>Celerio</i>	Sharp-winged	<i>D. 6, t. 190 &amp; 191. St. 1,</i> <i>p. 128.</i> 5923 <b>DEILEPHILA.</b>	Oxfordshire, Cambridge-shire, and near Birmingham. August.
18 <i>Elpenor</i>	Elephant	<i>A. t. 9. W. t. 26. H. t. 7,</i> <i>f. a—h. D. 4, t. 122.</i> <i>St. 1, p. 131.</i> 5925 <b>DEILEPHILA.</b>	Gardens in Middlesex, Devonshire, Cambridgeshire, &c. June and July.
19 <i>Porcellus</i>	Small Elephant	<i>W. t. 16. D. 9, t. 314.</i> <i>St. 1, p. 131.</i> 5926 <b>DEILEPHILA.</b>	Woods in Middlesex, Surrey, Warwickshire, &c. June.
20 <i>Stellatarum</i>	Humming-Bird	<i>H. t. 24, f. i. l. D. 5,</i> <i>t. 155. St. 1, p. 133.</i> 5927 <b>MACROGLOSSA.</b>	Gardens in Kent, Hertfordshire, Cambridge-shire, &c. End of April, June and August.
21 <i>Bombyli-formis</i>	Broad-border-ed Bee	<i>D. 3, t. 87. St. 1, p. 135.</i> 5929 <b>SESTIA.</b>	Coombe Wood near Kingston, Surrey; Darenth Wood near Dartford, Kent. End of May.
22 <i>Fuciformis</i>	Narrow-bordered Bee	<i>C. 1, t. 40. St. 1, p. 134.</i> 5928 <b>SESTIA.</b>	Middlesex, Berkshire, Fens in Cambridge-shire. May and June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
23 <i>Apiformis</i>	Hornet	<i>D. 1, t. 25. St. 1, p. 137.</i> 5931 <i>TROCHILIUM.</i>	Aspen trees on Epping Forest; also Coombe Wood, &c. End of June.
24 <i>Crabroniformis</i>	Lunar Hornet	<i>D.13,t.436. St.1,p.138.</i> 5932 <i>TROCHILIUM.</i>	Darenth Wood, Kent. July.
25 <i>Asiliformis</i>	Clear under-wing	<i>D.11,t.384. St.1,p.139.</i> 5933 <i>ÆGERIA.</i>	On Poplar trees near London; also near Bexley, Kent. June.
26 <i>Chrysidiiformis</i>	Fiery Clear-wing	<i>St. 1, p. 141.</i> 5936 <i>ÆGERIA.</i>	Cabinet of A. H. Haworth, Esq.
27 <i>Spheciiformis</i>	Black and White horned Clear-wing	<i>St. 1, p. 140, t. 11, f. 1.</i> 5934 <i>ÆGERIA.</i>	In the woods of Southgate, Middlesex; also in the Isle of Wight. July.
28 <i>Allantiformis</i>	Two-belted Clear-wing	<i>Entom. Mag. No. 1,</i> <i>p. 79.</i> <i>ÆGERIA.</i>	Greenhithe, Kent: very rare.
29 <i>Cynipiformis</i> , M. and F.	Golden-tail Clear-wing	<i>D. 4, t. 116. St.1,p.141.</i> 5937 <i>ÆGERIA.</i>	Coombe Wood, Darenth Wood, &c. May and June.
30 <i>Ichneumoniformis</i>	Six-belted Clear-wing	<i>C. 2, t. 53. St. 1, p. 140.</i> 5935 <i>ÆGERIA.</i>	Sussex, Cornwall, and Devon.
31 <i>Philanthiformis</i>	Many-belted Clear-wing	<i>Entom. Mag. No. 1,</i> <i>p. 79.</i> <i>ÆGERIA.</i>	Devonshire: very rare.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
32 <i>Tipulifor- mis</i>	Currant Clear- wing	<i>D. 2, t. 52 &amp; 53. 5938 AEGERIA.</i>	Very common in gardens towards the middle of June.
33 <i>Mutillæ- formis</i>	Red-belted Clear-wing	<i>D. 6, t. 195. St. 1, p. 142. 5939 AEGERIA.</i>	Gardens at Chelsea, Highgate, Hackney, &c. June.
34 <i>Culiciformis</i>	Large Red- belted Clear- wing	<i>St. 1, p. 143, t. 10, f. 3. 5940 AEGERIA.</i>	Coombe and Darenth Woods. June.
35 <i>Stomoxy- formis</i>	Spotted Red- belted Clear- wing	<i>St. 1, p. 144, t. 11, f. 4. 5941 AEGERIA.</i>	Darenth Wood, and Gravesend. July. Rare.
36 <i>Formici- formis</i>	Flame-tipped Red-belt	<i>St. 1, p. 144, t. 11, f. 3. 5942 AEGERIA.</i>	Near London at Little Chelsea, and Limehouse; also in Lincolnshire. Middle of June.

### III. PHALÆ- MOTH.

#### NA.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1 <i>Humuli,</i> M. and F.	Ghost	<i>D.3, t.274, f.1 &amp; 2. St.2,</i> <i>p. 6.</i> <i>5946 HEPIALUS.</i>	Common in grassy places. Middle of June.
2 <i>Carnus,</i> M. and F.	Rosy Swift	<i>St. 2, p. 7, t. 13, f. 1.</i> <i>5948 HEPIALUS.</i>	North of En- gland, and near Birmingham. June.
3 <i>Velleda,</i> M. and F.	Beautiful Swift	<i>D. 10, t. 360, f. 3. St. 2,</i> <i>p. 6.</i> <i>5947 HEPIALUS.</i>	Darenth Wood, Kent; near Al- derley, Che- shire; Derby- shire. June.
4 <i>Lupulina,</i> M. and F.	Brown Swift	<i>H.t.22, f. l.m. St.2, p.5.</i> <i>5945 HEPIALUS.</i>	Grassy meadows. End of May.
5 <i>Hecta,</i> M. and F.	Golden Swift	<i>D. 8, t. 274, f. 3. St. 2,</i> <i>p. 4.</i> <i>5944 HEPIALUS.</i>	Open places in woods, Middle- sex, Devon, &c. June.
6 <i>Sylvina,</i> M. and F.	Evening Swift	<i>H. t. 22, f. h—m. C. 5,</i> <i>t. 185. St. 2, p. 7.</i> <i>5949 HEPIALUS.</i>	Borders of woods and lanes, Surrey, Hert- fordshire, &c. August and September.
7 <i>Cossus</i>	Goat	<i>A.t.35. W.t.31. H.t.23.</i> <i>D.4, t.114. C.2, t.60.</i> <i>St. 2, p. 9.</i> <i>5951 Cossus.</i>	Oak trees in woods and lanes, Kent, &c. End of June and be- ginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
8 <i>Aesculi</i>	Wood Leopard	<i>D. 5, t. 152. St. 2, p. 8.</i> 5950 <i>ZEUZERA.</i>	Near London ; Essex, and Cambridgeshire. Beginning of July.
9 <i>Bucephala</i>	Buff-tip	<i>A.t.23,f.33,a—d. W.t.43.</i> <i>H. t. 39, f. a—c. D. 1,</i> <i>t. 3. St. 2, p. 12.</i> 5952 <i>PYGÆRA.</i>	Middlesex, Bucks, Cambridgeshire. End of June.
10 <i>Reclusa</i>	Small Chocolate-tip	<i>D. 4, t. 124 &amp; 129, f. 4.</i> <i>St. 2, p. 13.</i> Var. $\beta$ . 5954 <i>CLOSTERA.</i>	Darenth and Birch Woods. End of May.
11 <i>Anachoreta</i>	Scarce Chocolate-tip	<i>St. 2, p. 13.</i> 5955 <i>CLOSTERA.</i>	In the British Museum.
12 <i>Curtula</i>	Chocolate-tip	<i>St. 2, p. 14.</i> 5956 <i>CLOSTERA.</i>	Near London ; Wanstead, Essex, on aspen trees. End of April, or early in May.
13 <i>Cæruleocephala</i>	Figure of 8	<i>A. t. 13, f. 17, a—c.</i> <i>W. t. 12. H. t. 30,</i> <i>f. a—d. D. 3, t. 100.</i> <i>St. 2, p. 15.</i> 5957 <i>EPISEMA.</i>	Very common in woods and hedges, Surrey, &c. September.
14 <i>Bicuspis</i>	Pretty Kitten	<i>St. 2, p. 16, t. 13, f. 3.</i> 5958 <i>CERURA.</i>	Darenth Wood, Kent. July. Rare.
15 <i>Integra</i>	Intire-barred Kitten	<i>St. 2, p. 16, t. 15, f. 3.</i> 5959 <i>CERURA.</i>	Coombe Wood, Surrey.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
16 <i>Furcula</i>	Kitten	<i>W.t.29,f.2. D.7,t.272.</i> <i>St. 2, p. 17.</i> 5960 CERURA.	Frequent near London, in woods and meadows; also in Kent, Essex, and Hertfordshire. July.
17 <i>Arcuata</i>	Arched Kitten	<i>St. 2, p. 17.</i> 5961 CERURA.	Coombe Wood, Surrey. Rare.
18 <i>Latifascia</i>	Broad-barred Kitten	<i>C.t.4, 193. St. 2, p. 18.</i> 5962 CERURA.	Near London; and Linton, North Devon. Very rare.
19 <i>Fuscinula</i>	Dusky Kitten	<i>St. 2, p. 18, t. 15,f. 1.</i> 5963 CERURA.	Darenth Wood near Dartford; also on Epping Forest, in July. Rare.
20 <i>Bigida</i>	Bordered Kit- ten	<i>St. 2, p. 19, t. 15,f. 2.</i> 5964 CERURA.	At Limehouse near London; and Darenth Wood, Kent.
21 <i>Vinula</i>	Puss	<i>A. t.11. W.t.29,f.1.</i> <i>H.t.38,f. a—e. D.3,</i> <i>t.85. St. 2,p.19.</i> 5965 CERURA.	Marshy places near Amesbury, Berkshire, &c. End of May, and sometimes again in August.
22 <i>Erminia</i>	Pale Puss	<i>St. 2, p. 20.</i> 5966 CERURA.	At Birch Wood; also near London?

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
23 <i>Fagi</i>	Lobster	<i>A.t. 58. St. 2, p. 21. 5967 STAUROPUS.</i>	Birch Wood, Kent; New Forest, Hants; near Norwich, and in Bexley Wood. Rare.
24 <i>Dromeda-rius</i>	Rusty Promi- nent	<i>D. 10, t. 350, f. 1. St. 2. p. 22. 5968 NOTODONTA.</i>	In woods, Kent; at Norwood, Surrey; and at Alderley, Cheshire. June and August.
25 <i>Perfusca</i>	Dark Promi- nent	<i>St. 2, p. 23, t. 14, f. 2. 5969 NOTODONTA.</i>	Found near Dublin.
26 <i>Ziczac</i>	Pebble Promi- nent	<i>A. t. 14, f. 20, e—h. W.t. 28. D. 4, t. 119. St. 2, p. 23. 5970 NOTODONTA.</i>	Near London; also in Darenth and Coombe Woods; Holt, Norfolk. June and July.
27 <i>Dictæa</i>	Swallow Pro- minent	<i>D. 7, t. 239, f. 1. St. 2, p. 25. 5971 LEIOCAMPA.</i>	Woods and meadows, Kent near Dartford, and at Dover; also in Essex. Beginning of August.
28 <i>Dictæoides</i>	Lesser Swallow Prominent	<i>St. 2, p. 25. 5972 LEIOCAMPA.</i>	Coombe and Da-renth Woods, &c. August.
29 <i>Camelina</i>	Coxcomb Pro- minent	<i>A.t. 69, f.a.c.d.e. D.6, t. 183. St. 2, p. 26. 5973 LOPHOPTERYX.</i>	Common in woods round London, about the end of April and beginning of August.

<i>Lin. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
30 <i>Cuculla</i>	Maple Prominent	<i>D. 10, t. 338, f. 1.</i> <i>St. 2,</i> <i>p. 27.</i> 5974 <b>LOPHOPTERYX.</b>	Darenth Wood and neighbourhood; also near Erith: but rare. June.
31 <i>Carmelita</i>	February Prominent.	<i>St. 2, p. 27, t. 14, f. 3.</i> 5975 <b>LOTHOPTERYX.</b>	Darenth Wood near Dartford. Very rare.
32 <i>Palpina</i>	Pale Prominent	<i>St. 2, p. 28.</i> 5976 <b>PTILODONTIS.</b>	Coombe, Birch, and Darenth Woods, &c.; also near Epping. June and August.
33 <i>Variegata</i>	Feathered Prominent	<i>C. 7, t. 328.</i> <i>St. 2, p. 29,</i> <i>t. 14, f. 1.</i> 5977 <b>PTILOPHORA.</b>	Darenth Wood. The end of October.
34 <i>Roboris</i>	Lunar Marbled brown	<i>D. 9, t. 299.</i> <i>St. 2, p. 30.</i> 5978 <b>CHAONIA.</b>	Darenth, Coombe, Birch, and Colney Hatch Woods. June. Scarce.
35 <i>Dodonca</i>	Marbled brown	<i>D. 10, t. 352, f. 2.</i> <i>St. 2,</i> <i>p. 30.</i> 5979 <b>CHAONIA.</b>	Darenth and Coombe Woods; also in Littleton Copse, Middlesex. June.
36 <i>Cassinea</i>	Sprawler	<i>D. 12, t. 397, f. 2.</i> <i>St. 2,</i> <i>p. 32.</i> 5981 <b>PETASIA.</b>	Coombe and Darenth Woods; New Forest, Hampshire. End of October.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
37 <i>Serrata</i>	Great Prominent	<i>D. 10, t. 359. St. 2, p. 33.</i> <i>5982 PERIDEA.</i>	Coombe, Dartmouth, and Birch Woods.
38 <i>Versicolora</i>	Glory of Kent	<i>W. t. 89. D. 5, t. 158.</i> <i>St. 2, p. 34.</i> <i>5983 ENDROMIS.</i>	Coombe and Dartmouth Woods; also in Devonshire, Suffolk, and Sussex. April.
39 <i>Pavonia-minor,</i> M. and F.	Emperor	<i>A. t. 25, f. 37, a—h.</i> <i>H. t. 25, a—i. D. 1,</i> <i>t. 1 &amp; 8, t. 254. St. 2,</i> <i>p. 37.</i> <i>5985 SATURNIA.</i>	On heaths and in marshy places. Common near London, and in several counties. April and August.
40 <i>Rubi</i>	Fox-coloured	<i>A. t. 81, a—d. W. t. 54.</i> <i>D. 2, t. 69. St. 2, p. 39.</i> <i>5986 LASIOCAMPNA.</i>	Woody plains and heaths round London; Hertfordshire, Surrey, &c. June.
41 <i>Trifolii</i>	Grass Egger	<i>W. t. 47, upper fig. St. 2,</i> <i>p. 39.</i> <i>5987 LASIOCAMPNA.</i>	New Forest, Hants. July and August.
42 <i>Medicago-ginis</i>	Medick Egger	<i>W. t. 47, lower fig. C. 4,</i> <i>t. 181. St. 2, p. 41.</i> <i>5988 LASIOCAMPNA.</i>	New Forest, Hants, and near Bristol; but rare. August.
43 <i>Quercus</i>	Oak Egger	<i>St. 2, p. 40.</i> <i>5989 LASIOCAMPNA.</i>	New Forest, Hants; and Devonshire. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
44 Roboris, M. and F.	Great Egger	<i>A.t.18. W.t.46. H.t.29,</i> <i>f.a—f. D.3, t. 104.</i> <i>St. 2, p. 41.</i> 5990 LASIOCAMPA.	Common near London; also in Kent, Essex, Sussex, &c. June.
45 Crataegi, M. and F.	Pale Oak Egger	<i>A.t.34,f. 54,a—d. D.4,</i> <i>t. 117. St. 2, p. 43.</i> 5992 TRICHIURA.	Woody places near Epping; and in Darenth, Birch, and Coombe Woods. September.
46 Populi	December	<i>A.t. 85. W.t.48. D.9,</i> <i>t. 307. St. 2, p. 44.</i> 5993 PŒCILOCAMPA.	In lanes, near woods, in Kent, Surrey, &c. December.
47 Lanestris	Small Egger	<i>A. t. 19, f. 26, a—d.</i> <i>W. t. 53. H. t. 25,</i> <i>f. k—o. D. 6,t. 210.</i> <i>St. 2, p. 45.</i> 5994 ERIOGASTER.	In different places round London; also near Hertford; in Cambridge-shire and Essex. February and March.
48 <i>Pityocampa</i>	Procession	<i>St. 2, p. 48.</i> 5996 CNETHOCAMPA.	Devonshire. Very rare.
49 Castrensis	Ground Lac- key	<i>C. 5, t. 299. St. 2, p. 48,</i> <i>t.13,f. 2.</i> 5997 CLISIOCAMPA.	Coasts of Essex, Kent, and Devonshire. August.
50 Neustria, M. and F.	Lackey	<i>A.t.19,f.27,e—l. W.t.45.</i> <i>H. t.17,f. a—f. D.3,</i> <i>t. 95. St. 2, p. 49.</i> 5998 CLISIOCAMPA.	Very common about hedges and gardens. July and August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
51 Pini	Pine-tree Lap-pet	<i>W. t. 61. D. 5, t. 177 &amp; 178. C. 1, t. 7. St. 2, p. 50.</i> 5999 <b>EUTRICHA.</b>	Taken at Norwich; but very rare. July.
52 Potatoria, M. and F.	Drinker	<i>A. t. 17. W. t. 58. H. t. 42, f. a. m. n. p. &amp; t. D. 5, t. 148. St. 2, p. 51.</i> 6000 <b>ODONESTIS.</b>	Very common in lanes, hedges and woods. July.
53 Quercifolia	Lappet	<i>A. t. 16. W. t. 57. H. t. 43, f. a—c. D. 7, t. 232. C. 1, t. 24. St. 2, p. 52.</i> 6001 <b>GASTROPACHA.</b>	Essex, Hertfordshire, Cambridgeshire. July.
54 Dispar, M. and F.	Gypsey	<i>W. t. 42. D. 5, t. 163. St. 2, p. 55.</i> 6004 <b>HYPOGYMNA.</b>	In the fens of Huntingdonshire; also at Coombe Wood. August.
55 Monacha	Black Arches	<i>W. t. 39. D. 7, t. 227. St. 2, p. 57.</i> 6005 <b>PSILURA.</b>	Near Brockenhurst in the New Forest; also at Epping, &c. July.
56 Fascelina	Dark Tussock	<i>A. t. 26, f. 39, e—h. W. t. 62. D. 16, t. 576. St. 2, p. 58.</i> 6006 <b>DASYCHIRA.</b>	Woody districts of Kent and Bedfordshire. July.
57 Pudibunda	Pale Tussock	<i>A. t. 26, f. 38, a—d. W. t. 63. H. t. 15, f. c. f. D. 5, t. 160. St. 2, p. 59.</i> 6007 <b>DASYCHIRA.</b>	Common in hop-gardens; also in the neighbourhood of London, &c. June.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
58 <i>Coryli</i>	Nut-tree Tus-sock	<i>A.t.90,f.e—h. W.t.66.</i> <i>D.9,t.309. St.2,p.60.</i> 6008 DEMAS.	Coombe, Birch, and Darent Woods; but rare. April and July.
59 <i>Antiqua,</i> M. and F.	Vapourer	<i>A.t.89,f.a—e. W.t.64.</i> <i>H.t.20,f.h—p. D.1,</i> <i>t.16. St. 2, p. 61.</i> 6009 ORGYIA.	Very common about London, &c. July to October.
60 <i>Gonostig- ma,</i> M. and F.	Scarce Va- pourer	<i>A.t.90,f.a—d. W.t.65.</i> <i>H.t.14,f.a—g. D.9,</i> <i>t.316. St. 2, p. 61.</i> 6010 ORGYIA.	Coombe Wood, Lewisham, Erith, &c. June to Au- gust.
61 <i>Cœnosa</i>	Whittlesea	<i>C. 2,t.68. St.2,p.63.</i> 6011 LÆLIA.	Whittlesea Mere. July.
62 <i>Vau-nigra</i>	Black V.	<i>St. 2, p. 64, t. 16, f. 2.</i> 6012 LEUCOMA.	Bromley? Kent; very rare. Au- gust?
63 <i>Sparshalli</i>	Sparshall's	<i>C. 7, t. 336. Arcturus.</i> LEUCOMA.	Taken by Joseph Sparshall, Esq. in a lane near Horning, Nor- folk, in Au- gust 1829. Cabinet of J. Curtis, Esq.
64 <i>Salicis</i>	White Satin	<i>A.t.84,f.a—d. W.t.41.</i> <i>H.t. 5,f.p.q. D.1,</i> <i>t.30. St. 2,p.64.</i> 6013 LEUCOMA.	Abundant near London. July.
65 <i>Chrysor- rhœa,</i> M. and F.	Yellow-tail	<i>A.t.87,f.e—i. W.t.59.</i> <i>H.t. 25,f.p—s. D.1,</i> <i>t.10. St. 2, p. 65.</i> 6014 PORTHESIA.	Essex, Cam- bridgeshire, Yorkshire, &c. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
66 <i>Auriflava</i>	Brown-tail	<i>A. t. 87, f. a—d. D. 16,</i> <i>t. 555. St. 2, p. 66.</i> 6015 <i>PORTHESIA.</i>	Middlesex, Kent, Cambridge- shire, &c. August.
67 Dominula	Scarlet Tiger	<i>A. t. 22, f. 31, a—d.</i> <i>W. t. 38. H. t. 40,</i> <i>f. a—d. D. 4, t. 141.</i> <i>St. 2, p. 67.</i> 6016 <i>HYPERCOMPÀ.</i>	Whittlesea Mere; also in Cambridge- shire, and Devon, near Barnstaple, &c. June.
68 Russula, M. and F.	Clouded Buff	<i>D. 6, t. 214. C. 1, t. 21.</i> <i>St. 2, p. 68.</i> 6017 <i>EUTHEMONIA.</i>	Common in the New-forest, Hants; also near York; in Cambridge- shire, and near Coombe Wood. June.
69 Caja	Great Tiger	<i>A. t. 20. W. t. 36. H. t. 12.</i> <i>f. g—m. D. 1, t. 15.</i> <i>St. 2, p. 69.</i> 6018 <i>ARCTIA.</i>	Common near London, and elsewhere. End of July.
70 Villica	Cream-spot Tiger	<i>A. t. 21, f. 29, a—d.</i> <i>W. t. 37. H. t. 4, g. g.</i> <i>D. 2, t. 71. St. 2, p. 71.</i> 6020 <i>ARCTIA.</i>	Middlesex, Surrey, Kent, &c. End of June.
71 Plantaginis	Small Tiger	<i>W. t. 50. H. t. 16, f. g—m.</i> <i>D. 4, t. 134. St. 2, p. 73.</i> 6024 <i>NEMEOPHILA.</i>	Darenth Wood, Kent; Sutton Park, War- wickshire; Westmore- land. June


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
72 <i>Fuliginosa</i>	Ruby Tiger	<i>W.t.49. H.t.27,f.l.n. D.3,t.80. St.2,p.74. 6025 PHRAGMATOBIA.</i>	Yorkshire; and near Newcastle. Beginning of July.
73 <i>Menthastri</i>	Great Ermine	<i>W.t.40. H.t.38,f.k.l. D.4,t.189. A.t.24, f.g—k. St.2,p.75. 6026 SPILOSOMA.</i>	Essex; Cambridgeshire; Northumberland, &c. May.
74 <i>Urticæ</i>	Dingy White	<i>St.2,p.76. 6027 SPILOSOMA.</i>	In the Cabinet of J. F. Stephens, Esq.; also in the Collection of the late Mr. Haworth.
75 <i>Papyratia</i>	Water Ermine	<i>A. t. 21, f. 30, e—h. D. 16, t. 571. St. 2, p. 76. 6028 SPILOSOMA.</i>	Marshy places near Plaistow in Essex, &c. Middle of June.
76 <i>Lubricepeda</i>	Spotted Buff	<i>A. t. 24, f. 35, a—e. W. t. 43. H. t. 17, f.g—i. D. 16, t. 568. St. 2, p. 77. 6029 SPILOSOMA.</i>	Common in most counties. June.
77&78 <i>Mendica</i> , Spotted	Muslin	<i>H. t. 35,f.f.m. D. 11, t. 388. St. 2, p. 78. 6031 DIAPHORA.</i>	Kent, near Erith; Essex, &c., particularly in marshy places. Middle of May.
79 <i>Fusca</i>	Brown Muslin	<i>St.2,p.80,t.18,f.3&amp;4. 6034 PSYCHE.</i>	Highgate; Hornsey Wood. Beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
80 <i>Nigricans</i>	Black Muslin	<i>C. 5, t. 213. St. 2, p. 79.</i> 6033 PENTHOPHERA.	Taken by J. C. Dale, Esq., in Dorsetshire. June.
81 <i>Nitidella</i>	Shining Chimney Sweep	<i>C. 7, t. 332. St. 2, p. 82.</i> 6035 FUMEA.	Taken by Mr. Stephens in a lane near Darenth Wood; and also by Mr. Curtis. July.
82 <i>Pulla</i>	Small Chimney Sweep	<i>St. 2, p. 82.</i> 6036 FUMEA.	Taken by Mr. Stephens, near Darenth Wood. June.
83 <i>Muscella</i>	Chimney Sweeper's Boy	<i>St. 2, p. 82.</i> 6037 FUMEA.	Grassy places on heaths. June.
84 <i>Bombycella</i>	Transparent Chimney Sweeper	<i>St. 2, p. 83.</i> 6038 FUMEA.	Mr. Stephens's Cabinet. Very rare.
85 <i>Pectinella</i>	Light Chimney Sweeper	<i>St. 2, p. 83.</i> 6039 FUMEA.	Mr. Stephens's Cabinet. Very rare.
86 <i>Mundana</i>	Muslin	<i>C. 9, t. 400. St. 2, p. 83.</i> 6040 NUDARIA.	Middlesex, Kent, Cheshire, &c. August.
87 <i>Hemerobia</i>	Transparent Muslin	<i>St. 2, p. 84.</i> 6041 NUDARIA.	Darenth Wood. End of July.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
88 <i>Sene.c</i>	Round-winged Muslin	<i>St. 2, p. 84, t. 18, f. 2.</i> 6042 <b>NUDARIA.</b>	Whittlesea Mere; also near London, but very rare. July.
89 <i>Asellus</i>	Plain Muslin	<i>St. 2, p. 85, t. 17, f. 2.</i> 6043 <b>HETEROGENIA.</b>	New Forest, near Lyndhurst. Very rare.
90 <i>Testudo,</i> M. and F.	Festoon	<i>A.t.68, f. e—g. W.t.88.</i> <i>D.3, t.76. St. 2, p. 86.</i> 6044 <b>LIMACODES.</b>	Darent and Birch Woods; also near Chiselhurst and Sydenham, but not common. End of June.
91 <i>Jacobææ</i>	Pink under-wing	<i>A. t. 34, f. 55, e—i.</i> <i>W.t.55. H.t.4, upper fig. D.2, t.45. St. 2, p. 90.</i> 6045 <b>CALLIMORPHA.</b>	Kent, Essex, Cambridge-shire, Devon, &c. May and June.
92 <i>Miniata</i>	Red arches	<i>H.t.30, f. p. D.2, t.40,</i> <i>lower fig. St. 2, p. 90.</i> 6046 <b>CALLIMORPHA.</b>	Norwood and other places near London; &c. July.
93 <i>Grammica</i>	Feathered Footman	<i>D.13, t.450. St.2, p.91,</i> <i>t.17,f.3.</i> 6047 <b>EULEPIA.</b>	Two specimens taken near Windsor in October 1815.
94 <i>Cribrum</i>	Speckled Foot-man	<i>C. 2, t. 56. St. 2, p. 92.</i> 6048 <b>EULEPIA.</b>	Parley Heath near Ringwood, Hants. June. ~













<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
95 <i>Pulchella</i>	Crimson-speckled	<i>C. 4, t. 169. St. 2, p. 93. 6049 DEIOPEIA.</i>	Stubble-field near Christchurch, Hants; and Brighton, Sussex. Very rare. Sept.
96 <i>Aureola</i>	Orange Foot-man	<i>St. 2, p. 94, t. 18, f. 1. 6050 LITHOSIA.</i>	Birch and Coombe Woods; also near Ripley, in Yorkshire. Middle of July.
97 <i>Gilveola</i>	Pale Footman	<i>St. 2, p. 95. 6053 LITHOSIA.</i>	A pair in the Cabinet of Mr. Stephens, taken either in Birch or Darenth Woods.
98 <i>Helvola</i>	Clouded Foot-man	<i>St. 2, p. 94. 6051 LITHOSIA.</i>	Brockenhurst, in the New Forest; but rare.
99 <i>Flava</i>	Straw-coloured Footman	<i>St. 2, p. 95. 6052 LITHOSIA.</i>	Found with the above; also in Birch and Darenth Woods; but very rare.
100 <i>Complana</i>	Common Foot-man	<i>A. t. 70, f. c—h. St. 2, p. 95. 6054 LITHOSIA.</i>	Woods and shady lanes; Middlesex, Surrey, Essex, &c. Beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
101 <i>Depressa</i>	Pale-edged Footman	<i>St. 2, p. 96.</i> 6055 <b>LITHOSIA.</b>	Darenth Wood and near Ripley by Mr. Stephens. Very rare. Middle of July.
102 <i>Griseola</i>	Dun Footman	<i>St. 2, p. 96.</i> 6056 <b>LITHOSIA.</b>	Common in a woody lane near Ripley ; also near Hertford. Beginning of August.
103 <i>Plumbeo- lata</i>	Leaden Foot- man	<i>St. 2, p. 96.</i> 6057 <b>LITHOSIA.</b>	Cabinet of Mr. Stephens. Specimens said to be found near London.
104 <i>Muscerda</i>	Spotted Foot- man	<i>C. 1, t. 36.</i> <i>St. 2, p. 97.</i> 6058 <b>LITHOSIA.</b>	Found in a marsh at Horning, Nor- folk, by Mr. Sparshall.
105 Quadra, M. and F.	Large Foot- man	<i>W. t. 52.</i> <i>D. 9, t. 306.</i> <i>St. 2, p. 97.</i> 6059 <b>LITHOSIA.</b>	Common in the New Forest ; found also in Kent, Essex, &c. Middle of July.
106 Rubricollis	Black Foot- man	<i>H.t.43,f.p.</i> <i>D.10,t.350,</i> <i>f.3.</i> <i>St. 2, p. 98.</i> 6060 <b>GNOPHRIA.</b>	Near Darenth Wood, Kent ; Collingbourne Wood, Wilts. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
107 <i>Irrorella</i>	Dew Moth	<i>St. 2, p. 99.</i> 6061 SETINA.	Near Rochester, Birch Wood, and on Dartford Common. June.
108 <i>Roscida</i>	Pale Dew Moth	<i>St. 2, p. 100.</i> 6062 SETINA.	Riddlesdown near Croydon. June.
109 <i>Eborina</i>	4-spot Small Footman	<i>St. 2, p. 100.</i> 6063 SETINA.	Darenth, Birch, and Coombe Woods; also at Epping, &c. Beginning of August.
— 110 <i>Orbona</i>	Lesser Yellow underwing	<i>D. 10, t. 343, f. 2.</i> <i>St. 2,</i> <i>p. 102.</i> 6064 TRIPHENA.	Common in several coun- ties. End of June and early in July.
111 <i>Subsequa</i>	Dark lunar Yellow underwing	<i>C. 8, t. 348.</i> <i>St. 2, p. 103.</i> 6065 TRIPHENA.	Taken by Mr. Curtis in Scot- land.
112 <i>Pronuba</i>	Great Yellow underwing	<i>A. t. 72, f. a—d.</i> <i>W. t. 1.</i> <i>H. t. 39, f. d—f.</i> <i>D 9,</i> <i>t. 311.</i> <i>St. 2, p. 103.</i> 6066 TRIPHENA.	Common in gardens and hedges in many parts of En- gland; from the beginning of June to the middle of July.
113 <i>Innuba</i>	Pale-edged Yellow underwing	<i>St. 2, p. 104.</i> 6067 TRIPHENA.	Found at the same time and in the same places with the above.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
114 <i>Fimbria</i>	Broad-border- ed Yellow underwing	<i>H. t. 5, f. 2. D. 6, t. 208.</i> <i>St. 2, p. 105.</i> <i>6068 TRIPHÆNA.</i>	Middlesex, Surrey, Kent, Essex, &c. Beginning of July.
115 <i>Interjecta</i>	Third Yellow underwing	<i>St. 2, p. 105.</i> <i>6069 TRIPHÆNA.</i>	Darenth, Birch and Coombe Woods; also near Hertford and Epping. June.
116 <i>Janthina</i>	Lesser broad- bordered Yellow underwing	<i>W. t. 11, f. 5. St. 2, p. 106.</i> <i>6070 TRIPHÆNA.</i>	Lanes and bor- ders of woods in Essex, Suf- folk, &c. Au- gust.
117 <i>Texta</i>	Brown-border- ed Yellow underwing	<i>St. 2, p. 107.</i> <i>6071 CERIGO.</i>	Woods in Essex, Kent, and Nor- folk. June.
118 <i>Umbrosa</i>	Six-striped Rustic	<i>St. 2, p. 108.</i> <i>6072 LYTAEA.</i>	Near Birch Wood; also by Mr. Stephens in Sydenham Wood. Netley, Shropshire. End of July.
119 <i>Leucogra- pha</i>	White-spotted Rustic	<i>St. 2, p. 199.</i> <i>6072* p. 372 LYTAEA.</i>	Taken near York. Mr. Stephens's Cabinet.
120 <i>Cespitis</i>	Autumnal Rustic	<i>St. 2, p. 109.</i> <i>6073 CHARÆAS.</i>	Near Bexley, and on Dartford Common. Sep- tember.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
121 <i>Confinis</i>	Allied Rustic	<i>St. 2, p. 109.</i> 6074 CHARÆAS.	Mr. Stephens's Cabinet.
122 <i>Fusca</i>	Barred-feathered Rustic	<i>St. 2, p. 109.</i> 6075 CHARÆAS.	Near Birch Wood. September.
123 <i>Nigra</i>	Black Rustic	<i>St. 2, p. 110, t. 20, f. 2.</i> 6076 CHARÆAS.	Mr. Stephens's Cabinet.
124 <i>Graminis</i>	Antler	<i>D. 13, t. 458. C. 10,</i> <i>t. 451.</i> 6079 CHARÆAS.	Coombe Wood, Whittlesea Mere, and in Devonshire, but rare. July.
125 <i>Ferruginea</i>	Feathered Rustic	<i>St. 2, p. 112.</i> 6080 RUSINA.	Hedges near Darenth Wood, rare. End of June.
126 <i>Lunigera</i>	Lunar Dart	<i>St. 2, p. 113, t. 20, f. 3.</i> 6081 AGROTIS.	Cabinet of Mr. Bentley. Found near Cork in Ireland. June.
127 <i>Corticella</i>	Heart and Club	<i>St. 2, p. 114.</i> 6082 AGROTIS	Kent, Sussex, Devonshire, &c. June.
128 <i>Aequa</i> , F.	Pearly under-wing	<i>St. 2, p. 115.</i> 6083 AGROTIS.	Taken near Epping; also near London and in Hertfordshire, but rare. September and October.
129 <i>Segetum</i>	Common Dart	<i>St. 2, p. 115.</i> 6084 AGROTIS.	Very common in fields and hedges in Yorkshire, Norfolk, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
130 <i>Suffusa</i>	Dark Sword-grass	D.10, t.345, f.2,3. St. 2, p. 117. 6085 AGROTIS.	Birch and Darenth Woods ; also near Epping. June and July.
131 <i>Annexa,</i> F.	Tawny Shoulder	St. 2, p. 117, t. 22, f. 2. 6086 AGROTIS.	A single specimen taken near West Ham, in Essex, now in Mr. Curtis's Cabinet ; also in the Cabinet of Mr. Bentley. June.
132 <i>Valligera</i>	Archer's Dart	D.10, t.340, f. 3. St. 2, p.118. 6087 AGROTIS.	New Forest, Hants ; Teignmouth, Devon, &c. ; but scarc. August.
133 <i>Radia</i>	Shuttle-shaped Dart	St. 2, p. 119. 6088 AGROTIS.	Near London, New Forest, and Derbyshire. Mr. Bentley's Cabinet. July.
134 <i>Radiola,</i> F.	Dark Shuttle-shaped Dart	St. 2, p. 119, t. 20, f. 1. 6089 AGROTIS.	St. James's and Greenwich Parks ; also in Norfolk and Devon, rare. Mr. Bentley's Cabinet. June.
135 <i>Sagittifera</i>	Archer Dart	St. 2, p. 119. 6090 AGROTIS.	Neighbourhood of London. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
136 <i>Lineolata</i>	Lineolated Dart	<i>St. 2, p. 120.</i> 6091 AGROTIS.	Darenth Wood. Middle of August.
137 <i>Pupillata</i>	Pupilled Dart	<i>St. 2, p. 120.</i> 6092 AGROTIS.	Whittlesea Mere; Devon; and near London, but rare. July.
138 <i>Aquilina</i>	Bordered Dart	<i>St. 2, p. 121.</i> 6093 AGROTIS.	Near London, and in Glamorganshire. Scarce. Middle of July.
139 <i>Tritici,</i> F.	White-line Dart	<i>St. 2, p. 121.</i> 6094 AGROTIS.	Whittlesea Mere. Rare. July.
140 <i>Ocellina</i>	Eyed Dart	<i>St. 2, p. 122.</i> 6095 AGROTIS.	Very rare. Taken in Darenth Wood, and near Dublin. June.
141 <i>Cuncigera</i>	Wedge-barred Dart	<i>St. 2, p. 123.</i> 6096 AGROTIS.	Darenth Wood. Beginning of July.
142 <i>Venosa</i>	Veined Dart	<i>St. 2, p. 123.</i> 6097 AGROTIS.	Cabinet of Mr. Stephens. Taken near Edinburgh, July 1824.
143 <i>Hortorum</i>	Garden Dart	<i>St. 2, p. 122.</i> 6098 AGROTIS.	Whittlesea Mere. August.
144 <i>Nigricans</i>	Dark Garden Dart	<i>St. 2, p. 123.</i> 6099 AGROTIS.	Gardens near London; also at Whittlesea Mere. End of July and beginning of August.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
145 <i>Fumosa</i>	Dark Rustic	<i>St. 2, p. 124.</i> 6100 AGROTIS.	Found at the same time and place as the preceding.
146 <i>Obeliscata</i>	Square-spot Dart	<i>St. 2, p. 124.</i> 6101 AGROTIS.	Darenth Wood; Ripley in Yorkshire, and near London. August.
147 <i>Ruris</i>	Rufous Dart	<i>St. 2, p. 125.</i> 6102 AGROTIS.	Darenth Wood; Whittlesea Mere. August.
148 <i>Dubia</i>	White line	<i>St. 2, p. 125.</i> 6103 AGROTIS.	Near London. August.
149 <i>Subgothica</i>	Gothic Dart	<i>St. 2, p. 126, t. 22, f. 3.</i> 6104 AGROTIS.	Near London, and Barnstaple, Devon; but very scarce. June.
150 <i>Exclamatis,</i> M. and F.	Heart and Dart	<i>St. 2, p. 126.</i> 6105 AGROTIS.	Common in gardens, hedges, &c., near London. End of June.
151 <i>Nebulosa</i>	Clouded Dart	<i>St. 2, p. 127, t. 22, f. 1.</i> 6106 AGROTIS.	Two specimens taken by Mr. Raddon near Barnstaple, Devon, July 1827.
152 <i>Cinerea</i>	Light feathered Rustic	<i>St. 2, p. 127.</i> 6107 AGROTIS.	Kent, Salop, Isle of Wight, &c.; but uncommon. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
153 <i>Subrosea</i>	Rosy Dart	<i>St. 2, p. 128, t. 19, f. 1.</i> 6108 GRAPHIPHORA, <i>rkomboidea.</i>	Borders of Whitlesea Mere. Very scarce. July.
154 <i>Renigera</i>	Pine Dart	<i>St. 2, p. 129.</i> 6109 GRAPHIPHORA.	Derbyshire, Westmoreland. Rare. July.
155 <i>Latens</i>	Dusky Dart	<i>St. 2, p. 129.</i> 6110 GRAPHIPHORA.	The only example Mr. Stephens has seen of this insect, was taken in the South of Scotland in the summer of 1827.
156 <i>Pyrophila</i>	Streaked Dart	<i>St. 2, p. 130.</i> 6111 GRAPHIPHORA.	Netley, Shropshire; but rare. July.
157 <i>Crassa</i>	Stout Dart	<i>St. 2, p. 130.</i> 6113 GRAPHIPHORA.	Bottisham, Cambridgeshire; Netley, Salop. August.
158 <i>Augur</i>	Double Dart	<i>St. 2, p. 131.</i> 6114 GRAPHIPHORA.	Coombe and Darenth Woods; Cambridgeshire, Essex, &c. July.
159 <i>Brunnea</i>	Purple Clay	<i>St. 2, p. 131.</i> 6115 GRAPHIPHORA.	Coombe and Darenth Woods, &c. Not uncommon. End of July or beginning of August.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
160 <i>Candeli-</i> <i>sequa</i>	Brown Clay	<i>St. 2, p. 132.</i> 6116 GRAPHIPHORA.	Taken by Mr. Stephens in Darenth Wood. July.
161 <i>Tristigma</i>	Triple spotted Clay	<i>St. 2, p. 132.</i> 6117 GRAPHIPHORA.	Darenth Wood, and near Ripley. July
162 <i>Triangu-</i> <i>lum</i>	Double Square-spot	<i>D.16, t.562. St. 2, p. 133.</i> 6118 GRAPHIPHORA.	Darenth Wood ; also Coombe and Birch Woods; near Dover, &c. End of July.
163 <i>Baja</i>	Dotted Clay	<i>St. 2, p. 134.</i> 6120 GRAPHIPHORA.	Darenth, Coombe, and Birch Woods, &c. End of July.
164 <i>Erythro-</i> <i>cephala</i>	Barred Chest- nut	<i>St. 2, p. 134.</i> 6121 GRAPHIPHORA.	Darenth and Birch Woods. July.
165 <i>Festiva</i>	Ingrailed Clay	<i>St. 2, p. 135.</i> 6122 GRAPHIPHORA.	Darenth Wood, Coombe Wood, and near Hertford, &c. End of June.
166 C. <i>nigrum</i>	Setaceous He- brew Cha- racter	<i>St. 2, p. 136.</i> 6123 GRAPHIPHORA.	Darenth and Coombe Woods ; also in Yorkshire, Devon, &c. End of June and beginning of July.

*PHALENA.*

Pl. 8









<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
167 <i>Musiva</i>	Light-edged Clay	<i>St. 2, p. 136.</i> 6124 <b>GRAPHIPHORA.</b>	Taken by Dr. Leach, and now in the British Museum.
168 <i>Plecta</i>	Flame Shoulder	<i>St. 2, p. 137.</i> 6126 <b>GRAPHIPHORA.</b>	Hedges and woody lanes in Middlesex, Essex, Surrey, &c. June and September.
169 <i>Punicea</i>	Small Square-spot	<i>St. 2, p. 135.</i> 6127 <b>GRAPHIPHORA.</b>	Darenth Wood, Epping, &c. June.
170 <i>Gothica</i>	Hebrew Character	<i>St. 2, p. 138.</i> 6128 <b>SEMIOPHORA.</b>	Hedges and wood sides. Highgate, Hampstead, Epping, Bottisham, &c. Middle of April.
171 <i>Instabilis</i>	Clouded Drab	<i>A. t. 76, f. a—d.</i> <i>St. 2,</i> <i>p. 140.</i> 6129 <b>ORTHOSSIA.</b>	Richmond Park, Epping Forest, &c. Common. Beginning of April.
172 <i>Intermedia</i>	Connecting Drab	<i>St. 2, p. 140.</i> 6130 <b>ORTHOSSIA.</b>	A single pupa found by Mr. Stephens in Richmond Park.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
173 <i>Gracilis</i>	Lead-coloured Drab	<i>St. 2, p. 141.</i> 6131 ORTHOSIA.	Darenth and Birch Woods; also in Epping Forest, but not common. Beginning of April.
174 <i>Munda</i>	Twin-spotted Quaker	<i>St. 2, p. 141.</i> 6132 ORTHOSIA.	Epping, Leatherhead, Dorking, &c. End of April.
175 <i>Sparsa</i>	Powdered Quaker	<i>St. 2, p. 142.</i> 6133 ORTHOSIA.	Middlesex, Essex, Kent, &c. End of April.
176 <i>Pallida</i>	Pale Quaker	<i>St. 2, p. 143.</i> 6134 ORTHOSIA.	Taken by Mr. Stephens in Richmond Park. Rare. End of April.
177 <i>Stabilis</i>	Common Quaker	<i>A. t. 76, f. e—h. St. 2,</i> <i>p. 143.</i> 6135 ORTHOSIA.	Common in many parts of the country. Beginning of April.
178 <i>Miniosa</i>	Blossom Underwing	<i>St. 2, p. 144.</i> 6136 ORTHOSIA.	Darenth Wood, Epping, Leatherhead. Not common. End of March.
179 <i>Cruda</i>	Small Quaker	<i>A. t. 74, f. a—e. St. 2,</i> <i>p. 144.</i> 6137 ORTHOSIA.	Middlesex ; Surrey ; oaks in Richmond Park, &c. Common. End of March.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
180 <i>Pusilla</i>	Dwarf Quaker	<i>St. 2, p. 145.</i> 6138 ORTHOSIA.	Richmond Park, &c. End of March.
181 <i>Litura</i>	Brown-spot Pinion	<i>St. 2, p. 145.</i> 6139 ORTHOSIA,	Darenth Wood, Hertford, Epping. September or October.
182 <i>Pistacina</i>	Pale-beaded Chestnut	<i>St. 2, p. 146.</i> 6140 ORTHOSIA.	Darenth and Birch Woods. September.
183 <i>Lunosa</i>	Lunar Under-wing	<i>C. 5, t. 237. St. 2, p. 147.</i> 6141 ORTHOSIA.	Birch and Coombe Woods, &c. September.
184 <i>Lota</i>	Red-line Quaker	<i>St. 2, p. 147.</i> 6142 ORTHOSIA.	Hertford; also near Walthamstow, Darenth Wood, &c., but not common. September and October.
185 <i>Flavilinea</i>	Yellow-line Quaker	<i>St. 2, p. 148, t. 19, f. 2.</i> 6143 ORTHOSIA.	Near Caen Wood, Hampstead; Brockenhurst, and Devonshire. End of September.
186 <i>Macilenta</i>	Brick	<i>St. 2, p. 148.</i> 6144 ORTHOSIA.	Hertford, Coombe Wood, the New Forest, &c. End of September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
187 <i>Upsilon</i>	Dingy Shears	<i>St. 2, p. 149.</i> 6145 <i>ORTHOSSIA.</i>	Marshes near Hertford; also near London, in Battersea Fields, &c. June.
188 <i>Turca</i>	Double-line	<i>St. 2, p. 150.</i> 6146 <i>MYTHIMNA.</i>	Chigwell-row, Essex, and near Bristol; also in the hollow of Coombe Wood, by Mr. Stephens. Rare. July.
189 <i>Grisca</i>	Bright-eyed Clay	<i>St. 2, p. 150.</i> 6147 <i>MYTHIMNA.</i>	Darenth Wood; New Forest; Hants and Devon, &c. End of June.
190 <i>Lithargyria</i>	Ochraceous brown	<i>St. 2, p. 151.</i> 6148 <i>MYTHIMNA.</i>	In the Cabinet of Mr. Stephens. Taken near Brockenhurst, in the New Forest. July.
191 <i>Conigera</i>	Brown-line bright-eye	<i>St. 2, p. 151.</i> 6149 <i>MYTHIMNA.</i>	Darenth and Coombe Woods; Essex, Hertfordshire, &c.
192 <i>Trilinea</i>	Equal Treble-lines	<i>St. 2, p. 152.</i> 6152 <i>GRAMMESIA.</i>	Coombe and Darenth Woods, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
193 <i>Bilinea</i>	Dark Treble-lines	<i>St. 2, p. 152.</i> 6153 GRAMMESIA.	In Mr. Bentley's Cabinet. One taken by Mr. Stephens in Coombe Wood, July 1815 ; others near Birch Wood, but very rare. June.
194 <i>Xanthographa</i>	Square-spot Rustic	<i>St. 2, p. 153.</i> 6150 SEGETIA.	Common in Middlesex, Kent, Surrey, &c. August.
195 <i>Neglecta</i>	Neglected Rustic	<i>St. 2, p. 154, t. 21, f. 2.</i> 6151 SEGETIA.	Taken near Ringwood by Messrs. Bentley and Chant ; also by Mr. Stephens at Birch Wood ; and by Mr. Dale in the New Forest. Sept.
196 <i>Ambigua</i>	Dotted Rustic	<i>St. 2, p. 155.</i> 6154 CARADRINA.	Lanes near Darenth Wood, &c. June.
197 <i>Redacta</i>	Lesser dotted Rustic	<i>St. 2, p. 155.</i> 6155 CARADRINA.	Found with No. 196. near Darenth Wood, &c. June.
198 <i>Alsines</i>	Garden Rustic	<i>St. 2, p. 156.</i> 6156 CARADRINA.	Frequents gardens, Middlesex, Surrey, Kent, &c. June.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
199 <i>Implexa</i>	Clouded Garden Rustic	<i>St. 2, p. 156.</i> 6157 CARADRINA.	Darenth Wood, &c. July.
200 <i>Lævis</i>	Grey Rustic	<i>St. 2, p. 157.</i> 6158 CARADRINA.	Darenth Wood, and near London. July.
201 <i>Morpheus</i>	Bordered Rustic	<i>St. 2, p. 157.</i> 6160 CARADRINA.	Devonshire; also one taken at Hertford by Mr. Stephens. June.
202 <i>Sepii</i>	Mottled Rustic	<i>St. 2, p. 157.</i> 6161 CARADRINA.	Gardens, shady lanes, &c. Common. June.
203 <i>Cubiculæ</i>	Pale mottled Willow	<i>St. 2, p. 158.</i> 6162 CARADRINA.	Gardens and meadows. Common. Middle of June.
204 <i>Superstes</i>	Powdered Rustic	<i>St. 2, p. 159.</i> 6163 CARADRINA.	Habitat the same as No. 203, but not so common. June.
205 <i>Glarcosa</i>	Autumnal Rustic	<i>St. 2, p. 159, t. 21, f. 2.</i> 6164 CARADRINA.	Birch Wood, New Forest, and Devonshire, but rare. September.
206 <i>Rubricosa</i>	Red Chestnut	<i>St. 2, p. 160.</i> 6165 GLEA.	Darenth Wood, very rare. End of March.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
207 <i>Rubiginea</i>	Dotted Chestnut	<i>St. 2, p. 161.</i> 6166 GLÆA.	Taken by Mr. Walton in Norbury Park, near Dorking. Middle of October to the beginning of November. Rare.
208 <i>Satellitia</i>	Satellite	<i>D. 5, t. 168. St. 2, p. 163.</i> 6167 GLÆA.	Middlesex, Surrey, Kent, Essex, &c. Common. Middle or end of September.
209 <i>Vaccinii</i>	The Chestnut	<i>A. t. 23, f. 34. e—h.</i> <i>St. 2, p. 161.</i> 6168 GLÆA.	Middlesex, Kent, Surrey, &c., in woody places. September.
210 <i>Spadicea</i>	Dark Chestnut	<i>St. 2, p. 162.</i> 6169 GLÆA.	Found with the preceding.
211 <i>Subnigra</i>	Black Chestnut	<i>C. 6, t. 268. St. 2, p. 162.</i> 6170 GLÆA.	Woody places near London ; and in Kent, Surrey, &c. Not common. September.
212 <i>Polita</i>	Netted Chestnut	<i>St. 2, p. 162.</i> 6171 GLÆA.	Found at the same time and in the same places as Nos. 209, 210 & 211.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
213 <i>Pyramidea</i>	Copper under-wing	<i>D. 6, t. 193. St. 2, p. 164.</i> 6172 AMPHIPYRA.	Middlesex, Surrey, Essex; oaks in Coombe Wood, Richmond Park, &c. August.
214 <i>Tragopogonis</i>	Mouse	<i>St. 2, p. 165.</i> 6173 PYROPHILA.	Darenth Wood, Hertford, Coleshill, &c. June.
215 <i>Tetra</i>	Mahogany	<i>A. t. 27, f. 41. h—k.</i> <i>St. 2, p. 165.</i> 6174 PYROPHILA.	Middlesex, Essex, Devonshire, &c. Found in gardens, in the month of June.
216 <i>Typica</i>	Dark Gothic	<i>A. t. 15, f. 21. a—d.</i> <i>H. t. 22, f. d—g. St. 2,</i> <i>p. 166.</i> 6176 NÆNIA.	On nettles near London, and other places. Common. End of June.
217 <i>Pinastri</i>	Bird's wing	<i>D. 10, t. 347, f. 2. St. 2,</i> <i>p. 168.</i> 6175 DYPTERYGIA.	Mr. Stephens found this insect on palings near Coombe Wood; and Mr. Bentley on Newington Green. June.
218 <i>Conspicillaris</i>	Silver Cloud	<i>D. 13, t. 453. St. 2,</i> <i>p. 169.</i> 6181 XYLINA.	Mr. Stephens has a pair taken in Bulstrode Park; they have also been taken between Birch Wood and Bexley; but very rare. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
219 <i>Lambda</i>	Grey Shoulder-knot	<i>St. 2, p. 170.</i> 6177 XYLINA.	Coombe Wood, Netley, Epping, Hertford. The autumn.
220 <i>Pulla</i>	Ash Shoulder-knot	<i>St. 2, p. 170.</i> 6178 XYLINA.	A specimen taken in the autumn at Woodside, near Epping, in 1817; now in the British Museum.
221 <i>Semibrunnea</i>	Tawny Pi-nion	<i>St. 2, p. 170, t. 21, f. 3.</i> 6179 XYLINA.	Coombe Wood. Rare. September. A pair in the British Museum.
222 <i>Petrificata</i>	Pale Pinion	<i>St. 2, p. 171, t. 23, f. 1.</i> 6180 XYLINA.	One in Mr. Stephens's Cabinet, taken near Teignmouth, Devon. June.
223 <i>Putris</i>	Flame	<i>A. t. 79, f. a—d. St. 2,</i> <i>p. 172.</i> 6183 XYLINA.	Hedges, gardens and woody places. Middlesex, Surrey, Essex, Kent. Middle of June.
224 <i>Vetusta</i>	Red Sword-grass	<i>D. 6, t. 187, exoleta.</i> <i>St. 2, p. 174.</i> 6185 CALOCAMPA.	Mr. Bentley's Cabinet. Darenth Wood. Rare. October.
— 225 <i>Lythoxy-lea</i>	Light Arches	<i>St. 2, p. 175.</i> 6186 XYLOPHASIA.	Darenth and Coombe Woods, Epping Forest, &c. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
226 <i>Exoleta</i>	Sword-grass	<i>D. 6, t. 187</i> , the Larva. <i>C. 6, t. 256.</i> <i>St. 2, p. 173.</i> 6184 <b>CALOCAMPA.</b>	Gardens and woody places. Darenth Wood, &c. Autumn.
227 <i>Sublustris</i>	Reddish Light Arches	<i>St. 2, p. 175.</i> 6187 <b>XYLOPHASIA.</b>	Taken near Brighton. July.
228 <i>Polyodon</i>	Dark Arches	<i>St. 2, p. 176.</i> 6188 <b>XYLOPHASIA.</b>	Common in hedges, gardens, woods, &c. June and July.
229 <i>Hepatica</i>	Clouded-bor- dered Brin- dle	<i>St. 2, p. 176.</i> 6189 <b>XYLOPHASIA.</b>	Middlesex, Sur- rey, Essex, &c. Beginning of July.
230 <i>Combusta</i>	Dark Tawny	<i>St. 2, p. 177.</i> 6192 <b>XYLOPHASIA.</b>	Coombe, Birch and Darenth Woods; but very rare. June.
231 <i>Epomidion</i>	Clouded Brin- dle	<i>St. 2, p. 178.</i> 6191 <b>XYLOPHASIA.</b>	Derbyshire, Yorkshire, De- von; shady lanes near Rip- ley. End of June.
232 <i>Scolopacina</i>	Slender cloud- ed Brindle	<i>St. 2, p. 178.</i> 6193 <b>XYLOPHASIA.</b>	Taken by Mr. Chant near Sheffield; and by Mr. King at Coombe Wood. June.







or

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
233 <i>Rectilinea</i> , Clouded Bro-	Clouded Bro-	<i>St. 2, p. 179.</i>	North of Eng-
F. cade	cade	6191 XYLOPHASIA.	land. Taken by Mr. Mar-
			shall in Traf-
			ford Park, Lan-
			cashire.
234 <i>Amica</i>	Barred Arches	<i>St. 2, p. 180, t. 23, f. 2.</i>	Mr. Stephens's
		6195 HADENA.	Cabinet. Very
			rare.
235 <i>Adusta</i>	Dark Brocade	<i>St. 2, p. 181.</i>	Birch Wood;
		6196 HADENA.	but rare. June.
236 <i>Satura</i>	Dingy Bro-	<i>St. 2, p. 181.</i>	A pair in Mr.
	cade	6197 HADENA.	Stephens's
			Cabinet, from
			the late Mr.
			Marsham's Col-
			lection. Very
			rare.
237 <i>Remissa</i>	Gothic Bro-	<i>St. 2, p. 181.</i>	Coombe and Da-
	cade	6198 HADENA.	renth Woods ;
			also near Rip-
			ley, Hertford,
			&c. June.
238 <i>Contigua</i>	Beautiful Bro-	<i>St. 2, p. 184.</i>	Coombe Wood.
	cade	6202 HADENA.	June.
239 <i>Glaucia</i>	Glaucous	<i>St. 2, p. 185.</i>	Near London,
	Sheers	6204 HADENA.	Cheltenham,
			and Matlock.
			June.
240 <i>Plebeia</i>	The Sheers	<i>St. 2, p. 185.</i>	Middlesex,
		6205 HADENA.	Essex, Kent,
			Sussex, Devon,
			&c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
241 <i>Leuco-stigma</i>	Pale Sheers	<i>St. 2, p. 186.</i> 6206 HADENA.	Habitat the same as No. 240. June.
242 <i>Ochracca</i>	Tawny Sheers	<i>St. 2, p. 186, t. 23, f. 3.</i> 6207 HADENA.	Near London, Brighton, and in Norfolk ; but rare. June.
243 <i>Lithorrhiza</i>	Early Grey	<i>St. 2, p. 187.</i> 6208 HADENA.	Middlesex, Surrey, Essex, Kent, &c. ; on trunks of trees. End of April.
244 <i>Cucubali</i>	Campion	<i>C. 7, t. 308. St. 2, p. 187.</i> 6209 HADENA.	Darenth Wood ; Bedfordshire, &c. ; but uncommon. Middle of June.
245 <i>Capsincola</i>	Lychnis	<i>St. 2, p. 188.</i> 6210 HADENA.	Middlesex, Surrey, Essex, &c. ; in gardens, and waste ground. End of June or beginning of July.
246 <i>Saponariæ</i>	Bordered Gothic	<i>St. 2, p. 188.</i> 6211 HADENA.	Darenth Wood ; also near Brighton and Dover ; in Norfolk and Cambridgeshire. End of June or beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
247 <i>Popularis</i>	Feathered Gothic	D. 15, t. 505. St. 2, p. 189. 6212 HELIOPHOBUS.	Near London, and in several counties; not uncommon. June.
248 <i>Leuco-phæus</i> , F.	Feathered Ear	St. 2, p. 190. 6213 HELIOPHOBUS.	Mr. Stephens has seen but two indigenous females, taken near Bristol, July 1816.
249 <i>Furva</i>	Dusky Brocade	St. 2, p. 191. 6214 MAMESTRA.	Near Hull in Yorkshire; also near Dover, and at Coombe Wood. June.
250 <i>Pisi</i>	Broom	A. t. 32, f. 51, c—f. W. t. 7. D. 2, t. 51. St. 2, p. 192. 6215 MAMESTRA.	Near London; Hampstead Heath, Epping Forest, Coombe Wood, &c. June.
251 <i>Splendens</i>	Purple Brocade	St. 2, p. 192. 6216 MAMESTRA.	Mr. Stephens's Cabinet. Taken in Cumberland, July 1827, by Mr. Weaver.
252 <i>Oleracea</i>	Bright-line Brown-eye	A. t. 27, f. 40, a—d. St. 2, p. 193. 6217 MAMESTRA.	Middlesex, Surrey, Kent, Essex, &c.; common in gardens. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
253 <i>Suasa</i>	Dog's tooth	<i>St. 2, p. 193.</i> 6218 <i>MAMESTRA.</i>	Taken near London: one also in Norfolk, and another in Birch Wood, in July 1818. Mr. Stephens's Cabinet.
254 <i>Nigricans</i>	Dusky Nutmeg	<i>St. 2, p. 193, t. 24, f. 2.</i> 6219 <i>MAMESTRA.</i>	A specimen taken at Christchurch, Hants, by Mr. Bentley; another found at Darenth Wood. End of June.
255 <i>Brassicæ</i>	Cabbage	<i>A. t. 28, f. 42 and 43,</i> <i>a—e; also t. 29, f. 45,</i> <i>e—h. t. 67, a—d. and</i> <i>t. 78, f. a—d. St. 2,</i> <i>p. 194.</i> 6220 <i>MAMESTRA.</i>	Very common in gardens, hedges, banks, &c., in several counties. End of May.
256 <i>Albicolon</i>	White Colon	<i>St. 2, p. 195, t. 24, f. 3.</i> 6222 <i>MAMESTRA.</i>	Cumberland; taken in August 1827 by Mr. Weaver. Mr. Stephens's Cabinet.
257 <i>Chenopodii</i>	Nutmeg	<i>A. t. 29, f. 44, e—d.</i> <i>St. 2, p. 195.</i> 6224 <i>MAMESTRA.</i>	Common in gardens in and near London, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
258 <i>Persicariæ</i>	Dot	<i>A.t. 77, f. a—d. H.t. 24,</i> <i>f. a—e. D. 9, t. 317.</i> <i>C. 9, t. 431?</i> <i>St. 2,</i> <i>p. 196.</i> 6225 <b>MAMESTRA.</b>	Middlesex, Surrey, Essex ; at Hertford and Ripley, &c. June.
259 <i>Leucipara</i>	Small Angle Shades	<i>D. 7, t. 230, f. 2. St. 3,</i> <i>p. 3.</i> 6226 <b>EUPLEXIA.</b>	Coombe and Da- renth Woods. Middle of June.
260 <i>Aliena</i>	Large Nutmeg	<i>St. 3, p. 4.</i> 6223 <b>MAMESTRA.</b>	Gardens and shrubby places near London, &c. June.
261 <i>Basilinea</i>	Rustic Shoulder-knot	<i>St. 3, p. 5.</i> 6227 <b>HAMA.</b>	Woody places and gardens. End of June.
262 <i>Testacea</i>	Lesser Flounced Rustic	<i>St. 3, p. 5.</i> 6228 <b>HAMA.</b>	Birch Wood, Epping &c. Autumn.
263 <i>Fibrosa</i>	Crescent	<i>St. 3, p. 7.</i> 6230 <b>APAMEA.</b>	WhittleseaMere. Middle of July.
264 <i>Nictitans</i>	Golden Ear	<i>D.t. 397, f. 3. C. 6, t. 260.</i> <i>St. 3, p. 7.</i> 6231 <b>APAMEA.</b>	Heaths near Birch Wood ; also near Mar- gate, &c. End of July or be- ginning of Au- gust.
265 <i>Secalina</i>	Small Clouded brindle	<i>St. 3, p. 8.</i> 6233 <b>APAMEA.</b>	Neighbourhood of London ; Batterssea Fields; rare. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
266 <i>Didyma</i>	Rustic Mourner	<i>St. 3, p. 8.</i> 6232 APAMEA.	Near London ; Copenhagen-fields ; also at Dover. Beginning of August.
267 <i>Oculea</i>	Common Rustic	<i>St. 3, p. 9.</i> 6235 APAMEA.	Very common in woods, hedges pastures, &c. August.
268 <i>I-niger</i>	Letter I	<i>St. 3, p. 10.</i> 6236 APAMEA.	Very common near London, &c. Beginning of August.
269 <i>Thalassina</i>	Pale Shoulder-ed Brocade	<i>St. 2, p. 182.</i> 6200 HADENA.	Common near London. June.
270 <i>Genistæ</i>	Light Brocade	<i>D. 10, t. 352, f. 1.</i> <i>St. 2,</i> <i>p. 183.</i> 6201 HADENA.	Hertford, and Darenth Wood. June.
271 <i>Furca</i>	Russet	<i>St. 3, p. 10.</i> 6237 APAMEA.	Hedges, &c., near London, Hertford, &c. ; not uncommon. August.
272 <i>Ophio-gramma</i>	Double lobed	<i>St. 3, p. 11.</i> 6238 APAMEA.	Meadows near Hackney ; in Epping Forest, and in Battersea Fields ; but rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
273 <i>Literosa</i>	Rosy Minor	<i>St. 3, p. 12, t. 25, f. 1.</i> 6239 MIANA.	Darenth Wood; also near Dover, &c. Middle of July.
274 <i>Strigilis</i>	Marbled Minor	<i>St. 3, p. 12.</i> 6240 MIANA.	Woody places in Middlesex; Devonshire, &c. June.
275 <i>Latrun-cula</i>	Tawny Marbled Minor	<i>St. 3, p. 13.</i> 6241 MIANA.	Near London, &c. June.
276 <i>Aethiops</i>	Blackamoor	<i>St. 3, p. 13.</i> 6242 MIANA.	Middlesex; Suffolk; Norfolk, &c. Woods and meadows. June.
277 <i>Humeralis</i>	Cloaked Minor	<i>St. 3, p. 14.</i> 6243 MIANA.	Very common near Dover, &c. Middle of August.
278 <i>Terminalis</i>	Flounced Minor	<i>St. 3, p. 14.</i> 6244 MIANA.	Middlesex, Essex, Darenth and Coombe Woods, &c. July.
279 <i>Rufuncula</i>	Plain red Minor	<i>St. 3, p. 14.</i> 6245 MIANA.	Norfolk and Suffolk. Rare. June.
280 <i>Fasciuncula</i>	Middle-barred Minor	<i>St. 3, p. 15.</i> 6246 MIANA.	Darenth Wood; also in Copenhagen Fields; but rare. July. Mr. Bentley's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
281 <i>Minima</i>	Least Minor	<i>St. 3, p. 15.</i> 6247 CELÆNA.	Cabinet of Mr. Bentley, taken by him in Yareley Fens, Whittlesea Mere. June.
282 <i>Renigera</i>	Kidney-spotted Minor	<i>St. 3, p. 16, t. 25, f. 2.</i> 6248 CELÆNA.	Very rare. Mr. Stephens has seen but three specimens.
283 <i>Haworthii</i>	Haworthian Minor	<i>St. 3, p. 16.</i> 6249 CELÆNA.	Whittlesea Mere. Common. July.
284 <i>Lancea</i>	Marsh Minor	<i>St. 2, p. 18.</i> 6250 CELÆNA.	Borders of Ramsey Mere; also near Whittlesea Mere? Very rare.
285 <i>Hibernica</i>	Irish Minor	<i>St. 3, p. 17.</i> 6251 CELÆNA.	Near Dublin.
286 <i>Porphyrea</i>	True Lover's knot	<i>D. 10, t. 360, f. 1. St. 3,</i> <i>p. 19.</i> 6252 SCOTOPHILA.	Heaths near Birch Wood; New Forest, Hants, &c. End of July.
287 <i>Piniperda</i>	Pine Beauty	<i>C. 3, t. 117. St. 3, p. 19.</i> 6253 ACHATIA.	First found by Mr. Stephens at Hertford; since taken at Birch Wood, &c. End of March.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
288 <i>Præcox</i>	Portland	<i>D. 6, t. 213. St. 3, p. 21.</i> 6254 <i>ACTEBIA.</i>	Coast of Devonshire, &c. June and September.
289 <i>Atriplicis</i>	Wild Arrach	<i>W. 3, t. 2. D. 8, t. 262,</i> <i>f. 1. St. 3, p. 22.</i> 6255 <i>TRACHEA.</i>	Wisbeach, and Cheltenham; but rare. End of June, and in September.
290 <i>Oleagina</i>	Green-brindled Dot	<i>D.13, t.439. St. 3,p. 23.</i> 6256 <i>VALERIA.</i>	Richmond Park; also near Bristol, and in Scotland; but very rare.
291 <i>Bimaculosa</i>	Double-spot-ted Brocade	<i>C. 4, t. 177. St. 3, p. 24.</i> 6257 <i>MISELIA.</i>	Taken near Bristol in July 1815: now in the British Museum.
292 <i>Oxyacan-thæ</i>	Green-brindled Crescent	<i>A. t. 14, f. 19, a—d.</i> <i>W. t. 27. H. t. 43,</i> <i>f. d—f. D.5,t. 165.</i> <i>St. 3, p. 24.</i> 6258 <i>MISELIA.</i>	Ealing, Middlesex; also in Warwickshire, Cheshire, &c. End of September to the beginning of November.
293 <i>Aprilina</i>	Marvel du Jour	<i>D.10, t. 354,f. 1. St. 3,</i> <i>p.25.</i> 6259 <i>MISELIA.</i>	Coombe and Darenth Woods, &c. October.
294 <i>Compta</i>	Marbled Coronet	<i>St.3,p. 26.</i> 6260 <i>MISELIA.</i>	Darenth Wood and near Brighton. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
295 <i>Advena</i>	Pale-shining brown	<i>St. 3, p. 28.</i> 6262 <b>POLIA.</b>	Coombe Wood, &c. End of June.
296 <i>Nitens</i>	Tawny and silver	<i>St. 3, p. 28.</i> 6263 <b>POLIA.</b>	Near London, and in Norfolk. End of June.
297 <i>Bimaculosa</i>	Grey Arches	<i>D. 10, t. 345, f. 1.</i> <i>St. 3,</i> <i>p. 28.</i> 6264 <b>POLIA.</b>	Darenth and Birch Woods, Epping, &c. End of June.
298 <i>Tincta</i>	Silvery Arches	<i>St. 3, p. 29.</i> 6266 <b>POLIA.</b>	Darenth and Coombe Woods; but rare. End of June.
299 <i>Herbida</i>	Green Arches	<i>St. 3, p. 30, t. 27, f. 3.</i> 6267 <b>POLIA.</b>	Darenth Wood; also in Norfolk, and at Tunbridge, Kent. Mr. Bentley. June.
300 <i>Polymita</i>	White Arches	<i>St. 3, p. 31, t. 26, f. 2.</i> 6269 <b>POLIA.</b>	In the Cabinets of Mr. Stephens and Mr. Vigors.
301 <i>Templi</i>	Brindled Ochre	<i>St. 3, p. 31, t. 26, f. 1.</i> 6268 <b>POLIA.</b>	Mr. Bentley's Cabinet.
302 <i>Flavo-cincta</i>	Large Ranunculus	<i>W. t. 14, upper fig.</i> <i>D. 10,</i> <i>t. 334.</i> <i>St. 3, p. 32.</i> 6270 <b>POLIA.</b>	Hertford, York, Epping; gardens and hedges. End of September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found</i>
303 <i>Occulta</i>	Great Brocade	<i>St. 3, p. 29.</i> 6265 <b>POLIA.</b>	Taken in Epping Forest by Mr. Hatchett, and also at Alderley, Cheshire, by the Rev. E. Stanley. Very rare. July.
304 <i>Albimacula</i>	White-spotted	<i>St. 3, p. 26.</i>	British Museum.
	Coronet	6261 <b>MISELIA.</b>	
305 <i>Dysodea</i>	Ranunculus	<i>W. t. 14, lower fig. St. 3,</i> <i>p. 32.</i> 6271 <b>POLIA.</b>	Darenth Wood, Epping, Hertford, &c., gardens and hedges. Middle of July.
306 <i>Serena</i>	Broad-barred	<i>D. 10, t. 338, f. 3. St. 3,</i> <i>p. 33.</i>	Near Dartford, &c. End of June.
	White	6272 <b>POLIA.</b>	
307 <i>Seladonia</i>	Brindled	<i>St. 3, p. 33.</i>	Darenth, Birch and Coombe Woods, &c.
	Green	6273 <b>POLIA.</b>	End of September.
308 Chi	July Chi	<i>A. t. 83, f. C. D. D. 12,</i> <i>t. 406. St. 3, p. 34.</i> 6274 <b>POLIA.</b>	Derbyshire, Cumberland, North Wales, &c. July.
309 <i>Leporina</i>	Miller	<i>D. 10, t. 327, f. 1. St. 3,</i> <i>p. 35.</i> 6275 <b>APATELA.</b>	Darenth, Coombe and Birch Woods; but not common. Middle of May.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
310 <i>Brady-</i> <i>porina</i>	Ashy Miller	<i>St. 3, p. 36, t. 26, f. 3.</i> 6276 <b>APATELA.</b>	Birch and Da- renth Woods, &c. Beginning of June.
311 <i>Aceris</i>	Sycamore	<i>A. t. 83, f. a—d. W.t.67.</i> <i>D. 10, t. 830. St. 3,</i> <i>p. 36.</i> 6277 <b>APATELA.</b>	Essex, Cam- bridge, &c. End of June.
312 <i>Megace-</i> <i>phala</i>	Poplar Grey	<i>St. 3, p. 37.</i> 6278 <b>ACHRONYCTA.</b>	Darenth Wood, Hertford, Cam- bridge, &c. Be- ginning of June and in the au- tumn.
313 <i>Ligustri</i>	Coronet	<i>St. 3, p. 38.</i> 6279 <b>ACHRONYCTA.</b>	Darenth Wood ; also near Croy- don, &c. End of June.
314 <i>Alni</i>	Alder	<i>D. 10, t. 327, f. 2. St. 3,</i> <i>p. 38.</i> 6280 <b>ACHRONYCTA.</b>	Found in several counties ; but rare. Begin- ning of June.
315 <i>Psi</i>	Dagger	<i>A.t.86. W.t.60. H.t.15.</i> <i>D.4,t.133. St.3,p.39.</i> 6282 <b>ACHRONYCTA.</b>	Very common on pales, &c., near woods, in dif- ferent counties. End of June.
316 <i>Tridens</i>	Dark Dagger	<i>St. 3, p. 40.</i> 6283 <b>ACHRONYCTA.</b>	Woods and shady places, Middlesex, Es- sex, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
317 <i>Auricoma</i>	Scarce Dagger	<i>St. 3, p. 41.</i> 6285 ACHRONYCTA.	Birch trees in Coombe Wood and Richmond Park. Beginning of June.
318 <i>Menyan-</i> <i>thedis</i>	Light Knot- grass	<i>St. 3, p. 42, t. 27, f. 1.</i> 6287 ACHRONYCTA.	In the neighbourhood of Manchester. June.
319 <i>Rumicis</i>	Bramble	<i>A. t. 22, f. e—i. W. t. 56.</i> <i>D. 4, t. 126. St. 3, p. 42.</i> 6288 ACHRONYCTA.	Common in Middlesex and other counties. Middle of May.
320 <i>Euphorbiæ</i> Spurge		<i>St. 3, p. 43.</i> 6289 ACHRONYCTA.	Near London, and in the New Forest; but rare. Beginning of May.
321 <i>Euphrasiæ</i> Dark Spurge		<i>St. 3, p. 43.</i> 6290 ACHRONYCTA.	Mr. Stephens's specimen was taken near London in June.
322 <i>Glandifera</i>	Marbled green	<i>D. 7, t. 223, f. 3. St. 3,</i> <i>p. 44.</i> 6291 BRYOPHILA.	Walls near London, &c. End of June.
323 <i>Perla</i>	Marbled Beauty	<i>St. 3, p. 45.</i> 6292 BRYOPHILA.	Common on old walls near London, &c. End of July.
324 <i>Orion</i>	Scarce Marvel	<i>H. t. 42, f. e. D. 10,</i> <i>du Jour t. 347, f. 1. C. 9, t. 404.</i> <i>St. 3, p. 46.</i> 6295 DIPHTHERA.	Birch Wood, &c. Beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
325 <i>Deresa</i>	Buff Arches	<i>D. 7, t. 223, f. 1. St. 3,</i> <i>p. 47.</i> 6296 <i>THYATIRA.</i>	Darenth Wood, Epping Forest, &c. Rare. End of July.
326 <i>Batis</i>	Peach Blossom <i>St. 3, p. 43.</i> 6297 <i>THYATIRA.</i>		Darenth and Coombe Woods, Epping Forest, &c.; but not common. Mid- dle of June to the end of July.
327 <i>Libatrix</i>	Furbelow	<i>A. t. 32, f. 50, a—c. D. 6,</i> <i>t. 216. St. 3, p. 50.</i> 6299 <i>CALYPTRA.</i>	Common near willow-trees, and under bridges, &c. End of July.
328 <i>Fluctuosa</i>	Satin Carpet	<i>St. 3, p. 51.</i> 6300 <i>CEROPACHA.</i>	Darenth and Birch Woods; not common. Middle of June.
329 <i>Duplaris</i>	Lesser Satin Carpet	<i>St. 3, p. 52.</i> 6301 <i>CEROPACHA.</i>	Epping, Darenth Wood, &c. Middle of June.
330 <i>Diluta</i>	Lesser Lute-string	<i>H. t. 35, f. 6—8. St. 3,</i> <i>p. 52.</i> 6302 <i>CEROPACHA.</i>	Darenth Wood, the New Forest, &c.; but rare. End of August.
331 <i>Or</i>	Poplar Lute-string	<i>D. 10, t. 347, f. 3. St. 3,</i> <i>p. 53.</i> 6303 <i>CEROPACHA.</i>	Epping Forest, Darenth Wood, &c.; but rare. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
332 <i>Octoge-sima</i>	Figure of 80	<i>C. 6, t. 272. St. 3, p. 53,</i> <i>t. 27, f. 2.</i> 6304 CEROPACHA.	Mr. Stephens has a specimen taken near Birmingham. End of May or beginning of June.
333 Flavicornis	Yellow horned	<i>D. 10, t. 352, f. 3. St. 3,</i> <i>p. 54.</i> 6305 CEROPACHA.	Coombe and Darenth Woods; but rare. End of February or beginning of March.
334 <i>Ridens</i>	Frosted-green	<i>St. 3, p. 55.</i> 6306 CEROPACHA.	Epping Forest, Coombe Wood, &c. Rare. Middle of April.
335 <i>Subtusa</i>	Olive	<i>St. 3, p. 56.</i> 6307 TETHEA.	Coombe and Darenth Woods; not common. June.
336 Retusa	Double Kidney	<i>D. 10, t. 350, f. 2. St. 3,</i> <i>p. 56.</i> 6308 TETHEA.	Frequents the same place as the preceding; but not common. End of July.
337 <i>Gracilis</i>	Slender bodied	<i>St. 3, p. 57.</i> 6309 TETHEA.	The same time and place as the preceding.
338 <i>Viminalis</i>	Minor Should-knot	<i>St. 3, p. 58.</i> 6310 BOMBYCIA.	Coombe and Darenth Woods, &c. June and July.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
339 Oo	Heart	<i>W. t. 11. D. 5, t. 179. St. 3, p. 59.</i>	Epping Forest, Darenth Wood, &c. Beginning of June.
		6311 CYMATOPHORA.	
340 Diffinis	White-spotted Pinion	<i>St. 3, p. 60. 6312 COSMIA.</i>	Middlesex, Es- sex, &c. Fre- quents elm- trees. Middle of August.
341 Affinis	Lesser-spotted Pinion	<i>A. t. 31, f. 49, f.—i. St. 3, p. 61. 6313 COSMIA.</i>	Near London, &c., on elm- trees. End of July.
342 <i>Pyralina</i>	Lunar-spotted Pinion	<i>St. 3, p. 61. 6314 COSMIA.</i>	Taken near Birch Wood ; but rare. End of July.
343 <i>Trapezina</i>	Dun-bar	<i>H. t. 10, f. n—r. St. 3, p. 62. 6315 COSMIA.</i>	Very common in woods and lanes in several coun- ties. End of July.
344 <i>Fulvago</i>	Angle-striped Sallow	<i>St. 3, p. 62. 6316 COSMIA.</i>	Taken on the borders of Birch Wood ; but very rare. End of July.
345 <i>Flavago</i>	Pink-barred Sallow	<i>A. t. 68, f. a—d. St. 3, p. 64. 6317 XANTHIA.</i>	Woods at Syden- ham ; Darenth Wood, &c. Be- ginning of Sep- tember.








## PHALERA.

PL. 10









<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
346 <i>Fulvago</i>	Sallow	<i>A. t.</i> 33, <i>f.</i> 52, <i>a—d.</i> <i>D.</i> 10, <i>t.</i> 338, <i>f. 2.</i> <i>St.</i> 3, <i>p.</i> 64. 6318 XANTHIA.	Common among birch trees, in woods and plantations. Middle of September.
347 <i>Gilvago</i>	Lemon Sallow	<i>St. 3, p. 65.</i> 6319 XANTHIA.	Darenth and Birch Woods. Rare. Middle of September.
348 <i>Aurago</i>	Barred Sallow	<i>St. 3, p. 65.</i> 6320 XANTHIA.	Darenth Wood. Beginning of September.
349 <i>Centrago</i>	Centre-barred Sallow	<i>C. 2, t. 34.</i> <i>St. 3, p. 65.</i> 6321 XANTHIA.	North of England; but rare.
350 <i>Citrago</i>	Orange Sallow	<i>St. 3, p. 66.</i> 6322 XANTHIA.	Epping Forest. Middle of August.
351 <i>Fimbriago</i>	Scarce border-ed Sallow	<i>St. 3, p. 67.</i> 6323 XANTHIA.	Mr. Stephens's Cabinet.
352 <i>Croceago</i>	Orange Upper-wing	<i>A. t. 15, f. 22, e—h.</i> <i>St. 3, p. 67.</i> 6324 XANTHIA.	Oak woods of Surrey; Kent, &c. September.
353 <i>Micacea</i>	Rosy Rustic	<i>St. 3, p. 69.</i> 6326 GORTYNA.	The neighbourhood of London; also the New Forest, &c. Middle of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
354 <i>Flavago</i>	Frosted Orange	<i>H. t. 35, f.a—e. D.10,</i> <i>t. 340, f. 1.</i> 6327 GORTYNA.	In different counties, by way sides, among the common Burdock. Middle of September.
355 <i>Typhœ</i>	Bullrush	<i>St. 3, p. 71.</i> 6329 NONAGRIA.	Among bullrushes at Edmonton, Epping, &c. Middle of August.
356 <i>Pilicornis</i>	Hairy-horned Wainscot	<i>St. 3, p. 72, t. 29, f. 1.</i> 6330 NONAGRIA.	Mr. Stephens's Cabinet. Taken in September 1826 near Croydon.
357 <i>Crassicorn-</i> <i>nis</i>	Large Wain- scot	<i>St. 3, p. 72.</i> 6331 NONAGRIA.	Mr. Curtis's Cabinet. Taken in Norfolk.
358 <i>Cannæ</i>	Spotted Wain- scot	<i>St. 3, p. 73.</i> 6332 NONAGRIA.	Mr. Bentley's Cabinet. Taken near Scarborough.
359 <i>Comma</i>	Shoulder- stripe Wain- scot	<i>St. 3, p. 73.</i> 6333 LEUCANIA.	Gardens near Epping; also near Dartford, &c. Beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonymus and new genera.</i>	<i>Habitat, and when found.</i>
360 <i>Littoralis</i>	Shore Wain-scot	<i>C. 4, t. 157. St. 3, p. 74.</i> 6334 LEUCANIA.	Coast of Hampshire and Cumberland. Rare.
361 <i>Obsoleta</i>	Obscure Wain-scot	<i>St. 3, p. 74.</i> 6335 LEUCANIA.	Cabinet of Mr. Chant. Taken by him in the City Road.
362 <i>Impura</i>	Smoky Wain-scot	<i>A. t. 33, f. 53, e—h.</i> <i>St. 3, p. 75.</i> 6336 LEUCANIA.	Very common in several parts of the country. Middle of July.
363 <i>Punctina</i>	Dotted-bordered Wain-scot	<i>St. 3, p. 75.</i> 6337 LEUCANIA.	Taken near London, with No. 362.
364 <i>Arcuata</i>	Bowed Wain-scot	<i>St. 3, p. 76.</i> 6338 LEUCANIA.	Two specimens taken by Mr. Stephens at Ripley. Beginning of July 1827.
365 <i>Pallens</i>	Common Wainscot	<i>St. 3, p. 76.</i> 6339 LEUCANIA.	Gardens, hedges, &c; not uncommon. Middle of July.
366 <i>Rufescens</i>	Red Wainscot	<i>St. 3, p. 76.</i> 6340 LEUCANIA.	The same time and place as the foregoing.
367 <i>Suffusa</i>	Clouded Wainscot	<i>St. 3, p. 77.</i> 6341 LEUCANIA.	Isle of Dogs. June.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
368 <i>Ochracea</i>	Ochreous Wainscot	<i>St. 3, p. 77.</i> 6342 LEUCANIA.	Darent Wood and Whittlesea Mere. Rare. End of August.
369 <i>Fluxa</i>	Tawny Wain- scot	<i>St. 3, p. 77.</i> 6343 LEUCANIA.	Whittlesea Mere. End of July.
370 <i>Pygmina</i>	Small Wain- scot	<i>St. 3, p. 78.</i> 6344 LEUCANIA.	Battersea Fields. middle of Sep- tember.
371 <i>Pallida</i>	Pale Wainscot	<i>St. 3, p. 78.</i> 6345 LEUCANIA.	Taken in the marshes near West Ham, Essex.
372 <i>Nerica</i>	White Wain- scot	<i>St. 3, p. 79.</i> 6346 LEUCANIA.	Marshes near Lea Bridge. Mr. Stephens has seen but two specimens.
373 <i>Gemin- punctata</i>	Twin-spotted Wainscot	<i>St. 3, p. 79.</i> 6347 LEUCANIA.	Cabinet of Mr. Hatchet, and in the British Museum.
374 <i>Pudorina</i>	Striped Wain- scot	<i>St. 3, p. 80.</i> 6348 LEUCANIA.	Whittlesea Mere. June.
375 <i>Musculosa</i>	Glossy Wain- scot	<i>St. 3, p. 81.</i> 6350 SIMYRA.	Whittlesea and Yaxley Meres. June.
376 <i>Rufina</i>	Flounced Rustic	<i>St. 3, p. 68.</i> 6325 XANTHIA.	Woods in Kent, &c. Middle of September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
377 <i>Scrophula-</i> <i>ria.</i>	Water Betony	<i>W. t. 15.</i> <i>St. 3, p. 85.</i> 6354 <b>CUCULLIA.</b>	Near Croydon, Cheltenham, &c. May.
— 378 <i>Verbasci</i>	Mullein	<i>A. t. 13, f. 18, f—k.</i> <i>H.t.8,f.a—e.</i> <i>St.3,p.85.</i> 6355 <b>CUCULLIA.</b>	Darenth and Birch Woods, &c. April,
379 <i>Asteris</i>	Starwort	<i>C. 1, t. 45.</i> <i>St. 3, p. 86.</i> 6356 <b>CUCULLIA.</b>	Darenth Wood, Downs near Croydon, but not common. Beginning of July.
— 380 <i>Meticulosa</i>	Angle-shades	<i>A. t. 30, f. 46, 47, a—e.</i> <i>W.t.3.</i> <i>H.t.41,f.c—e.</i> <i>D.4, t.139.</i> <i>St.3, p.84.</i> 6353 <b>PHLOGOPHORA.</b>	Common in gar- dens and shady places in many counties. End of April, June, and September.
381 <i>Umbratica</i>	Large pale Shark	<i>D.8,t.262,f.2.</i> <i>St.3, p.87.</i> 6358. <b>CUCULLIA.</b>	Wimbledon Common, Ep- ping, &c. Mid- dle of July.
382 <i>Tanaceti</i>	Tansy Shark	<i>St. 3, p. 88.</i> 6360. <b>CUCULLIA.</b>	Woods near Lon- don. End of July.
383 <i>Lucifuga</i>	Large dark Shark	<i>St. 3, p. 89.</i> 6361 <b>CUCULLIA.</b>	Darenth and Birch Woods. Beginning of July.
384 <i>Lactucæ</i>	Lettuce Shark	<i>St. 3, p. 88.</i> 6359 <b>CUCULLIA.</b>	Darenth and Birch Woods. Middle of July.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
385 <i>Chamo-millæ</i>	Chamomile Shark	<i>St. 3, p. 89.</i> 6362 <b>CUCULLIA.</b>	Near Birch Wood and Wimbledon Common, &c.; but rare June.
386 <i>Fiscina</i>	Twin-tailed Shark	<i>St. 3, p. 90.</i> 6363 <b>CUCULLIA.</b>	Birch Wood, &c. June.
387 <i>Absinthii</i>	Wormwood	<i>D. 9, t. 304.</i> <i>St. 3, p. 91.</i> 6365 <b>CUCULLIA.</b>	South Wales and Devonshire. Beginning of July.
388 <i>Delphinii</i>	Pease-blossom	<i>W. t. 3, f. 4.</i> <i>D. 10, t. 331.</i> 6368 <b>CHARCILEA.</b>	Near Windsor; but very rare. June.
389 <i>Thapsi-phaga</i>	Shepherd's Purse	<i>St. 3, p. 87.</i> 6357 <b>CUCULLIA.</b>	British Museum. Taken near Birch Wood. June.
390 <i>Artemisiæ</i>	Green Silver Spangle	<i>St. 3, p. 91.</i> 6366 <b>CUCULLIA.</b>	British Museum.
391 <i>Linariæ</i>	Flax	<i>St. 3, p. 94, t. 29, f. 2.</i> 6367 <b>CALOPHASIA.</b>	British Museum and Mr. Stephens's Cabinet. Taken at Woodside near Epping in June 1817.
392 <i>Ochroleuca</i>	Dusky Sallow	<i>D. 10, t. 340, f. 2.</i> <i>St. 3, p. 95.</i> 6369 <b>EREMOBIA.</b>	Hills near Dover, South Downs, &c. July.
393 <i>Triplasia</i>	Dark Spectacle	<i>St. 3, p. 96.</i> 6370 <b>ABROSTOLA.</b>	Gardens and wood-sides, &c. Hertford, Epping, &c. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
394 <i>Urticæ</i>	Spectacle	<i>D. 9, t. 298. St. 3, p. 97.</i> 6371 <b>ABROSTOLA.</b>	Common in shady places near London, &c. End of July.
395 <i>Venosa</i>	Powdered Wainscot	<i>St. 3, p. 82.</i> 6351 <b>SIMYRA.</b>	Fenny places. Whittlesea Mere, &c. Middle of June.
396 <i>Illustris</i>	Purple shades	<i>St. 3, p. 98.</i> 6373 <b>ABROSTOLA.</b>	Taken formerly on Salisbury Plain. Now very rare. June or July.
397 <i>Percontationis</i>	Plain Golden Y	<i>D. 8, t. 256, f. 1. St. 3, p. 101.</i> 6376 <b>PLUSIA.</b>	Lanes near Darenth Wood and Hertford. End of June.
398 Iota	Beautiful Golden Y	<i>St. 3, p. 100.</i> 6375 <b>PLUSIA.</b>	Coombe and Darenth Woods, &c. Beginning of July.
399 <i>Bimaculata</i>	Double-spotted Spangle	<i>St. 3, p. 102.</i> 6377 <b>PLUSIA.</b>	Mr. Stephens's Cabinet.
400 <i>Interrogationis</i>	Scarce Silver Y	<i>D. 13, t. 458. St. 3, p. 102.</i> 6378 <b>PLUSIA.</b>	North of England. End of June.
401 Gamma	Silver Y	<i>A. t. 79, f. e—h. W. t. 69. Common in fields D. 8, t. 265, f. 2. St. 3, p. 103.</i> 6379 <b>PLUSIA.</b>	and hedges. April, June, and September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
402 <i>Chrysitis</i>	Burnished Brass	<i>A. t. 71, f. a—d.</i> <i>H. t. 22, f. a—c. D. 4,</i> <i>t. 137. St. 3, p. 105.</i> 6383 PLUSIA.	Gardens, hedges, meadows, &c. End of June.
403 <i>Aurifera</i>	Slender burnished Brass	<i>St. 3, p. 104.</i> 6382 PLUSIA.	British Museum. Taken near Dover.
404 <i>Circumflexa</i>	Yorkshire Y	<i>D. 12, t. 412. St. 3, p. 103.</i> 6380 PLUSIA.	Mr. Stephens's Cabinet. Taken in Yorkshire.
405 <i>Aurichalcea</i>	Scarce burnished Brass	<i>St. 3, p. 105.</i> 6384 PLUSIA.	Near Crayford, Kent, and Newbury, Berkshire; but rare. June.
406 <i>Bractea</i>	Gold Spangle	<i>St. 3, p. 106.</i> 6385 PLUSIA.	North of England and near Edinburgh. June.
407 <i>Festucæ</i>	Gold Spot	<i>A. t. 84, f. e—h. IV. t. 17.</i> <i>D. 2, t. 46. St. 3, p. 107.</i> 6386 PLUSIA.	Ditches and marshy places near London, &c. Middle of August.
408 <i>Marginata</i>	Bordered Sallow	<i>D. 5, t. 150, f. 1. St. 3,</i> <i>p. 108.</i> 6387 HELIOTHIS.	Darenneth and Birch Woods. Beginning of June.
409 <i>Peltigera</i>	Bordered Straw	<i>D. 2, t. 61. St. 3, p. 109.</i> 6388 HELIOTHIS.	Taken occasionally near Dover, Brighton, &c., but very rare.









<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
410 <i>Dipsacea</i>	Marbled Clover	<i>D. 10, t. 327, f. 3. St. 3,</i> <i>p. 109.</i> 6389 <i>HELIOTHIS.</i>	Clover fields near Darenth Wood, &c.; but not common. Middle of July.
411 <i>Myrtilli</i>	Beautiful Yellow Under-wing	<i>D. 7, t. 221. C. 3, t. 145.</i> <i>St. 3, p. 111.</i> 6390 <i>ANARTA.</i>	Heaths in several counties. Middle of June to the end of July.
412 <i>Nervosa</i>	Tawny veined Wainscot	<i>St. 3, p. 82.</i> 6352 <i>SIMYRA.</i>	Taken near Darenth Wood; but very rare. June.
413 <i>Vidua</i>	Dark Yellow Underwing		Mr. Curtis's Cabinet.
414 <i>Heliaeca</i>	Small Yellow Underwing	<i>D. 10, t. 343, f. 3. St. 3,</i> <i>p. 112.</i> 6392 <i>ANARTA.</i>	Lanes and meadows, Middlesex, Kent, Essex, &c. July.
415 <i>Luctuosa</i>	Four spotted	<i>St. 3, p. 113.</i> 6393 <i>ACONTIA.</i>	Clover fields near Darenth Wood, but not common. June.
416 <i>Solaris</i>	Pale Shoulder	<i>St. 3, p. 113, t. 29, f. 3.</i> 6395 <i>ACONTIA.</i>	Mr. Stephens's Cabinet.
417 <i>Caloris</i>	Marbled Beauty.	<i>St. 3, p. 114.</i> 6396 <i>ACONTIA.</i>	Mr. Curtis's Cabinet.
418 <i>Ostrina</i>	Purple Marble	<i>C. 3, t. 140. St. 3, p. 119.</i> 6404 <i>ERASTRIA.</i>	Mr. Curtis's Cabinet. Taken in Devonshire by Cap. Blomer, June 1825.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
419 <i>Sulphuralis</i>	Spotted Sulphur	<i>D. 10, t. 339, f. 1. St. 3,</i> <i>p. 117.</i> 6399 <b>ERASTRIA.</b>	Battersea Fields. Middle of July.
420 <i>Uncana</i>	Silver hook	<i>St. 3, p. 117.</i> 6400 <b>ERASTRIA.</b>	Whittlesea Mere, &c. End of June.
421 <i>Bankiana</i> <sup>2</sup>	Silver barred	<i>St. 3, p. 117.</i> 6401 <b>ERASTRIA.</b>	Mr. Stephens's Cabinet. Taken by the late Mr. Haworth in Norfolk. Beginning of July.
422 <i>Venustula</i>	Rosy Marbled	<i>St. 3, p. 118.</i> 6402 <b>ERASTRIA.</b>	Mr. Stephens's Cabinet. Taken in Epping Forest. Very rare.
423 <i>Minuta</i>	Small Marble	<i>St. 3, p. 119.</i> 6403 <b>ERASTRIA.</b>	Mr. Stephens's Cabinet. Very rare.
424 <i>Catena</i>	Brixton Beauty	<i>C. 6, t. 276. St. 3, p. 116.</i> 6398 <b>DESMOPHORA.</b>	Mr. Curtis's Cabinet.
425 <i>Apicosa</i>	Blossom tip	<i>St. 3, p. 119.</i> 6405 <b>ERASTRIA.</b>	Mr. Bentley's Cabinet.
426 <i>Fuscula</i>	Marbled White spot	<i>St. 3, p. 119.</i> 6406 <b>ERASTRIA.</b>	Chiselhurst and Bexley Woods. End of June.
427 <i>Albidilinca</i>	Marbled White line	<i>St. 3, p. 120.</i> 6407 <b>ERASTRIA.</b>	Found at the same time and place as 426; but rare.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
428 <i>Ænca</i>	Small Purple barred	<i>St. 3, p. 121.</i> <b>6408 PHYTOMETRA.</b>	Heaths near London; also near Birch and Darenth Woods, &c. End of August.
429 <i>Lutescens</i>	Reddish Buff	<i>St. 3, p. 122.</i> <b>6409 ACOSMETIA.</b>	Mr. Stephens's Cabinet. Taken near Lyndhurst. July 1821.
430 <i>Caliginosa</i>	Dingy	<i>St. 3, p. 122.</i> <b>6410 ACOSMETIA.</b>	Mr. Stephens's Cabinet. Taken in the New Forest. June.
431 <i>Rufa</i>	Small Rufous	<i>St. 3, p. 123.</i> <b>6411 ACOSMETIA.</b>	Whittlesea Mere. Rare. June.
432 <i>Lineola</i>	Lineated Ru- fous	<i>St. 3, p. 123.</i> <b>6412 ACOSMETIA.</b>	Mr. Stephens's Cabinet.
433 <i>Arcuosa</i>	Small dotted Buff	<i>St. 3, p. 123.</i> <b>6413 ACOSMETIA.</b>	Near London, Hertford, Ep- ping. June.
434 <i>Lusoria</i>	Black-neck	<i>D.10, t. 354, f. 2. C.10, t. 475. St. 3, p. 126.</i> <b>6416 OPHIUSA.</b>	Fields near Birch and Da- renth Woods. Beginning of August.
435 <i>Anomalata</i>	Anomalous	<i>St. 3, p. 125.</i> <b>6415 STILBIA.</b>	Hampshire, De- vonshire. Au- tumn.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera</i>	<i>Habitat, and when found.</i>
436 <i>Crassius-</i> <i>cula</i>	Double-barr- ed	<i>St. 3, p. 126.</i> 6418 <i>OPIIUSA.</i>	Mr. Stephens's Cabinet. Taken in the North of England.
437 <i>Trifasciata</i>	Triple streak- ed	<i>St. 3, p. 128.</i> 6421 <i>CATEPHIA.</i>	Mr. Stephens's Cabinet. Taken by the Rev. W. Kirby.
438 Maura	Great Brown- bar	<i>D. 7, t. 230, f. 1.</i> <i>St. 3,</i> <i>p. 129.</i> 6422 <i>MORMO.</i>	Common in gardens and fields near London, &c. Beginning of August.
439 Fraxini	Clifden Non- pareil	<i>W.t.90. H.t.31, f.a—e.</i> <i>D. 5, t. 171.</i> <i>St. 3,</i> <i>p. 131.</i> 6423 <i>CATOCALA.</i>	Taken in York-shire, &c.; but very rare. Autumn.
440 Nupta	Red Under- wing	<i>A.t.80, f.a—d.</i> <i>W.t.35.</i> <i>H.t.18, f.g—m.</i> <i>D.7,</i> <i>t. 224.</i> <i>St. 3, p. 132.</i> 6425 <i>CATOCALA.</i>	Among willows in Middlesex Kent, Essex, &c. Beginning of August.
441 Sponsa	Dark Crimson Underwing	<i>D.9, t.324. St. 3, p.133.</i> 6427 <i>CATOCALA.</i>	Birch and Darenth Woods, near Lyndhurst, &c. End of June.
442 Promissa	Light Crimson Underwing	<i>St. 3, p. 134.</i> 6428 <i>CATOCALA.</i>	New Forest; Richmond Park. End of June.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
443 <i>Conjuncta</i>	Lesser Crimson Underwing	<i>St. 3, p. 135.</i> 6429 CATOCALA.	Mr. Stephens's Cabinet; very rare.
444 <i>Parthenias</i>	Orange Underwing	<i>H.t. 35, f. 1. D. 7, t. 246.</i> <i>f. 1. St. 3, p. 136.</i> 6430 BREPHA.	Birch and Darenth Woods, &c. End of March.
445 <i>Puella</i>	Pale Orange Underwing	<i>St. 3, p. 137.</i> 6431 BREPHA.	British Museum.
446 <i>Notha</i>	Light Orange Underwing	<i>C. 3, t. 121. St. 3, p. 137.</i> 6432 BREPHA.	Coombe and Birch Woods, &c. End of March.
447 <i>Glyphica</i>	Burnet	<i>St. 3, p. 138.</i> 6433 EUCLIDIA.	Clover fields and borders of woods. June.
448 Mi	Shipton	<i>H.t. 41, f. 5. St. 3, p. 139.</i> 6435 EUCLIDIA.	Common in fields and woods in several counties. End of June.
449 <i>Trepidaria</i>	Black Mountain	<i>St. 3, p. 144.</i> 6436 PSODOS.	Mr. Bentley's Cabinet. Taken in Scotland. June.
450 <i>Alpinata</i>	Gold four-spot	<i>C. 9, t. 424. St. 3, p. 144.</i> 6437 PSODOS.	Mr. Curtis's Cabinet.
451 <i>Brunneata</i>	Rannoch Geometra	<i>C. 5, t. 225. St. 3, p. 145.</i> 6439 SPERANZA.	Scotland, on heaths near Loch Rannoch. July.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
452 <i>Limbaria</i>	Frosted Yellow	<i>St. 3, p. 145.</i> 6438 <i>SPERANZA.</i>	Near Birch Wood, among broom. May, July.
453 <i>Piniarius</i> , M. and F.	Bordered White	<i>D. 10, t. 336. St. 3,</i> <i>p. 147.</i> 6444 <i>BUPALUS.</i>	Fir plantations near Ripley, &c. June.
454 <i>Atomaria</i>	Common Heath	<i>D. 7, t. 248, f. 1, 2. St. 3,</i> <i>p. 148.</i> 6441 <i>FIDONIA.</i>	Heathy places, in several counties. May or June, and August.
455 <i>Carbonaria</i>	Black Heath	<i>St. 3, p. 149.</i> 6442 <i>FIDONIA.</i>	Heaths near London. Middle of June.
456 <i>Fuliginaria</i>	Waved Black	<i>St. 3, p. 149.</i> 6440 <i>FIDONIA.</i>	Taken near London; but very rare. Mr. Bentley's Cabinet.
457 <i>Ericetaria</i>	Bordered Grey	<i>St. 3, p. 149.</i> 6443 <i>FIDONIA.</i>	Fir-trees near Birch Wood; Ringwood in the New Forest. August.
458 <i>Favillacea-</i> <i>rius</i>	Grey Scollop- ed	<i>H. t. 33, f. m. D. 13,</i> <i>t. 461, f. 1. C. 1, t. 33.</i> <i>St. 3, p. 150. Maesia.</i> 6445 <i>BUPALUS.</i>	New Forest, Hants. June.
459 <i>Leucophe-</i> <i>aria</i> , M. and F.	Spring Usher	<i>H. t. 43, f. m, n, o, q.</i> <i>St. 3, p. 151.</i> 6446 <i>ANISOPTERYX.</i>	Oak woods near London, &c. End of February and in March.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
460 <i>Aescularia</i> , March M. and F.		<i>St. 3, p. 152.</i> <b>6447 ANISOPTERYX.</b>	Palings and trunks of trees. March.
461 <i>Capreola-</i> <i>ria,</i> M. and F.	Dotted border Umbre	<i>A.t.44,f.72,a—d. St.3,</i> <i>p. 153. Hibernia.</i> <b>6448 LAMPETIA.</b> <b>HIBERNIA</b>	Wood sides and heathy places, &c. End of February, and in March.
462 <i>Connecta-</i> <i>ria</i>	Connecting Umbre	<i>St. 3, p. 154. Hibernia.</i> <b>6449 LAMPETIA.</b> <b>HIBERNIA</b>	Middlesex and Essex. November and December.
463 <i>Prosapi-</i> <i>aria,</i> M. and F.	Scarce Umbre	<i>St. 3, p. 154. Hibernia.</i> <b>6450 LAMPETIA.</b> <b>HIBERNIA</b>	Coombe and Darenth Woods ; Epping, &c. October or November.
464 <i>Defoliaria</i> , Mottled Um- bre	M. and F.	<i>A.t.100,f.e—h. W.t.72.</i> <i>H.t.14,f. n—r. St. 3,</i> <i>p. 155. Hibernia.</i> <b>6451 LAMPETIA.</b> <b>HIBERNIA</b>	Common in woods and copses. End of autumn.
465 <i>Pilosaria</i> , Pale Brindled Beauty	M. and F.	<i>A.t.91,f.e—i. W.t.87.</i> <i>St. 3, p.156. Phigalia.</i> <b>6452 AMPHIDASIS.</b> <b>PHIGALIA</b>	Near London, &c. ; but not common. March.
466 <i>Hispidaria</i> , Small Brin- dled Beauty	M. and F.	<i>D. 13, t. 447. St. 3,</i> <i>p. 157. Nyssia.</i> <b>6453 AMPHIDASIS.</b> <b>NYSSIA</b>	Richmond Park ; Coombe and Birch Woods ; but rare. End of March.
467 <i>Prodroma-</i> Oak Beauty <i>ria</i>		<i>D.7,t.219. St.3,p.156.</i> <b>6454 BISTON.</b>	Woods near London. April.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
468 <i>Betularius</i>	Spotted Elm	<i>A. t.</i> 40, <i>f.</i> 64, <i>a—d.</i> <i>W. t.</i> 77. <i>H. t.</i> 18, <i>f. a—f.</i> <i>St. 3,</i> <i>p.</i> 159. 6455 <b>BISTON.</b>	Woods near London, &c. June.
469 <i>Hirtarius</i>	Brindled Beauty	<i>A. t.</i> 39, <i>f.</i> 62, <i>a—d.</i> <i>W. t.</i> 70. <i>H. t.</i> 9, <i>f. a—f.</i> <i>St. 3,</i> <i>p.</i> 159. 6456 <b>BISTON.</b>	Common on poplars and lime-trees near London. April.
470 <i>Pennaria</i>	October	<i>W. t.</i> 79. <i>H. t.</i> 43, <i>f. g—i.</i> <i>D. 8,</i> <i>t.</i> 287, <i>f. 2.</i> <i>St. 3,</i> <i>p.</i> 160. <i>Himera.</i> 6457 <b>METRA.</b>	Woods near London, &c. Beginning of October.
471 <i>Elinguaria</i>	Scolloped Oak	<i>A. t.</i> 39, <i>f.</i> 63, <i>e—h.</i> <i>St. 3,</i> <i>p.</i> 162. 6458 <b>CROCALLIS.</b>	Woods round London, &c. June.
472 <i>Bidentata</i>	Scolloped Hazel	<i>A. t.</i> 96, <i>f. a—c.</i> <i>H. t.</i> 10, <i>f. s—z.</i> <i>St. 3.</i> <i>p.</i> 163. 6459 <b>ODONTOPERA.</b>	Woods near London. April and June.
473 <i>Tiliaria</i>	Canary-shouldered Thorn	<i>St. 3,</i> <i>p.</i> 164. 6460 <b>GEOMETRA, ALNIARIA.</b>	Darenth and Birch Woods. End of August.
474 <i>Canaria</i>	Pale Thorn	<i>St. 3,</i> <i>p.</i> 165. 6461 <b>GEOMETRA.</b>	Darenth Wood. End of August.
475 <i>Ochraria</i>	Ochreous Thorn	<i>St. 3,</i> <i>p.</i> 165. 6462 <b>GEOMETRA.</b>	Same as above.
476 <i>Erosaria</i>	September Thorn	<i>St. 3,</i> <i>p.</i> 165. 6463 <b>GEOMETRA.</b>	Common in woods, parks, &c. August.
477 <i>Quercinaria,</i> M. and F.	Plain August Thorn	<i>D. 8,</i> <i>t.</i> 275, <i>f. 1.</i> <i>St. 3,</i> <i>p.</i> 166. 6464 <b>GEOMETRA.</b>	Common round London, &c. August.










<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
478 <i>Quercaria</i> , Clouded August	St. 3, p. 166. M. and F.      gust Thorn	6465 GEOMETRA.	Taken near London; but rare. August.
479 <i>Angularia</i> Angled Thorn	St. 3, p. 166. 6466 GEOMETRA.		Common in woods and lanes. August and September.
480 <i>Carpiniaria</i> Flounced Thorn	St. 3, p. 167. 6467 GEOMETRA.		Woods, &c.; but rare. End of August and beginning of September.
481 <i>Illunaria</i> Early Thorn	W. t. 81. St. 3, p. 168. 6469 GEOMETRA.		Woods and bushy lanes. End of March.
482 <i>Julia</i> July Thorn	A. t. 42, f. 68, a—d. St. 3, p. 168. 6470 GEOMETRA.		Woods and lanes near London, &c. Beginning of July.
483 <i>Lunaria</i> Lunar Thorn	A.t.15,f.a—d. W.t.83. D.4,t.132. St.3,p.169. 6471 GEOMETRA.		Coombe and Darenth Woods, &c. June.
484 <i>Delunaria</i> Simple Thorn	St. 3, p. 170. 6472 GEOMETRA.		Birch Wood. July.
485 <i>Fuscanta-</i> Dusky Thorn	St. 3, p. 167. ria 6468 GEOMETRA.		Mr. Chant's Cabinet. June.
486 <i>Sublunaria</i> Crescent Thorn	St. 3, p. 170, t. 28, f. 1. 6473 GEOMETRA.		Mr. Stephens has seen but three, all taken in Derbyshire.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
487 <i>Illustraria</i>	Purple Thorn	<i>A. t. 42, f. 69, e—h. St. 3, p. 170, t. 28, f. 2.</i> <b>6474 GEOMETRA.</b>	Near Birch Wood, &c.; but rare. June.
488 <i>Syringaria</i>	Lilac Beauty	<i>W. t. 82. D. 6, t. 181. St. 3, p. 171.</i> <b>6475 PERICALLIA.</b>	Birch Wood; also near Highgate, Epping, &c. June or July.
489 <i>Prunaria,</i> M. and F.	Orange	<i>A. t. 43, f. 70, a—c. W. t. 84. D. 1, t. 87. St. 3, p. 172.</i> <b>6476 ANGERONA.</b>	Common in woods, &c. End of June.
490 <i>Cratægata</i>	Brimstone	<i>A. t. 60, f. 65, e—h. W. t. 80. H. t. 29, f. g, l, m. St. 3, p. 174.</i> <b>6477 RUMIA.</b>	Woods and hedges: common in several counties. April, June, August, and October.
491 <i>Sambu-</i> caria	Swallow-tail	<i>A. t. 94, f. a—d. W. t. 78. D. 5, t. 170. C. 11, t. 508. St. 3, p. 175.</i> <b>6478 OURAPTERYX.</b>	Woods and gardens, Middlesex, Surrey, Essex, &c. End of June or beginning of July.
492 <i>Margari-</i> tata	Light Emerald	<i>D. 16, t. 543. St. 3, p. 176. Campæa.</i> <b>6479 PHALÆNA.</b>	Woods near London; also in Kent, Essex, &c. Middle of July or beginning of August.
493 <i>Fasciaria</i>	Barred Red	<i>St. 3, p. 177.</i> <b>6480 ELLOPIA.</b>	Fir-trees, Birch Wood, Ripley, &c. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera</i>	<i>Habitat, and when found.</i>
494 <i>Papilio-</i> rius	Large Emerald	<i>D. 3, t. 287, f. 1.</i> <i>St. 3,</i> <i>p. 178.</i> <b>6481 HIPPARCUS.</b>	Darenth Wood, Waldershare, Kent, &c. Mid- dle of July.
- 495 <i>Vernarius</i>	Small Emerald	<i>D. 3, t. 97.</i> <i>St. 3, p. 179.</i> <i>Hemithea.</i> <b>6482 HIPPARCUS.</b>	Darenth Wood; but rare. End of July.
496 <i>Smarag-</i> <i>darius</i>	Essex Emerald	<i>C.7, t. 300.</i> <i>St. 3, p. 179.</i> <i>Hemithea.</i> <b>HIPPARCHUS.</b>	Mr. Parsons's Cabinet; taken near South Church, Essex.
497 <i>Cythisaria</i>	Grass Emerald	<i>W. t. 75.</i> <i>St. 3, p. 180.</i> <i>Hemithea.</i> <b>6485 HIPPARCUS.</b>	Heaths near Lon- don, Epping, Coombe Wood, &c. End of July.
498 <i>Bajularia</i>	Blotch'd Emerald	<i>H. t. 41, f. r.</i> <i>D. 6, t. 202,</i> <i>f. 1.</i> <b>6486 CLEORA.</b>	Darenth and Birch Woods. Beginning of July.
499 <i>Lichenaria</i>	Lime-Moss	<i>W. t. 76.</i> <i>D. 10, t. 342,</i> <i>f. 1.</i> <b>6487 CLEORA.</b>	Brockenhurst in the New Forest, Coombe Wood, &c. End of July.
500 <i>Viduaria</i>	Speckled Beauty	<i>St. 3, p. 182.</i> <b>6488 CLEORA.</b>	Near Lyndhurst in the New Forest; but rare. June.
501 <i>Teneraria</i>	Dotted Carpet	<i>St. 3, p. 182.</i> <b>6489 CLEORA.</b>	New Forest, &c. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
502 <i>Cinctaria</i>	Ringed Carpet	<i>C. 2, t. 88. St. 3, p. 183.</i> 6490 <b>CLEORA.</b>	Near Lyndhurst and Brocken-hurst in the New Forest. May and June.
503 <i>Pictaria</i>	Grey Carpet	<i>C.10, t.447. St.3, p.183.</i> 6491 <b>CLEORA.</b>	Mr. Stephens has seen but two specimens, taken between Eltham and Birch Wood in the spring.
504 <i>Repandata</i>	Mottled Beauty	<i>D. 10, t. 333, f. 1. St. 3,</i> <i>p. 184.</i> 6492 <b>ALCIS.</b>	Woods and forests. End of July.
505 <i>Distrigaria</i>	Light Mottled Beauty	<i>St. 3, p.185.</i> 6493 <b>ALCIS.</b>	Woods near London. July.
506 <i>Muraria</i>	Dark Mottled Beauty	<i>St. 3, p.185.</i> 6494 <b>ALCIS.</b>	Old walls in the North of England.
507 <i>Conver-saria</i>	Large Carpet	<i>D. 10, t. 333, f. 2. St. 3,</i> <i>p. 186.</i> 6495 <b>ALCIS.</b>	Coombe, Birch, and Darent Woods. Middle of July.
508 <i>Sericaria</i>	Satin Carpet	<i>C.3, t. 113. St.3, p.186.</i> 6496 <b>ALCIS.</b>	New Forest, between Lyndhurst and Brockenhurst. July. Mr. Chant's Cabinet.





<i>Linн. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
509 <i>Consorta-</i> <i>taria</i>	Pale Oak Beauty	D.10, t. 333, f. 2. St. 3, p. 186. 6497 ALCIS.	Coombe, Birch, and Darenth Woods. Middle of June.
510 <i>Roboraria</i>	Great Oak Beauty	A.t. 93, f. a—d. D. 15, t. 527. St. 3, p. 187. 6498 ALCIS.	Birch and Coombe Woods. End of June.
511 <i>Rhomboi-</i> <i>daria</i>	Willow Beauty	St. 3, p. 187. 6500 ALCIS.	Common in gar- dens near Lon- don, &c. Be- ginning of July.
512 <i>Consobri-</i> <i>naria</i>	Tawny Beauty	St. 3, p. 188. 6501 ALCIS.	New Forest and Devonshire. July.
513 <i>Fimbriaria</i>	Bordered Beauty	St. 3, p. 188, t. 30, f. 1. 6502 ALCIS.	Mr. Stephens possesses a single specimen, which he be- lieves was taken in Suffolk.
514 <i>Abruptaria</i>	Waved Umbre	D. 7, t. 251, f. 1. St. 3, p. 189. 6503 HEMEROPHILA.	On walls in gar- dens; also in woods, &c. May.
515 <i>Tetrago-</i> <i>naria</i>	Square-spot	C. 6, t. 280. St. 3, p. 190. 6504 BOARMIA.	Birch Wood. Rare. Begin- ning of May.
516 <i>Abietaria</i>	Ingrailed	St. 3, p. 191. 6505 BOARMIA.	Coombe and Birch Woods, &c. March and April.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
517 <i>Crepuscularia</i>	Small Ingrailed	<i>St. 3, p. 191.</i> 6506 BOARMIA.	Coombe and Birch Woods, Epping, &c. Middle of May, and in June.
518 <i>Consonaria</i>	Brindled Grey	<i>St. 3, p. 192.</i> 6507 BOARMIA.	Darenth Wood; but rare. July.
519 <i>Strigularia</i>	Streaked Beauty	<i>St. 3, p. 192.</i> 6508 BOARMIA.	Darenth Wood; but very rarely. July.
520 <i>Extersaria</i>	Brindled White-spot	<i>St. 3, p. 192.</i> 6509 BOARMIA.	Darenth Wood; but very rare. Beginning of June.
521 <i>Punctularia</i>	Grey Birch	<i>St. 3, p. 193.</i> 6510 BOARMIA.	Common in Coombe, Birch, and Darenth Woods, &c. Middle of May.
522 Vauaria	Common V Moth	<i>A. t. 47, f. 78, a—d.</i> <i>W. t. 86. H. t. 34,</i> <i>f. g—i. D. 6, t. 196,</i> <i>St. 3, p. 194.</i> Halia. 6511 GRAMMATOPHORA.	Common in gardens in many parts of England. June and July.
523 Pulveraria	Barred Umber	<i>A. t. 98, f. d—f. H. t. 42,</i> <i>f. a. St. 3, p. 194.</i> Numaria. 6513 AZINEPHORA.	Woods near London, Epping, &c. Beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
524 <i>Pusaria</i>	Common White Wave	<i>A.t.118,f.e—h. H.t.44,</i> <i>f. h. St. 3, p. 196.</i> 6514 CABERA.	Common in woods and copses in May ; and also in August.
525 <i>Rotundaria</i>	Round-winged Wave	<i>St. 3, p. 196.</i> 6515 CABERA.	Coombe, Birch, and Darenth Woods ; not common. May and August.
526 <i>Exanthe-</i> <i>mata</i>	Common Wave	<i>A.t.92,f.e—h. &amp; t.99,</i> <i>f. a—d. St. 3, p. 197.</i> 6516 CABERA.	Abundant in woods and bushy lanes, Epping, &c. May and August.
527 <i>Omicrona-</i> <i>ria</i>	Mocha	<i>St. 3, p. 198. Ephyra.</i> 6517 CYCLOPHORA.	Darenth Wood, Epping, &c. End of August.
528 <i>Pendularia</i>	Birch Mocha	<i>A. t. 85,f. a—d. St. 3,</i> <i>p. 199. Ephyra.</i> 6519 CYCLOPHORA.	Woods in Middlesex, Kent, and Essex, &c. May and August.
529 <i>Orbicularia</i>	Dingy Mocha	<i>St. 3, p. 199. Ephyra.</i> 6521 CYCLOPHORA.	Coombe Wood ; also woods near Erith, &c. ; but rare. Beginning of June.
530 <i>Porata</i>	False Mocha	<i>A. t. 49, f. 82, a—d.</i> <i>St. 3, p. 200. Ephyra.</i> 6518 CYCLOPHORA <i>ocellaria.</i>	Common in Coombe, Birch, and Darenth Woods. May and August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
531 <i>Punctaria</i>	Buff Argus	<i>W.t.74, lower fig. D.13,</i> <i>t. 456. St. 3, p. 201.</i> Ephyra. 6522 CYCLOPHORA.	Woods, lanes, &c. Middlesex, Kent, Essex, &c. May and August.
532 <i>Trilinearia</i>	Clay Triple-lines	<i>St. 3, p. 201.</i> Ephyra. 6523 CYCLOPHORA.	New Forest, and occasionally at Birch Wood, July.
533 <i>Amataria</i>	Blood vein	<i>D. 2, t. 33, f. 2.</i> St. 3, <i>p. 202.</i> 6524 BRADYEPETES.	Lanes near Ripley, Darenth Wood, &c. End of June.
534 <i>Apiciaria</i>	Bordered Beauty	<i>D. 7, t. 233, f. 3.</i> St. 3, <i>p. 203.</i> Epione. 6527 BRADYEPETES:	Epping Forest, a marshy lane near Ripley, &c. End of July.
535 <i>Vesper-taria</i>	Dark-bordered Beauty	<i>St. 3, p. 204.</i> Epione. 6528 BRADYEPETES.	Taken in York-shire; but very rare. Middle of July.
536 <i>Advenaria</i>	Little Thorn	<i>St. 3, p. 204.</i> Epione. 6525 BRADYEPETES.	Found, but rarely, in the woods between Hampstead and Highgate. Mid- dle of June.
537 <i>Dolabraria</i>	Scorched Wing	<i>D. 10, t. 341, f. 1.</i> St. 3, <i>p. 205.</i> Eurymene. 6529 BRADYEPETES.	Richmond Park, Coombe and Darenth Woods, Epping, Dover, &c. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
538 <i>Vibicaria</i>	Purple-bar	<i>St. 3, p. 207.</i> <i>Pellonia.</i> 6735 <i>PTYCHOPODA.</i>	Mr. Swainson's Cabinet.
539 <i>Purpuraria</i>	Purple-barred Yellow	<i>C.10, t. 467.</i> <i>St. 3, p. 207.</i> 6530 <i>ASPILATES.</i>	Mr. Swainson's Cabinet.
540 <i>Citraria</i>	Yellow Belle	<i>St. 3, p. 208.</i> 6531 <i>ASPILATES.</i>	Clover fields, Kent and Hertfordshire. June and August.
— 541 <i>Gilvaria</i>	Straw Belle	<i>St. 3, p. 208.</i> 6532 <i>ASPILATES.</i>	Grassy fields east of Dover Castle; abundantly. August.
— 542 <i>Respersaria</i>	Grass Wave	<i>St. 3, p. 209.</i> 6534 <i>ASPILATES.</i>	Heaths near Coombe Wood, and near Brockenhurst in the New Forest. Middle of June.
543 <i>Plumbaria</i>	Belle	<i>St. 3, p. 209.</i> <i>Phasiane.</i> 6533 <i>ASPILATES.</i>	Common on heaths by the sides of woods. June.
544 <i>Cervinata</i>	Mallow	<i>St. 3, p. 211.</i> 6535 <i>LARENTIA.</i>	Darenth and Coombe Woods; also near London, &c. Middle of October.
— 545 <i>Chenopodiata</i>	Small Mallow	<i>H. t. 33, f. n.</i> <i>St. 3,</i> <i>p. 211.</i> 6536 <i>LARENTIA.</i>	Common in several counties. End of June and in August.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
547 <i>Bipunctaria</i>	Chalk Carpet	<i>St. 3, p. 212.</i> 6537 <b>CIDARIA.</b>	Chalky places, fields near Darenth Wood, &c. Middle of June.
548 <i>Multistriagaria</i>	Mottled Grey	<i>St. 3, p. 212.</i> 6538 <b>CIDARIA.</b>	Hanipstead-Heath, and Epping; but rare. March.
549 <i>Didymata</i>	Twin-spot Carpet	<i>C. 7, t. 296. St. 3,</i> <i>p. 214.</i> 6539 <b>CIDARIA.</b>	Westerham, Kent; also near Ripley; and in Devonshire, &c. June.
550 <i>Munitata</i>	Rufous Carpet	<i>D. 13, t. 461, f. 2. St. 3,</i> <i>p. 214.</i> 6540 <b>CIDARIA.</b>	North of England; also at Epping, and near London; but rarely. End of June.
551 <i>Unidentaria</i>	Dark-barred Twin-spot	<i>A. t. 97, f. e—h. St. 3,</i> <i>p. 215.</i> 6541 <b>CIDARIA.</b>	Coombe and Darenth Woods, &c.; common. Beginning of June and again in August.
552 <i>Quadrifasciaria</i>	Large Twin-spot	<i>St. 3, p. 215.</i> 6542 <b>CIDARIA.</b>	Darenth Wood; also at Hertford, and Ripley. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
553 <i>Ferrugata</i>	Red Twin-spot	<i>St. 3, p. 216.</i> 6543 CIDARIA.	Common in Middlesex, Essex, Kent, &c. May and August.
554 <i>Latentaria</i>	Northern Twin-spot	<i>St. 3, p. 217.</i> 6545 CIDARIA.	North of England; neighbourhood of Ambleside. July.
555 <i>Salicata</i>	Striped Twin-spot	<i>St. 3, p. 217.</i> 6544 CIDARIA.	Mr. Bentley's Cabinet. June.
556 <i>Maria</i>	Green Carpet	<i>St. 3, p. 218.</i> 6546 CIDARIA.	Abundant in several counties. Middle of June.
557 <i>Olivata</i>	Beech Green Carpet	<i>D. 14, t. 479, f. 1.</i> <i>St. 3,</i> <i>p. 218.</i> 6547 CIDARIA.	Darenth Wood; the New Forest, &c. June.
558 <i>Montanata</i>	Silver ground	<i>St. 3, p. 219.</i> 6548 CIDARIA.	Very common in Middlesex, Surrey, Kent, Essex, &c. Middle of June.
559 <i>Fluctuata</i>	Garden Carpet	<i>A. t. 99, f. e—h.</i> <i>St. 3,</i> <i>p. 219.</i> 6549 CIDARIA.	Common in gardens near London; also in Surrey, Kent, &c. April till September.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
560 <i>Propug-nata</i>	Flame Carpet	<i>D. 10, t. 349, f. 3. St. 3, p. 220.</i> 6551 CIDARIA.	Near London ; Hertford ; Coombe and Darenth Woods ; &c. June.
561 <i>Fulvata</i>	Barred Yellow	<i>H. t. 35, f. 1. St. 3, p. 221.</i> 6552 HARPALYCE.	Borders of woods Middlesex, Essex, &c. End of June.
562 <i>Ocellata</i>	Purple-bar	<i>St. 3, p. 222.</i> 6553 HARPALYCE.	Coombe, Birch, and Darenth Woods.
563 <i>Galiata</i>	Galium Carpet	<i>St. 3, p. 222.</i> 6554 HARPALYCE.	Near Dover, and Dublin, &c. Beginning of June, and middle of August.
564 <i>Unilobata</i>	Blue-angled Carpet	<i>St. 3, p. 223.</i> 6555 HARPALYCE.	Taken near Scarborough in Yorkshire. Mr. Bentley's Cabinet. June.
565 <i>Quadrian-nulata</i>	Necklace Carpet	<i>St. 3, p. 223.</i> 6556 HARPALYCE.	Mr. Bentley's Cabinet.
566 <i>Tristata</i>	Small Argent and Sable	<i>St. 3, p. 223.</i> 6565 HARPALYCE.	Found in Devonshire ; and common at Rae Hills. June.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
567 <i>Substriata</i>	Common Carpet	D.15, t.510, f.2. St.3, pet p. 224. 6564 HARPALYCE.	Bushy lanes and borders of woods. June and August.
568 <i>Sylvaticata</i>	Wood Carpet	St.3, p. 225. 6563 HARPALYCE.	Darenth Wood. July.
569 <i>Unangu-lata</i>	Sharp-angled Carpet	St.3, p. 225. 6562 HARPALYCE.	Birch, Darenth, and Coombe Woods. End of June.
570 <i>Biangu-lata</i>	Cloaked Carpet	St.3, p. 225. 6561 HARPALYCE.	Darenth Wood and neighbourhood, Epping, &c. June.
571 <i>Silaceata</i>	Small Phœ-nix	D.14, t.487, f.2. St.3, p. 226. 6566 HARPALYCE.	Dover, Epping, Newby Cross, &c. End of July or beginning of August.
572 <i>Corylata</i>	Broken-barr'd Carpet	A. t. 98, f. a—d. D. 14, t. 479, f. 2. St. 3, p. 227. 6567 HARPALYCE.	Common at Coombe Wood, &c. Middle of July.
573 <i>Immanata</i>	Dark Marbled Carpet	St.3,p.228. Polyphasia. 6570 HARPALYCE.	Woody places Epping, &c. Beginning of July.
574 <i>Amœnata</i>	Pretty Mar-bled Carpet	St.3,p.228. Polyphasia. 6571 HARPALYCE.	Taken near Ashburton in Devonshire.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
575 <i>Marmorata</i>	Marbled Carpet	<i>St.3,p.229.</i> Polyphasia. 6572 HARPALYCE.	Woods in Kent, Essex, &c. June.
576 <i>Concinnata</i>	Beautiful Mar- bled Carpet	<i>St.3,p.229.</i> Polyphasia. 6573 HARPALYCE.	Taken in Scot- land. Mr. Ste- phens's Cabinet.
577 <i>Comma- notata</i>	Yellow Mar- bled Carpet	<i>St.3,p.230.</i> Polyphasia. 6574 HARPALYCE.	Woody places in Middlesex, Sur- rey, Kent, Es- sex, &c. July.
578 <i>Centum-no- tata</i>	Common Mar- bled Carpet	<i>St.3,p.230.</i> Polyphasia. 6575 HARPALYCE.	Very common in woody places. End of July.
579 <i>Saturata</i>	Dusky Mar- bled Carpet	<i>St.3,p.231.</i> Polyphasia. 6576 HARPALYCE.	Middlesex, Es- sex, Kent, Sur- rey, &c. July.
580 <i>Perfuscata</i>	Brown Mar- bled Carpet	<i>St.3,p.231.</i> Polyphasia. 6577 HARPALYCE.	Darenth, Birch, and Coombe Woods. July.
581 <i>Prunata</i>	Clouded Car- pet	<i>D.7,t.233,f.1.</i> <i>St. 3,</i> <i>p. 232.</i> 6579 STEGANOLO- PHIA.	Gardens at Epp- ing; also at Ripley, Hert- ford, &c. End of July.
582 <i>Suffumata</i>	Water Carpet	<i>St.3,p.234.</i> Lampro- pteryx. 6578 HARPALYCE.	Epping, Rae Hills, Hertford; but not com- mon. July.









<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
583 <i>Piceata</i>	Glossy Carpet	<i>St. 3, p. 234.</i> Lampropteryx.	Mr. Stephens has seen but three of this species, taken in the North of England.
584 <i>Badiata</i>	Shoulder Stripe	<i>D. 14, t. 493, f. 1.</i> <i>St. 3,</i> <i>p. 235.</i> Lampropteryx.  6608 PHIBALAPTERYX.	Woody places in Middlesex, Surrey, Essex, &c. February, and again in June or July.
585 <i>Berberata</i>	Raspberry Carpet	<i>St. 3, p. 236.</i> Anticlea.  6560 HARPALYCE.	Found in Berkshire; and at Weston on the Green, Oxfordshire. Middle of June.
586 <i>Rubidata</i>	Flame	<i>St. 3, p. 236.</i> Anticlea.  6559 HARPALYCE.	Darenth and Birch Woods; also at Epping. End of June.
587 <i>Sinuata</i>	Royal Mantle	<i>St. 3, p. 237.</i> Anticlea.  6557 HARPALYCE.	Taken in a lane between Darenth and Birch Woods; but very rare. End of June.
588 <i>Derivata</i>	Streamer	<i>St. 3, p. 237.</i> Anticlea.  6558 HARPALYCE.	Coombe and Darenth Woods, Epping, &c. Beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
589 <i>Comitata</i>	Dark Spinach	<i>A. t. 47, f. 79, f—i. W. t. 71. St. 3, p. 239.</i> 6581 ELECTRA.	Middlesex, Essex, &c. Beginning of July.
590 <i>Populata</i>	Poplar	<i>St. 3, p. 239.</i> 6582 ELECTRA.	Common in the North of England, and in Scotland. July.
591 <i>Spinachi-ata</i>	Spinach	<i>St. 3, p. 240.</i> 6580 ELECTRA.	Gardens near London; abundant at Ripley in Surrey. Middle of July.
592 <i>Testata</i>	Chevron	<i>St. 3, p. 240.</i> 6583 ELECTRA.	Middlesex, Essex, Devon, Cheshire, &c. May and September.
593 <i>Achatina-ta</i>	Agate	<i>St. 3, p. 241.</i> 6584 ELECTRA.	The New Forest. End of June.
594 <i>Pyraliata</i>	Barred Straw	<i>A. t. 14, f. 75, a—g.</i> <i>St. 3, p. 241.</i> 6585 ELECTRA.	Gardens and bushy lanes in several counties. End of July.
595 <i>Imbutata</i>	Manchester Treble-bar	<i>St. 3, p. 242.</i> Celma. 6586 ELECTRA.	Heath in the North of England. July.
596 <i>Plagiata</i>	Slender Treble-bar	<i>H.t. 28, f.k. D.7, t. 233,</i> <i>f. 2. C. 7, t. 324.</i> <i>St. 3, p. 243.</i> Anatis. 6624 APLOCERA.	Coombe and Dartmouth Woods, Epping Forest, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
597 <i>Perfor-mata</i>	Purple Treble-bar	<i>St. 3, p. 244.</i> Amiatis.	Coombe Wood? June.
598 <i>Dealbata</i>	Black veined	<i>St. 3, p. 245.</i> Scoria. 6587 IDEÆA.	Kent, near Tun-bridge Wells, and Charing; but rare. June.
599 <i>Ulmata</i>	Scarce Magpie	<i>D. 9, t. 293, f. 1.</i> C. 11, <i>t. 515.</i> St 3, p. 246. 6589 ABRAXAS.	Rare near Lon-don; but com-mon in several counties. Mid-dle of June. Dr. Bromfield found it near Bath, in May.
600 <i>Pantaria</i>	Panther	<i>St. 3, p. 246, t. 32, f. 1.</i> 6588 ABRAXAS.	Near Oakham-p-ton Park, Somersetshire; but very rare.
601 <i>Grossula-riata</i>	Magpie	<i>A. t. 43, f. 71, d—g.</i> <i>W. t. 85.</i> H. t. 12, <i>f. f—k.</i> D. 1, t. 4. <i>St. 3, p. 247.</i> 6590 ABRAXAS.	Very common in different parts of the country. Middle of July.
602 <i>Hastata</i>	Argent and Sa-ble	<i>H. t. 15.</i> D. 4, t. 129. <i>St. 3, p. 248.</i> Melan-ippe. 6592 XERENE.	Darenth and Coombe Woods; not common. Beginning of June.
- 603 <i>Albicillata</i>	Beautiful Car-pet	<i>D. 6, t. 202, f. 2.</i> St. 3, <i>p. 249.</i> 6593 XERENE.	Kent and Nor-folk; rare near London. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
604 <i>Procellata</i>	Chalk Carpet	<i>D. 6, t. 202, f. 3.</i> <i>St. 3,</i> <i>p. 250.</i> 6594 XERENE.	Darenth and Birch Woods; near Dover, &c. June.
605 <i>Adustata</i>	Scorched Carpet	<i>St. 3, p. 250.</i> pet 6595 XERENE.	Darenth and Coombe Woods, &c. Middle or end of August.
606 <i>Rubiginata</i>	Blue-bordered Carpet	<i>St. 3, p. 251.</i> 6596 XERENE.	Surrey, Middlesex, Kent, &c. End of June and August.
607 <i>Plumbata</i>	Dark Blue bordered Carpet	<i>St. 3, p. 251.</i> XERENE.	Forfarshire. July.
608 Miata	Autumn Green Carpet	<i>A. t. 50, f. 86.</i> <i>D. 14,</i> <i>t. 479, f. 3.</i> <i>St. 3,</i> <i>p. 253.</i> Euthalia. 6568 HARPALYCE.	Middlesex, Essex, Cambridge-shire, Kent, &c. The Autumn.
609 <i>Psittacata</i>	Red-green Carpet	<i>D. 14, t. 485, f. 3.</i> <i>St. 3,</i> <i>p. 253.</i> Euthalia. 6569 HARPALYCE.	Essex, Cambridgeshire, Surrey, &c. September.
610 <i>Impluviata</i>	May Highflyer	<i>D. 14, t. 499, f. 2.</i> <i>St. 3,</i> <i>p. 254.</i> Euthalia. 6598 YPSIPETES.	Darenth and Coombe Woods; but not common. End of May.
611 <i>Elutata</i>	July Highflyer	<i>A. t. 44, f. 73, e—h.</i> <i>St. 3,</i> <i>p. 254.</i> Euthalia. 6599 YPSIPETES.	Very common in many counties. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
612 <i>Tersata</i>	Fern	<i>St. 3, p. 256.</i> 6601 PHIBALAPTE-RYX.	Near Darenth and Birch Woods; Hertford and Ripley. June.
613 <i>Vitalbata</i>	Small waved Umber	<i>St. 3, p. 256.</i> 6602 PHIBALAPTE-RYX.	Darenth and Birch Woods; &c. June.
614 <i>Lignata</i>	Oblique Carpet	<i>D. 14, t. 485, f. 1 &amp; 2.</i> <i>St. 3, p. 257.</i> 6603 PHIBALAPTE-RYX.	Near Cambridge; the New Forest, and in Battersea Fields. Beginning of July.
615 <i>Lineolata</i>	Oblique Striped	<i>St. 3, p. 257.</i> 6605 PHIBALAPTE-RYX.	Near Brighton and Lewes. End of June or beginning of July.
616 <i>Angustata</i>	Narrow-barred Carpet	<i>St. 3, p. 258.</i> 6607 PHIBALAPTE-RYX.	Taken in a garden at Camden Town. The end of September. Very rare.
617 <i>Petraria</i>	Brown Silver lines	<i>St. 3, p. 259.</i> 6623 LOZOGRAMMA.	Heaths near London, Coombe Wood, &c. End of June.
618 <i>Rhamnata</i>	Dark Umber	<i>St. 3, p. 260.</i> 6609 SCOTOSIA.	Darenth Wood, Epping, &c. End of May or beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
619 <i>Vetulata</i>	Brown Scollop	<i>St. 3, p. 260.</i> 6610 SCOTOSIA.	Darent and Coombe Woods; Epping Forest, &c. End of June.
620 <i>Sparsaria</i>	Small Scollop	<i>St. 3, p. 261.</i> 6611 SCOTOSIA.	New Forest. End of June.
621 <i>Cervinata</i>	Scarce Tissue	<i>St. 3, p. 262.</i> 6614 TRIPHOSA.	Taken in the neighbourhood of London; but rare. April.
622 <i>Dubitata</i>	Common Tissue	<i>D. 7, t. 246, f. 2.</i> <i>St. 3,</i> <i>p. 262.</i> 6612 TRIPHOSA.	Darent and Birch Woods, &c. Middle of July.
623 <i>Cinereata</i>	Ashy Tissue	<i>St. 3, p. 263.</i> 6613 TRIPHOSA.	Taken near Ripley. July.
624 <i>Bilineata</i>	Yellow Shell	<i>D. 8, t. 287, f. 3.</i> <i>St. 3,</i> <i>p. 264.</i> Camptogramma. 6615 ——	Hedges near London and elsewhere; very common. End of June and beginning of July.
625 <i>Undulata</i>	Scollop Shell	<i>D. 10, t. 324, f. 3.</i> <i>St. 3,</i> <i>p. 265.</i> Eucosmia. 6616 ——	Darent and Coombe Woods; Epping, &c. End of June.
626 <i>Obscuraria</i>	Dark Annulet	<i>St. 3, p. 266.</i> 6617 CHARISSA.	New Forest. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
627 <i>Dilucidaria</i>	Pale Annulet	<i>St. 3, p. 267.</i> 6618 CHARISSA.	Devonshire. June.
628 <i>Pullata</i>	Brown Annulet	<i>D. 13, t. 463. St. 3, p. 267.</i> 6619 CHARISSA.	Common behind Dover Castle, in August.
629 <i>Serotinaria</i>	Large Mocha	<i>St. 3, p. 267.</i> 6620 CHARISSA.	Found in Sussex. July.
630 <i>Operaria</i>	Scotch Annulet	<i>St. 3, p. 267.</i> 6621 CHARISSA.	Found at Flisk in Scotland. About the end of July.
631 <i>Hippocastanaria</i>	Chestnut Carpet	<i>St. 3, p. 269.</i> 6622 PACHYCNEMIA.	Near Birch Wood; Rochford in Essex, and the New Forest. July.
632 <i>Spartiata</i>	Streak	<i>D. 10, t. 342, f. 2. St. 3, p. 270.</i> 6627 CHESIAS.	Near Coombe Wood. End of September.
633 <i>Obliquaria</i>	Chevron	<i>D. 11, t. 336, f. 4. St. 3, p. 270.</i> 6628 CHESIAS.	Near Coombe Wood House; also at Epping. May.
634 <i>Simulata</i>	Brick Carpet	<i>St. 3, p. 271. Thera.</i> 6629 ——	Birch Wood. End of June.
635 <i>Variata</i>	Grey Carpet	<i>St. 3, p. 372. Thera.</i> 6630 ——	Birch Wood; Hertford, Epping, &c. June and September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
636 <i>Fulvata</i>	Red-barred Grey Carpet	<i>St. 3, p. 272.</i> Thera. <i>6631</i> —	Midland counties of England. June and September.
637 <i>Coniferata</i>	Northern Carpet	<i>C. 11, t. 519.</i> <i>St. 3,</i> <i>pet</i> <i>p. 272.</i> Thera.	
638 <i>Juniperata</i>	Juniper Carpet	<i>St. 3, p. 272.</i> Thera. <i>6632</i> —	Mr. Stephens has seen but two specimens taken in September, among Juniper bushes in Birch Wood.
639 <i>Dilutata</i>	November	<i>A. t. 14, f. 74, a—c.</i> <i>D. 15, t. 517.</i> <i>St. 3,</i> <i>p. 273.</i> Oporabia. <i>6633</i> —	Common in the South of England; also near Newcastle, Epping, &c.
640 <i>Brumata</i> , M. and F.	Winter	<i>St. 3, p. 275.</i> <i>6634</i> CHEIMATOBIA.	Epping, &c.; very common. End of November.
641 <i>Rupicapraria</i> , M. and F.	Early	<i>A. t. 49, f. 83.e—g?</i> <i>St. 3,</i> <i>p. 275.</i> <i>6635</i> CHEIMATOBIA.	Epping, &c. End of January.
642 <i>Polycom-mata</i>	Spring Carpet	<i>C. 2, t. 81.</i> <i>St. 3, p. 276.</i> <i>6636</i> LOBOPHORA.	Near Dartford, and in a lane between Eltham and Birch Wood. March.
643 <i>Dentistri-gata</i>	Early Tooth-striped	<i>St. 3, p. 277.</i> <i>6638</i> LOBOPHORA.	Birch and Darenth Woods. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
644 <i>Costæstri-gata</i>	Twin-striped Pinion.	<i>St. 3, p. 277.</i> 6637 <b>LOBOPHORA.</b>	Near London. July.
645 <i>Rupestrata</i>	Double lined	<i>St. 3, p. 277.</i> <b>Lobophora.</b>	Mr. Stephens's Cabinet. Taken in Devonshire, in June.
646 <i>Viretata</i>	Brindle-barred Yellow	<i>D. 14, t. 499, f. 1.</i> <i>St. 3,</i> <i>p. 278.</i> 6339 <b>LOBOPHORA.</b>	Birch Wood and Epping; but rare. June.
647 <i>Hexaptrata</i>	Prominent	<i>D. 6, t. 192.</i> <i>St. 3, p. 278.</i> 6340 <b>LOBOPHORA.</b>	Birch Wood, Epping, &c. June
648 <i>Sexalisata</i>	Small Seraphim	<i>St. 3, p. 278.</i> 6641 <b>LOBOPHORA.</b>	Coombe Wood, and in the New Forest. June and August.
649 <i>Linariata</i>	Beautiful Pug	<i>C. 2, t. 64.</i> <i>St. 3, p. 279.</i> 6642 <b>EUPITHECIA.</b>	Near Darenth and Birch Woods; also near Dover. August.
650 <i>Pulchella-ta</i>	Pretty Pug	<i>St. 3, p. 280.</i> 6643 <b>EUPITHECIA.</b>	Near Coombe and Birch Woods. July.
651 <i>Rectangularis</i>	Green Pug	<i>St. 3, p. 280.</i> 6644 <b>EUPITHECIA.</b>	Common in gardens near London, Epping, &c. Middle and end of June.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
652 <i>Subærata</i>	Greenish Pug	<i>St. 3, p. 280.</i> 6645 EUPITHECIA.	Taken in Devonshire by Messrs. Chant and Bentley. June.
653 <i>Nigro-punctata</i>	Little Pug	<i>Entomol. Mag. 1. p. 184.</i> <i>t. 24, St. 4, p. 392.</i> Eupithecia.	Mr. Chant's Cabinet. Taken near Ashburton, Devonshire, in June.
654 <i>Nigrosericeata</i>	Black-silk Pug	<i>St. 3, p. 281.</i> 6646 EUPITHECIA.	Found near London; but rare.
655 <i>V. ata.</i>	V. Pug	<i>St. 3, p. 281.</i> 6648 EUPITHECIA.	Near Ripley, at Darenth Wood, and Epping. July.
656 <i>Strobilata</i>	Double-striped Pug	<i>St. 3, p. 282.</i> 6649 EUPITHECIA.	Fir plantations near Ripley; also, but not common, near London. June.
657 <i>Rufifasciata</i>	Red-barred Pug	<i>St. 3, p. 282.</i> 6650 EUPITHECIA.	Near London, and in Devonshire. April.
658 <i>Laevigata</i>	Juniper Pug	<i>St. 3, p. 282.</i> 6651 EUPITHECIA.	Woods in Kent. July or August.
659 <i>Exiguata</i>	Little Pug	<i>St. 3, p. 283.</i> 6652 EUPITHECIA.	Woods in the neighbourhood of London. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
660 <i>Abbreviat-</i> ta	Short Pug	<i>St. 3, p. 283.</i> 6655 EUPITHECIA.	Taken at Da- renth, also at York. June.
661 <i>Singulari-</i> ata	Grey Pug	<i>St. 3, p. 283.</i> 6656 EUPITHECIA.	Found near Da- renth Wood; but rare. June.
662 <i>Nebulata</i>	Brindled Pug	<i>St. 3, p. 283.</i> 6657 EUPITHECIA.	Middlesex, Sur- rey, Essex, &c.; in woody places. June.
663 <i>Albipunc-</i> tata	Speckled Pug	<i>St. 3, p. 284.</i> 6658 EUPITHECIA.	Woods in Mid- dlesex, &c. June.
664 <i>Subumbræ-</i> ta	Small Brindled Pug	<i>St. 3, p. 284.</i> 6659 EUPITHECIA.	Woody places; but not com- mon. June or July.
665 <i>Subfasciata</i>	False-barred Pug	<i>St. 3, p. 284.</i> 6660 EUPITHECIA.	Mr. Stephens has seen but one specimen, taken at Da- renth Wood in June.
666 <i>Vulgata</i>	Common Pug	<i>St. 3, p. 285.</i> 6661 EUPITHECIA.	Common in gar- dens round London, &c. June.
667 <i>Subfuscata</i>	Brown-grey Pug	<i>St. 3, p. 285.</i> 6662 EUPITHECIA.	In the same place as the last, but not so common. June.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
668 <i>Innotata</i>	Simple Pug	<i>St. 3, p. 285.</i> 6663 EUPITHECIA.	Taken in a garden near Darenth Wood in June. Mr. Stephens's Cabinet.
669 Absinthi- ata	Wormwood Pug	<i>St. 3, p. 286.</i> 6664 EUPITHECIA.	Common in gardens round London, &c. June.
670 <i>Notata</i>	Spotted Pug	<i>St. 3, p. 286.</i> 6665 EUPITHECIA.	Found near London in June. Mr. Stephens's Cabinet.
671 <i>Elongata</i>	Long-winged Pug	<i>St. 3, p. 286.</i> 6666 EUPITHECIA.	Taken in gardens. End of June.
672 <i>Simpliciata</i>	Plain Pug	<i>St. 3, p. 287.</i> 6667 EUPITHECIA.	Bushy lanes near Darenth Wood, &c. Beginning of July.
673 <i>Pusillata</i>	Small Grey Pug	<i>St. 3, p. 287.</i> 6668 EUPITHECIA.	Near Birch Wood, &c. June.
674 <i>Plumbeo- lata</i>	Lead-coloured Pug	<i>St. 3, p. 287.</i> 6669 EUPITHECIA.	Lanes near Darenth Wood. End of May and beginning of June.
675 <i>Subfulvata</i>	Tawny Speck	<i>St. 3, p. 287.</i> 6670 EUPITHECIA.	Darenth and Birch Woods. Beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
676 <i>Cognata</i>	Scarce Tawny Speck	<i>St. 3, p. 288.</i> 6671 EUPITHECIA.	Taken near Edinburgh ; rare. July.
677 Succentu- riata	Bordered Lime Speck	<i>St. 3, p. 288.</i> 6672 EUPITHECIA.	Coombe and Darenth Woods July.
678 <i>Piperata</i>	Peppered Pug	<i>St. 3, p. 288.</i> 6674 EUPITHECIA.	Taken on Riddlesdown, near Croydon. Beginning of July
679 <i>Centaure- ata</i>	Lime Speck	<i>St. 3, p. 289.</i> 6673 EUPITHECIA.	Middlesex, Surrey, Essex, &c. in gardens. June.
680 <i>Angustata</i>	Narrow- winged	<i>St. 3, p. 289.</i> 6675 EUPITHECIA.	Darenth and Birch Woods, &c. August.
681 <i>Variegata</i>	Marble	<i>St. 3, p. 290.</i> 6676 EUPITHECIA.	Darenth and Birch Woods ; but rare. June.
682 <i>Consignata</i>	Pinion Spotted	<i>St. 3, p. 290.</i> 6677 EUPITHECIA.	Taken near London and Birch Wood ; but rare. End of June or beginning of July.
683 <i>Venosata</i>	Netted	<i>D. 8, t. 266, f. 3. St. 3, p. 290.</i> 6678 EUPITHECIA.	Lane near Darenth Wood. Beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
684 <i>Niveata</i>	Snow	<i>St. 3, p. 291.</i> 6682 CLEOGENE.	Mr. Stephens's Cabinet. Received from Scotland.
685 <i>Auroraria</i>	Purple border-ed Gold	<i>C. 11, t. 523. St. 3, p. 292.</i> 6706 HYRIA.	Near Croydon; also in Norfolk. June.
686 <i>Chæro-phyllata</i>	Looping Chimney-sweeper	<i>H. t. 30, f. o. D. 7, t. 253,</i> <i>f. 4. St. 3, p. 293.</i> 6679 MINOA.	Richmond Park, Kensington Gardens, &c.; very common. Beginning of June.
687 <i>Euphorbiata</i>	Drab looper	<i>D. t. 153, f. 1. St. 3, p. 294.</i> 6680 MINOA.	Coombe and Darenth Woods, &c. End of May.
688 <i>Bimaculata</i>	White Pinion Spotted	<i>St. 3, p. 294.</i> 6683 BAPTA.	Lanes between Darenth and Birch Woods. June.
689 <i>Punctata</i>	Clouded Silver	<i>St. 3, p. 295.</i> 6684 BAPTA.	Darenth Wood, Epping, &c. June.
690 <i>Cæciata</i>	February Carpet	<i>St. 3, p. 295.</i> 6625 APLOCERA.	On old walls. North of England. June.
691 <i>Flavicincta</i>	Yellow ringed	<i>St. 3, p. 296, t. 30, f. 3.</i> 6626 APLOCERA.	North of England. June.











653 n



662 n



671 n



680 n



654 n



663 n



672 n



681 n



655 n



664 n



673 n



682 n



656 n



665 n



674 n



683 d



657 n



666 n



675 n



684 n



658 n




667 n



676 n



685 n



659 n



668 n



677 n



686 n



660 n



669 n



678 n



687 n



661 n



670 n

W. Wood Junr.



679 n



688 d



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
692 <i>Decolorata</i>	Sandy Carpet	<i>St. 3, p. 297.</i> 6685 <b>EMMELESLIA.</b>	Hedges and lanes between Pentonville and Highgate. End of June.
693 <i>Affinitata</i>	Allied	<i>St. 3, p. 297.</i> 6686 <b>EMMELESLIA.</b>	Copenhagen Fields; also near Hertford, Epping, &c. June.
694 <i>Turbaria</i>	Middle Rivulet	<i>St. 3, p. 298.</i> 6688 <b>EMMELESLIA.</b>	Middlesex, near Kentish Town, &c. End of June and beginning of July.
695 <i>Rivulata</i>	Small Rivulet	<i>St. 3, p. 298.</i> 6689 <b>EMMELESLIA.</b>	Grassy places near woods. Middle of June.
696 <i>Ericetata</i>	Heath Rivulet	<i>St. 3, p. 298, t. 32, f. 2.</i> 6690 <b>EMMELESLIA.</b>	North of England and in Scotland. June.
697 <i>Blandiata</i>	Barred Rivulet	<i>St. 3, p. 299.</i> 6693 <b>EMMELESLIA.</b>	North of England. June.
698 <i>Albulata</i>	Grass Rivulet	<i>St. 3, p. 299.</i> 6691 <b>EMMELESLIA.</b>	Battersea Fields, Epping Forest, Meldon Park near Morpeth, &c. End of June or beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
699 <i>Trigonata</i>	Small Blue-border	<i>St. 3, p. 299.</i> 6692 EMMELESIA.	Near Westerham, Kent; and in Cumberland. June.
700 <i>Tæniata</i>	Banded Rivulet	<i>St. 3, p. 299, t. 32, f. 3.</i> EMMELESIA.	Mr. Stephens has seen but four specimens, all taken in Cumberland in July 1827.
701 <i>Unifasciata</i>	Single-barred Rivulet	<i>St. 3, p. 300.</i> 6694 EMMELESIA.	Westerham, and Birch Wood; but rare. June.
702 <i>Bifasciata</i>	Double-barred Rivulet	<i>St. 3, p. 300.</i> 6695 EMMELESIA.	Birch Wood; also near Dover, &c.; but rare. June.
703 <i>Rusticata</i>	Least Carpet	<i>St. 3, p. 300.</i> 6696 EMMELESIA.	On palings near Eltham and Bexley in Kent. June.
704 <i>Sylvata</i>	Waved Carpet	<i>D. 14, t. 487, f. 1.</i> <i>St. 3,</i> <i>p. 301.</i> 6699 EMMELESIA.	Coombe Wood. June.
705 <i>Blomeri</i>	Blomer's	<i>C. 9, 416.</i> EMMELESIA.	Castle Eden Dene, Durham. July.
706 <i>Candidata</i>	Small white Wave	<i>St. 3, p. 301.</i> 6700 EMMELESIA.	Middlesex, Surrey, Kent, &c.; very common. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
707 <i>Luteata</i>	Small yellow Wave	<i>D. 9, t. 386, f. 1. 2. St. 3,</i> <i>p. 301.</i> 6701 <b>EMMELESIÀ.</b>	Darenth and Birch Woods; near Dover, &c. June.
708 <i>Heparata</i>	Dingy Shell	<i>St. 3, p. 302.</i> 6702 <b>EMMELESIÀ.</b>	Coombe and Darenth Woods; beginning of July.
709 <i>Clathrata</i>	Latticed Heath	<i>D. 7, t. 248, f. 2. St. 3,</i> <i>p. 303.</i> <b>Strenia.</b> 6703 <b>HERCYNIA.</b>	Darenth, Epping, Hertford, &c. End of May, and middle of July.
710 <i>Maculata</i>	Speckled Yellow	<i>H. t. 28, f. f. D. 7, t. 251,</i> <i>f. 3. St. 3, p. 304.</i> <b>Venilia.</b> 6704 <b>HERCYNIA.</b>	Common in woods about London and elsewhere. End of May.
711 <i>Quadrinaculata</i>	Pinion-spotted Yellow	<i>St. 3, p. 304.</i> <b>Venilia.</b> 6705 <b>HERCYNIA.</b>	In a wood near Colney Hatch, Middlesex. Beginning of May.
712 <i>Dilutaria</i>	Small fan-footed Wave	<i>St. 3, p. 305.</i> 6713 <b>PTYCHOPODA.</b>	Coombe and Darenth Woods; Epping, &c. May.
713 <i>Fimbriola-ta</i>	Bordered Wave	<i>St. 3, p. 306.</i> 6714 <b>PTYCHOPODA.</b>	Near London. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
714 <i>Cinereata</i>	Ashy Wave	<i>St. 3, p. 306.</i> 6712 PTYCHOPODA.	Found in woody places about London. June.
715 <i>Lividata</i>	Small dotted Wave	<i>St. 3, p. 306.</i> 6710 PTYCHOPODA.	Woods and hedges near London, &c. June.
716 <i>Bisetata</i>	Treble Twin-spot	<i>St. 3, p. 307.</i> 6711 PTYCHOPODA.	Darenth and Birch Woods. June.
717 <i>Ornata</i>	Lace border	<i>St. 3, p. 307.</i> 6727 PTYCHOPODA.	Darenth Wood; the New Forest, &c. June.
718 <i>Incanata</i>	Mullein Wave	<i>St. 3, p. 308.</i> 6722 PTYCHOPODA.	Coast of Norfolk; also near Dover, &c. End of June.
719 <i>Degeneraria</i>	Portland ribbon Wave	<i>C. 8, t. 384.</i> PTYCHOPODA.	Isle of Portland. June.
720 <i>Contigua-</i> <i>ria</i>	Tooth-striped Wave	<i>St. 3, p. 308.</i> 6723 PTYCHOPODA.	Norfolk and near Dover. End of June.
721 <i>Immutata</i>	Lesser Cream Wave	<i>St. 3, p. 308.</i> 6729 PTYCHOPODA.	Marshy places in Norfolk; also on the borders of Yaxley Mere. End of June and beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
722 <i>Rubricata</i>	Reddish Wave	<i>St. 3, p. 308, t. 31, f. 1.</i> Ptychopoda. 6697 EMMELEIA.	Mr. Stephens's specimen was taken near York; another was captured near Dover.
723 <i>Osseata</i>	Dwarf Cream Wave	<i>St. 3, p. 309.</i> Acidalia. 6707 PTYCHOPODA.	Coombe and Darenth Woods, &c. June.
724 <i>Margine-punctata</i>	Dotted Border-ed Wave	<i>St. 3, p. 310.</i> Acidalia. 6709 PTYCHOPODA.	Brockenhurst in the New Forest. June.
725 <i>Virgularia</i>	Small Dusty Wave	<i>St. 3, p. 310.</i> Acidalia. 6715 PTYCHOPODA.	Common in gardens, &c., near London. June.
726 <i>Subsericeata</i>	Satiny Wave	<i>St. 3, p. 311.</i> Acidalia. 6716 PTYCHOPODA.	Hedges near Darenth Wood. June.
727 <i>Inornata</i>	Plain Wave	<i>St. 3, p. 311.</i> Acidalia. 6717 PTYCHOPODA.	Darenth Wood. June.
728 <i>Aversata</i>	Ribband Wave	<i>St. 3, p. 311.</i> Acidalia. 6719 PTYCHOPODA.	Woods near London; Epping, &c. June.
729 <i>Remutata</i>	False Ribband Wave	<i>St. 3, p. 311.</i> Acidalia. 6718 PTYCHOPODA.	Woods in Middlesex, Surrey, Essex, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
730 <i>Fumata</i>	Smoky Wave	<i>St. 3, p. 312.</i> Acidalia. 6721 PTYCHOPODA.	North of England, and Scotland. June.
731 <i>Lactata</i>	Pale Cream Wave	<i>St. 3, p. 313.</i> Acidalia. 6724 PTYCHOPODA.	Woods in Middlesex and elsewhere. June.
732 <i>Floslactata</i>	Cream Wave	<i>St. 3, p. 313.</i> Acidalia. 6726 PTYCHOPODA.	Woods and hedges. June.
733 Marginata	Clouded-border	<i>St. 3, p. 314.</i> Pœciliophasia. 6731 PTYCHOPODA.	Very common in woods and hedges, &c. From May to August.
734 Viridata	Small Grass Emerald	<i>A.t. 48, f. 80, a—c. C.7,</i> <i>t. 300. St. 3, p. 336.</i> Chlorissa. 6483 HIPPARCHUS.	New Forest. Middle of June.
735 Cloraria	Middle Grass Emerald	<i>St. 3, p. 316.</i> Chlorissa. 6484 HIPPARCHUS.	Mr. Stephens's Cabinét.
736 Thymiaria	Common Emerald	<i>A. t. 48, f. 81, d—g.</i> <i>H. t. 3. D. 9, t. 310.</i> <i>St. 3, p. 316.</i> Chlorissa. 6733 PTYCHOPODA.	Woods and hedges round London; very common. June.
737 Putataria	Little Emerald	<i>St. 3, p. 317.</i> Chlorissa. 6732 PTYCHOPODA.	Very common in woody places round London, &c. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
738 <i>Imitaria</i>	Small Blood-vein	<i>St. 3, p. 318.</i> Timandra. 6737 MACARIA.	Darenth Wood; New Forest, &c. June.
739 <i>Variegata</i>	Subangled Wave	<i>St. 3, p. 318.</i> Timandra. 6738 MACARIA.	Mr. Stephens's specimens were taken in a lane near Darenth, in June.
740 <i>Emutaria</i>	Dusky Wave	<i>St. 3, p. 318.</i> Timandra. 6739 MACARIA.	New Forest near Lyndhurst. July.
741 <i>Pallidaria</i>	Pale Wave	<i>C. 8, p. 384.</i> Acidalia. — MACARIA.	Mr. Bentley's Cabinet. The only specimen Mr. Curtis has seen he received from Kent.
742 Notata	Peacock	<i>St. 3, p. 319.</i> 6740 MACARIA.	Darenth, Birch, and Coombe Woods. Beginning of June.
743 <i>Alternata</i>	Sharp-angled Peacock	<i>St. 3, p. 320.</i> 6741 MACARIA.	Darenth Wood; but rare. June.
744 <i>Subrufata</i>	Slender-striped Rufous	<i>St. 3, p. 320.</i> 6742 MACARIA.	Mr. Bentley's Cabinet.
745 Liturata	Tawny-barred Angle	<i>C. 3, t. 132.</i> <i>St. 3, p. 320.</i> 6743 MACARIA.	Near Brockenhurst in the New Forest. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
746 <i>Præato-mata</i>	Dingy Angled	<i>St. 3, p. 321.</i> 6744 MACARIA.	Mr. Bentley's Cabinet.
747 <i>Unipunctata</i>	White Spot	<i>St. 3, p. 321, t. 31, f. 3.</i> 6745 MACARIA.	Mr. Stephens's Cabinet.
748 <i>Limbata</i>	Bordered Chequer	<i>St. 3, p. 322.</i> Ania. 6746 MACARIA.	Mr. Chant's Cabinet.
749 <i>Emarginata</i>	Scalloped Double-line	<i>D. 14, t. 493, f. 3.</i> <i>St. 3,</i> <i>p. 322.</i> Ania. 6747 MACARIA.	Woods and hedges round London, &c. End of July.
750 <i>Flexula</i>	Beautiful Hook-tip	<i>St. 3, p. 323.</i> 6748 ENNOMOS.	Woods in Middlesex, Surrey, Essex, &c.; but not common. End of July.
751 <i>Lacertula</i>	Scallop Hook-tip	<i>D. 7, t. 251, f. 2, St. 4, p. 4.</i> 6749 PLATYPTERYX.	Coombe and Darenth Woods among birch-trees, &c. May.
752 <i>Cultraria</i>	Pale Scallop Hook-tip	<i>St. 4, p. 5.</i> 6750 PLATYPTERYX.	Monks Wood, Huntingdonshire. June.
753 <i>Falcataria</i>	Pebble Hook-tip	<i>St. 4, p. 6.</i> 6751 DREPANA.	Coombe, Darenth, and Birch Woods, &c. End of May or beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found</i>
754 <i>Hamula</i>	Oak Hook-tip	<i>A.t.65,f.a—d. H.t.41, f.a.b. St.4,p.7. 6752 DREPANA.</i>	Coombe Wood, the New Forest, &c. End of May.
755 <i>Uncula</i>	Pale Oak Hook-tip	<i>St. 4, p. 7. 6753 DREPANA.</i>	Mr. Stephens's Cabinet.
756 <i>Unguicula</i>	Barred Hook- tip	<i>St. 4, p. 7. 6754 DREPANA.</i>	Epping. Begin- ning of June.
757 <i>Compressa</i>	Chinese Cha- racter	<i>A.t.65,f.e—h. D.7, t.239,f.2. St.4,p.9. 6756 CILIX.</i>	Common round London, &c. End of May.
758 <i>Probosci- dalis</i>	Snout Eggar likeness	<i>H.t.31,f.f—h. St.4, p.11. 6757 HYPENA.</i>	Woods, hedges, gardens, &c., near London; Epping, Hert- ford, &c. End of June to the middle of Au- gust.
759 <i>Obesalis</i>	Pinion Snout	<i>St.4,p.11. 6758 HYPENA.</i>	Mr. Chant's Ca- binet.
760 <i>Palpalis</i>	Dark Snout	<i>St.4,p.12. 6759 HYPENA.</i>	Mr. Chant's Ca- binet.
761 <i>Rostralis</i>	Buttoned Snout	<i>St. 4, p. 12. 6759 HYPENA.</i>	Gardens at Chel- sea, Battersea, &c. June and July.
762 <i>Crassalis</i>	Beautiful Snout	<i>C.6,t.288. St.4,p.13. 6760 HYPENA.</i>	Taken by Messrs. Chant and Bentley in De- vonshire. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
763 <i>Cribralis</i>	Dotted Fan-foot	<i>C.11,t.527.</i> <i>St.4,p.14.</i> Macrochica. 6761 POLYPOGON.	Wittlesea Mere. End of June or beginning of July.
764 <i>Barbalis</i>	Common Fan-foot	<i>A.t.74,f.e—h.</i> <i>H.t.43,</i> <i>f.l.t.</i> 6762 POLYPOGON.	Very common in woody places in the neighbourhood of London. Middle of May to the beginning of July.
765 <i>Derivalis</i>	Clay Fan-foot	<i>St.4,p.16,t.38,f.2.</i> Paracolax. 6763 POLYPOGON.	Bexley and Darenth Wood; near Woolwich and at Dover. June.
766 <i>Nemoralis</i>	Small Fan-foot	<i>St.4,p.16.</i> Paracolax. 6765 POLYPOGON.	Woods in Middlesex, Surrey, Essex, &c. June.
767 <i>Tarsicrinialis</i>	Fan-foot	<i>St.4,p.17.</i> Paracolax. 6764 POLYPOGON.	Coombe and Darenth Woods, Epping, &c. Middle of June.
768 <i>Emortualis</i>	Olive Crescent	<i>St.4,p.18.</i> Æthia. 6766 POLYPOGON.	Taken in Devonshire. End of May. Very rare.
769 <i>Salicalis</i>	Lesser Bell	<i>St.4,p.18.</i> Colobochyla. 6767 MADOPA.	Neighbourhood of Bexley in Kent; but very rare. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
770 <i>Angustalis</i>	Small Snout	<i>St. 4, p. 19.</i> <i>Synaphe.</i> 6768 <b>CLEDEOBIA.</b>	Coombe and Darenth Woods. Middle of July.
771 <i>Albistriga-</i> <i>tus</i>	White-line Snout	<i>St. 4, p. 20.</i> 6769 <b>CLEDEOBIA.</b>	At Darenth, also in Norfolk; but rare.
772 <i>Costæstri-</i> <i>galis</i>	Dark-line Snout	<i>St. 4, p. 21.</i> 6770 <b>CLEDEOBIA.</b>	Whittlesea Mere; but rare. Mr. Bentley's Cabin- et. June.
773 <i>Undulalis</i>	Waved Tabby	<i>St. 4, p. 22.</i> <i>Camptylo-</i> <i>chila.</i> 6771 <b>CLEDEOBIA.</b>	Very rare. Mr. Stephens pos- sesses a single specimen.
774 <i>Bistralis</i>	Twin-striped Tabby	<i>St. 4, p. 22.</i> <i>Camptylo-</i> <i>chila.</i> 6772 <b>CLEDEOBIA.</b>	Mr. Stephens has seen but two, one of which is in his Cabinet.
775 <i>Pinguinalis</i>	Large Tabby	<i>St. 4, p. 23.</i> 6773 <b>AGLOSSA.</b>	Common in the neighbourhood of London, &c. End of July.
776 <i>Cuprealis</i>	Small Tabby	<i>St. 4, p. 23.</i> 6774 <b>AGLOSSA.</b>	Near London, Hertford, Ripley.
777 <i>Streatfeil-</i> <i>di</i>	Streatfeild's Tabby	<i>C. 10, t. 455.</i> <i>St. 4, p. 24.</i> — <b>AGLOSSA.</b>	Taken at Compton Bishop, Somersetshire. Mr. Curtis's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
778 <i>Farinalis</i>	Meal Moth	<i>St. 4, p. 25.</i> 6776 PYRALIS.	Common in houses, &c. End of August.
779 <i>Pictalis</i>	Painted Meal Moth	<i>C.11, t. 503. St. 4, p. 395.</i> — PYRALIS.	Found in a house near Poplar. July.
780 <i>Glaucinalis</i>	Double-striped	<i>St. 4, p. 26.</i> 6778 PYRALIS.	Taken near London, &c. June.
781 <i>Costalis</i>	Gold Fringe	<i>St. 4, p. 27. Hypsopygia.</i> 6779 AGROTERA.	Houses and gardens near London, &c. July and August.
782 <i>Flammealis</i>	Rosy Flounced	<i>St. 4, p. 28.</i> 6780 AGROTERA.	Coombe, Darenth, and Birch Woods. End of June.
783 <i>Fabriciana</i>	Autumn Net-tle-tap	<i>St. 4, p. 29.</i> 6781 SIMAËTHIS.	Common on flowers from April to October.
784 <i>Pariana</i>	Double-barred Nettle-tap	<i>St. 4, p. 29.</i> 6782 SIMAËTHIS.	Birch and Darenth Woods; also near Ripley, &c. June.
785 <i>Lutosa</i>	Early Nettle-tap	<i>St. 4, p. 29.</i> 6783 SIMAËTHIS.	In the neighbourhood of London, &c.; but rare. March and June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
786 <i>Myllerana</i>	Myller's Net-tle tap	<i>C. 7, t. 320. St. 4, p. 30.</i> 6784 SIMAËTHIS.	Birch Wood and near London, &c., on nettles. June and October.
787 <i>Punctuosa</i>	Narrow Silver-dotted	<i>St. 4, p. 30.</i> 6785 SIMAËTHIS.	Ashdown Forest; also in Devonshire. July.
788 <i>Cingulata</i>	Silver-barred Sable	<i>C. 3, t. 128. St. 4, p. 32.</i> 6788 ENNYCHIA.	In Devonshire and the North of England. June and August.
- 789 <i>Anguinalis</i>	Wavy-barred Sable	<i>St. 4, p. 32.</i> 6787 ENNYCHIA.	Darenth and Birch Woods, &c. June.
790 <i>Rufofascialis</i>	Flounced	<i>St. 4, p. 33.</i> 6789 ENNYCHIA.	Mr. Chant's Cabinet.
791 <i>Cespitalis</i>	Straw-barred	<i>St. 4, p. 34.</i> 6795 PYRAUSTA.	Darenth and Coombe Woods, Dover, &c. End of June and middle of August.
792 <i>Sordidalis</i>	Dingy Straw-barred	<i>St. 4, p. 34.</i> 6796 PYRAUSTA.	Habitat the same as above.
793 <i>Purpuralis</i>	Crimson and Gold	<i>H.t.28,f.m. D.10,t.339.</i> <i>f.2. St. 4, p. 35.</i> 6791 PYRAUSTA.	Coombe, Birch, and Darenth Woods; also at Hertford, Epping, &c. May and the middle of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
794 <i>Punicealis</i>	Purple and Gold	<i>St. 4, p. 35.</i> 6792 PYRAUSTA.	Common on grassy banks near London and elsewhere. Beginning of June and middle of August.
795 <i>Ostrinalis</i>	Searce Purple and Gold	<i>St. 4, p. 36.</i> 6793 PYRAUSTA.	Reigate, Ripley, and the New Forest. June.
796 <i>Porphyra-lis</i>	Porphyry	<i>St. 4, p. 36.</i> 6794 PYRAUSTA.	Middlesex, Surrey, Kent, &c. June and August
797 Octoma-culata	White-spot	<i>H.t. 27, f.p. D.8, t. 266, f. 4. St. 4, p. 31. Anania.</i> 6786 ENNYCHIA.	Darenth and Birch Woods. June and August.
798 <i>Literalis</i>	Lettered China-mark	<i>St. 4, p. 37. Diasemia.</i> 6797 HYDROCAMPA.	Near Brockenhurst in the New Forest, andoccasionally near the middle of Darenth Wood. Beginning of June.
799 Potamoga-ta	Brown China-mark	<i>H.t. 41, f. o—q. D. 9, t. 363, f. 1. St. 4, p. 38.</i> 6799 HYDROCAMPA.	Very common in marshy places, and on the borders of ponds in severalcounties. June.



689 a



698 n



707 n



716 n



690 a +



699 n



708 n



717 n



691 a +



700 n



709 a



718 a



692 n



701 n



710 a



719 n



693 a



702 n



711 a



720 a



694 n



703 n



712 n



721 n



695 n



704 n



713 n



722 n



696 n



705 a



714 n



723 n



697 n



706 n




715 n




724 n

R. Wood J. Jun. 7.












<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
800 <i>Nymphæata</i>	Beautiful China-mark	<i>D.11, t. 363, f. 3.</i> <i>St. 4,</i> <i>p. 39.</i> 6800 <b>HYDROCAMPA.</b>	Cambridgeshire fens, and other marshy places. Middle of July.
801 <i>Lemnata</i> M. and F.	Small China-mark	<i>H. t. 7, f. k—m.</i> <i>D. 8,</i> <i>t. 266, f. 1 &amp; 2.</i> <i>St. 4,</i> <i>p. 40.</i> <b>Cataclysta.</b> 6801 <b>HYDROCAMPA.</b>	Very common near ditches and ponds covered with duckweed. Middle of June.
802 <i>Stratiotata</i>	Ringed China-mark	<i>C.11, t. 495.</i> <i>St. 4, p. 41.</i> <b>Paraponyx.</b> 6802 <b>HYDROCAMPA.</b>	Near ponds, and in marshy places. End of June or beginning of July.
803 <i>Sambucalis</i>	Garden China-mark	<i>A.t.37, f. 59. a—d.</i> <i>St. 4,</i> <i>p. 42.</i> <b>Phlyctenia.</b> 6798 <b>HYDROCAMPA.</b>	Common in gardens near London and elsewhere. Middle of June.
804 <i>Lucernalis</i>	Transparent China-mark	<i>St. 4, p. 43.</i> <b>Eudioptis.</b> 6804 <b>DIAPHANIA.</b>	Mr. Stephens's Cabinet. Taken near Plymouth.
805 <i>Urticata</i>	Small Magpie	<i>A.t.37, f.60.i—m.</i> <i>D.10,</i> <i>t.349, f.2.</i> <i>St. 4, p.44.</i> <b>Eurrhypara.</b> 6806 <b>BOTYS.</b>	Very common in gardens and hedges. May or early in June.
806 <i>Forficalis</i>	Garden Pebble	<i>St.4, p.45.</i> <b>Mesographe.</b> 6805 <b>DIAPHANIA.</b>	Very common in gardens and fields from the middle of May till October.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
807 <i>Diversalis</i>	Yellow under-wing Pearl	<i>St. 4, p. 47.</i> 6807 MARGARITIA.	British Museum. Taken near Bristol in July, 1815.
808 <i>Asinalis</i>	Dingy Pearl	<i>St. 4, p. 47.</i> — MARGARITIA.	Mr. Stephens's Cabinet.
809 <i>Lancealis</i>	Long-winged Pearl	<i>St. 4, p. 48.</i> 6808 MARGARITIA.	Birch Wood, Charlton, &c.; but rare. End of June.
810 <i>Verticalis</i>	Mother of Pearl	<i>A.t.72, f.a—d. W.t.51,</i> Abundant among <i>H.t.33, f.h—l. D. 16,</i> nettles, in gardens, fields, &c. <i>t.556. St. 4, p. 48.</i> 6809 MARGARITIA.	June.
811 <i>Centrostrigalis</i>	Central-striped Pearl	<i>St. 4, p. 49.</i> 6811 MARGARITIA.	A single specimen in Mr. Stephens's Cabinet. Taken in Devonshire.
812 <i>Cinctalis</i>	Lesser Pearl	<i>St. 4, p. 49.</i> 6812 MARGARITIA.	Darenth Wood and Ripley, &c.; also in clover-fields and hedges. End of June or beginning of July.
813 <i>Palealis</i>	Sulphur	<i>St. 4, p. 50.</i> 6810 MARGARITIA.	Near Dover, and in Norfolk; but rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
814 <i>Hyalinalis</i>	Scarce Pearl	<i>St. 4, p. 51.</i> 6813 MARGARITIA.	Near Darenth Wood. June.
815 <i>Angustalis</i>	Narrow-winged Pearl	<i>St. 4, p. 51.</i> 6815 MARGARITIA.	Darenth Wood. Beginning of June.
816 <i>Terminalis</i>	Bordered Pearl	<i>St. 4, p. 51.</i> 6816 MARGARITIA.	Darenth Wood, and near Dover; but rare. June.
817 <i>Glabralis</i>	Dingy Pearl	<i>St. 4, p. 52.</i> 6814 MARGARITIA.	Mr. Stephens's Cabinet.
818 <i>Pallidalis</i>	Delicate Pearl	<i>St. 4, p. 52.</i> 6817 MARGARITIA.	Mr. Stephens's Cabinet.
819 <i>Flavalis</i>	Gold China-mark	<i>St. 4, p. 52.</i> 6822 MARGARITIA.	Woody places near London; but rare. Middle of July.
820 <i>Ochrealis</i>	Small Straw China-mark	<i>St. 4, p. 53.</i> 6819 MARGARITIA.	Darenth Wood, and near London; also at Hertford and Ripley. June.
821 <i>Cilialis</i>	Orange Cloud	<i>C. 12, t. 559. St. 4, p. 53.</i> 6830 MARGARITIA.	Mr. Curtis's Cabinet.
822 <i>Ferrugalis</i>	Rusty Dot	<i>St. 4, p. 53.</i> 6823 MARGARITIA.	Near Darenth Wood and Herne Bay; but rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
823 <i>Fulvalis</i>	Fulvous Dot	<i>St. 4, p. 54.</i> — MARGARITIA.	Mr. Stephens's Cabinet.
824 <i>Verbascalis</i>	Rusty China-mark	<i>St. 4, p. 54.</i> 6821 MARGARITIA.	Coombe and Darenth Woods, &c. July.
825 <i>Longipe-dalis</i>	Long-legged Pearl	<i>St. 4, p. 55.</i> 6820 MARGARITIA.	Taken near Teignmouth, by Captain Blomer. July.
826 <i>Pulveralis</i>	Dusted Pearl	<i>St. 4, p. 55.</i> 6824 MARGARITIA.	Darenth Wood. June.
827 <i>Fuscalis</i>	Cinereous Pearl	<i>St. 4, p. 56.</i> 6825 MARGARITIA cineralis.	Birch, Darenth, and Coombe Woods, &c. June.
828 <i>Fimbrialis</i>	Edged Pearl	<i>St. 4, p. 56.</i> 6826 MARGARITIA.	Darenth Wood, and near Dover. June.
829 <i>Institialis</i>	Pale Straw	<i>St. 4, p. 56.</i> 6828 MARGARITIA lutealis.	Woods and hedges in Kent, Cambridge-shire, &c. End of June.
830 <i>Stramentalis</i>	Chequered Straw	<i>St. 4, p. 57.</i> 6833 MARGARITIA elutalis.	Marshy places in Norfolk. July.
831 <i>Margari-talis</i>	Clouded Yellow Pearl	<i>St. 4, p. 57.</i> 6832 MARGARITIA.	Bristol; near Bedford, and in Berkshire. June.



17

2

4

20 20

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
832 <i>Sericcalis</i>	Straw Dot	<i>St. 4, p. 58.</i> 6831 <b>MARGARITIA.</b>	Woods, hedges, and shrubby places, in Middlesex, Kent, &c. July.
833 <i>Alpinalis</i>	Alpine Pearl	<i>St. 4, p. 58.</i> 6827 <b>MARGARITIA</b> <i>uliginosalis.</i>	Taken by Mr. Dale on the summit of Ben Lawers in July 1827. Mr. Stephens's Cabinet.
834 <i>Sticticalis</i>	Diamond Spot	<i>St. 4, p. 59.</i> 6829 <b>MARGARITIA</b> <i>tetragonalis.</i>	Near Coombe Wood; Dover, and Ripley; but rare, July.
835 <i>Olivalis</i>	White Brindled	<i>H. t. 29, f. p—s. St. 4,</i> <i>p. 59. Margaritia.</i> 6836 <b>SCOPULA nivealis</b>	Common near London, &c. End of June.
836 <i>Prunalis</i>	Clouded Pearl	<i>St. 4, p. 60. Margaritalis.</i> 6834 <b>SCOPULA.</b>	Common in hedges in Middlesex, Surrey, Kent, &c. End of June.
837 <i>Dentalis</i>	Starry Brindle	<i>C. 12, t. 563. St. 4, p. 61.</i> <i>Cynæda.</i> 6838 <b>SCOPULA.</b>	A single specimen in Mr. Stephens's Cabinet; also another in Mr. Bentley's Collection.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
838 <i>Strigulalis</i>	Least Black-arches	<i>St. 4, p. 62.</i> 6840 NOLA.	Coombe and Darenth Woods. End of May or beginning of June.
839 <i>Monacha-lis</i>	Small Black-arches	<i>C. 9, t. 428.</i> <i>St. 4, p. 62.</i> 6839 NOLA.	Near London, also at Coombe and Colney Hatch Wood; but rare. June.
840 Cucullatella	Short-cloaked	<i>St. 4, p. 62.</i> 6841 NOLA.	Common in gardens and hedges in several parts of the country; about the middle or end of June.
841 <i>Prasinana</i>	Green Silver lines	<i>W. t. 30.</i> <i>H. t. 30, f. i—m.</i> <i>D. 8, t. 280, fagan.</i> <i>St. 4, p. 66.</i> <i>Hylophila.</i> 6843 CHLOEPHORA.	Coombe, Darenth, and Birch Woods, &c. June.
842 <i>Quercana</i>	Scarce Silver lines	<i>H. t. 30, f. e—h.</i> <i>D. 2, t. 40.</i> <i>St. 4, p. 67.</i> <i>Hylophila.</i> 6844 CHLOEPHORA <i>prasinana.</i>	Woody places in Middlesex, Kent, Surrey, Essex, &c. Middle of June.
843 <i>Clorana</i>	Small Green Oak	<i>W. t. 5.</i> <i>St. 4, p. 68.</i> <i>Earis.</i> 6845 TORTRIX.	On willows in marshy places, Battersea Fields, Plumstead, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
844 <i>Viridana</i>	Pea Green	<i>A.t.72,f.c—h. H.t.10,</i> <i>f. 1. 2. D. 4, t. 144.</i> <i>St. 4,p.68.</i> 6846 <b>TORTRIX.</b>	On Oak trees, &c., in several parts of the country. End of June.
845 <i>Galiana</i>	Glossy Golden- brown	<b>St. 4,p.396.</b> — <b>TORTRIX.</b>	Whittlesea Mere. July.
846 <i>Palleana</i>	Plain Yellow	<i>St. 4,p.69.</i> 6847 <b>TORTRIX.</b>	Near Dover. July and Au- gust.
847 <i>Viburnana</i>	Viburnian	<i>St. 4,p.69.</i> 6848 <b>TORTRIX.</b>	Whittlesea Mere; but not com- mon. July.
848 <i>Forsterana</i>	Forsterian	<i>A.t.72,f. a—d. St 4,</i> <i>p.70.</i> 6850 <b>LOZOTÆNIA.</b>	Coombe and Da- renth Woods, also in the New Forest. June.
849 <i>Sorbiana</i>	Hazel Tortrix	<b>St. 4,p.70.</b> 6851 <b>LOZOTÆNIA a-</b> <b>vellana.</b>	Darenth and Birch Woods. June.
850 <i>Heparana</i>	Dark Oblique- bar	<b>St. 4,p.71.</b> 6852 <b>LOZOTÆNIA.</b>	Very common in woods and shrubby places in several parts. June and July.
851 <i>Cinnamo- meana</i>	Cinnamon	<i>St. 4,p.71.</i> — <b>LOZOTÆNIA.</b>	A single speci- men in Mr. Ste- phens's Cabi- net. Taken by him in Coombe Wood, in June 1832.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
852 <i>Ribeana</i>	Common Oblique-bar	<i>St. 4, p. 72.</i> 6853 LOZOTÆNIA.	Common in woods and gardens. June.
853 <i>Grossula-riana</i>	Gooseberry	<i>St. 4, p. 72.</i> 6854 LOZOTÆNIA.	Woods and gardens, Middlesex, Essex, Kent, &c. June.
854 <i>Cerasana</i>	Hollow Oblique-bar	<i>St. 4, p. 72.</i> 6855 LOZOTÆNIA.	Coombe, Birch, and Darenth Woods. End of June.
855 <i>Corylana</i>	Great Chequered	<i>St. 4, p. 73.</i> 6857 LOZOTÆNIA.	Middlesex, Essex, Kent, Surrey, &c. End of June or beginning of July.
856 <i>Croceana</i>	Saffron	<i>St. 2, p. 73.</i> 6875 LOZOTÆNIA.	Woods and hedges in several parts; but not common. June.
857 <i>Lævigana</i>	Glossy Oblique-bar	<i>St. 4, p. 74.</i> 6856 LOZOTÆNIA.	Hedges and gardens near London, and elsewhere. Middle of June.
858 <i>Nebulana</i>	Rose	<i>St. 4, p. 74.</i> 6858 LOZOTÆNIA roseana.	Common with the last, towards the end of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
859 <i>Subocella-na</i>	Ocellated Oblique-bar	<i>St. 4, p. 75.</i> 6861 <b>LOZOTÆNIA.</b>	Mr. Stephens has seen two specimens only, taken either in Devonshire or Cornwall.
860 <i>Oporana</i>	Great Hook-tipped	<i>A. t. 86, f. 38, f—l.</i> <i>W. t. 34. St. 4, p. 75.</i> 6864 <b>LOZOTÆNIA.</b>	Hedges and gardens near London, &c. Middle of June.
861 <i>Rosana</i> M. and F.	Great Brown	<i>St. 4, p. 75.</i> 6862 <b>LOZOTÆNIA fus-cana.</b>	Gardens near London. End of June.
862 <i>Branderiana</i>	Branderian	<i>St. 4, p. 76.</i> 6863 <b>LOZOTÆNIA.</b>	Near Brockenhurst in the New Forest; but rare. End of June.
863 <i>Xylosteana</i>	Forked Red-bar	<i>St. 4, p. 76.</i> 6866 <b>LOZOTÆNIA.</b>	Woods round London, &c. End of June or beginning of July.
864 <i>Roborana</i>	Oak Red-bar	<i>St. 4, p. 77.</i> 6867 <b>LOZOTÆNIA.</b>	Taken at Darenth Wood and occasionally near London. Beginning of July.
865 <i>Obliquana</i>	Oblique-barred	<i>St. 4, p. 77.</i> 6868 <b>LOZOTÆNIA.</b>	Darenth and Coombe Woods; but very rare. June.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
866 <i>Costana</i>	Straw Oblique-bar	<i>D.t.369, f.2. St. 4, p.78.</i> 6869 LOZOTÆNIA.	Near London, Battersea Fields; Coombe Wood, &c.; but not common. June.
867 <i>Biustulana</i>	Double Spotted Oblique-bar	<i>St. 4, p.78.</i> 6870 LOZOTÆNIA.	Mr. Stephens has seen but two specimens, taken, he thinks, in the West of England.
868 Modeeriana	Modeerian	<i>St. 4, p.78.</i> 6871 LOZOTÆNIA.	Darenth Wood; but very rare. Beginning of July.
869 <i>Acerana</i>	Maple	<i>St. 4, p. 79.</i> 6872 LOZOTÆNIA.	Coombe and Da- renth Woods. June.
870 <i>Trifasci- ana</i>	Afternoon	<i>St. 4, p.79.</i> 6873 LOZOTÆNIA.	Found with the above, and also in the New Forest.
871 <i>Grotiana</i>	Grotian	<i>St. 4, p.79.</i> 6874 LOZOTÆNIA.	Darenth Wood and the New Forest. End of June.
872 <i>Ochreana</i>	Saffron	<i>St. 4, p.80.</i> 6874 LOZOTÆNIA.	Near London; but rare. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
873 <i>Cruciana</i>	Red Cross	<i>St. 4, p. 80.</i> 6876 <b>LOZOTÆNIA.</b>	Near London; also at Coombe, Darenth, and Birch Woods. Middle of June.
874 <i>Holmiana</i>	Holmian	<i>St. 4, p. 81.</i> 6878 <b>LOZOTÆNIA.</b>	Common in gardens and hedges near London. End of June.
875 <i>Schreberi-</i> <i>ana</i>	Schreberian	<i>St. 4, p. 81.</i> 6879 <b>LOZOTÆNIA.</b>	Mr. Stephens has seen but two specimens, both taken in Cornwall.
876 <i>Gerningi-</i> <i>ana</i>	Gerningian	<i>St. 4, p. 82.</i> Philedone. 6880 <b>AMPHISA.</b>	Near Birmingham. June.
877 <i>Walkeri-</i> <i>ana</i>	Walkerian	<i>St. 4, p. 82.</i> Philedone. 6881 <b>AMPHISA.</b>	Found by Mr. Walker near New Lanark, in Scotland.
878 <i>Rotundana</i>	Round-tipped Red-bar	<i>St. 4, p. 84.</i> 6883 <b>DITULA.</b>	Near London, Dover, &c.; but very rare. July.
879 <i>Angustio-</i> <i>rana</i>	Narrow-wing- ed Red-bar	<i>St. 4, p. 83.</i> 6882 <b>DITULA.</b>	Common in Middlesex, Surrey, Kent, &c. June and July.
880 <i>Porphyra-</i> <i>na</i>	Bright Ob- lique-barred	<i>St. 4, p. 84.</i> 6884 <b>DITULA.</b>	Darenth and Birch Woods; but not common. End of June and beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
881 <i>Nebulana</i>	Clouded Iron	<i>D. 13, t. 364, f. 3. St. 4,</i> <i>p. 85.</i> 6885 DITULA.	Darenth and Birch Woods, New Forest, and, though rarely, in the neighbourhood of London. June.
882 <i>Wellensi-ana</i>	Barred Blotch-back	<i>St. 4, p. 85.</i> 6887 DITULA Asseclana.	Darenth Wood, New Forest, &c. June.
883 <i>Aethiopi-ana</i>	Negro	<i>St. 4, p. 85.</i> 6888 DITULA.	Taken with the above in June.
884 <i>Scriptana</i>	Short-barred White	<i>St. 4, p. 86.</i> 6889 DITULA.	Middlesex, Essex, Surrey; also in Devonshire. July.
885 <i>Semifasci-ana</i>	Short-barred Grey	<i>St. 4, p. 86.</i> 6890 DITULA.	New Forest; also occasionally in Kent. July.
886 <i>Corticana</i>	Marbled Long-cloak	<i>St. 4, p. 87.</i> 6891 ANTITHESIA.	Coombe and Darenth Woods. Middle of July.
887 <i>Betulata-na</i>	Birch Long-cloak	<i>St. 4, p. 87.</i> 6892 ANTITHESIA.	Very common in Middlesex, Kent, Surrey, &c. June and July.
888 <i>Tripunctata</i>	Common Long-cloak	<i>St. 4, p. 88.</i> 6893 ANTITHESIA.	Woods in Surrey, Essex, &c. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
889 <i>Grevillea-</i> <i>na</i>	Grevilleian	<i>C.t.</i> 567.	Taken in Sutherlandshire in July by Dr. Greville. Mr. Curtis's Cabinet.
890 <i>Pruniana</i>	Lesser Long-cloak	<i>St. 4, p. 88.</i> 6894 ANTITHESIA.	Wood in Surrey, &c. End of July.
891 <i>Pullana</i>	Dingy Marbled cloak	<i>St. 4, p. 88.</i> 6895 ANTITHESIA.	Near London; but very rare. June.
892 <i>Marginana</i>	Bordered Long-cloak	<i>St. 4, p. 89.</i> 6896 ANTITHESIA.	Darenth Wood; but very rare. July.
893 <i>Oblongana</i>	Narrow Long-cloak	<i>St. 4, p. 89.</i> 6897 ANTITHESIA.	Woods near London; but rare. July.
894 <i>Gentianæ-</i> <i>nana</i>	Gentian	<i>St. 4, p. 89.</i> 6898 ANTITHESIA.	Near Walthamstow, also in Devonshire; but very rare. August.
895 <i>Salicella</i>	White-backed	<i>St. 4, p. 89.</i> 6899 ANTITHESIA.	Battersea Fields, &c. End of July or beginning of August.
896 <i>Nubifera-</i> <i>na</i>	Cloudy White	<i>St. 4, p. 91.</i> 6900 SPILONOTA.	Hedges near Darenth Wood; very rare. Middle of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
897 <i>Cynoſba-tella</i>	Black-cloaked tella	<i>St. 4, p. 91.</i> 6901 <b>SPILONOTA.</b>	Gardens near London, &c. July and August.
898 <i>Aquana</i>	Brown-cloaked	<i>St. 4, p. 91.</i> 6902 <b>SPILONOTA.</b>	Gardens in Middlesex, Kent, Surrey, Essex, &c. End of June.
899 <i>Trimacu-lana</i>	Triple Blotched	<i>St. 4, p. 91.</i> 6903 <b>SPILONOTA.</b>	Hedges, woods, &c., with the last.
900 <i>Comitana</i>	Cream Short-cloak	<i>St. 4, p. 92.</i> 6914 <b>SPILONOTA.</b>	Common in hedges and woods near London, &c. Middle of June.
901 <i>Fœnella</i>	White-foot	<i>D.2, t. 65, f. 1. St. 4, p. 92.</i> 6904 <b>SPILONOTA.</b>	Epping Forest; very rare. August.
902 <i>Sylvana</i>	Red Blotch-back	<i>St. 4, p. 84.</i> 6886 <b>DITULA.</b>	Darent Wood, and in Norfolk; but rare. June.
902 <i>Pflugiana</i> Pl. 31.	Pflugian	<i>St. 4, p. 93.</i> 6906 <b>SPILONOTA.</b>	Darent and Birch Woods. June.
903 <i>Stræmiana</i>	Stræmian	<i>St. 4, p. 93.</i> 6907 <b>SPILONOTA.</b>	Darent and Coombe Woods, &c. End of July.







867 n



876 n



885 n



894 n



868 n



877 n



886 n



895 n



869 n



878 n



887 n



896 n



870 n



879 n



888 n



897 n



871 n



880 n



889 n



898 n



872 n



881 n



890 n



899 n



873 n



882 n



891 n



900 n



874 n



883 n




892 n



901 n



875 n



884 n



893 n



902 n

W. Wood Jun?



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
904 <i>Rusticana</i>	Tawny Blotch- back	<i>St. 4, p. 93.</i> 6905 SPILONOTA.	Near London. June.
905 <i>Trigemini-</i> <i>nana</i>	Three-spotted back	<i>St. 4, p. 94.</i> 6908 SPILONOTA.	Mr. Stephens has seen but one specimen, which he caught at Ripley, in July 1827.
906 <i>Sticticana</i>	Brown Blotch- back	<i>St. 4, p. 94.</i> 6909 SPILONOTA.	Hedges at Peckham, and also at Coombe Wood. End of July.
907 <i>Costipunc-</i> <i>tana</i>	Lesser Blotch- back	<i>St. 4, p. 95.</i> 6910 SPILONOTA.	Near London; but rare. July.
908 <i>Argyrana</i>	Silver Blotch- back	<i>St. 4, p. 95.</i> — SPILONOTA.	Highlands of Scotland. August.
909 <i>Quadrana</i>	Highland Blotch-back	<i>St. 4, p. 95.</i> — SPILONOTA.	Taken in Scotland in July.
910 <i>Tetrago-</i> <i>nana</i>	Four-angled Blotch-back	<i>St. 4, p. 96.</i> 6911 SPILONOTA.	Coombe and Darrenth Woods; but very rare. July.
911 <i>Nigricos-</i> <i>tana</i>	Black-edged Marble	<i>St. 4, p. 96.</i> 6912 SPILONOTA.	On Elm trees near Hertford. June.
912 <i>Ustulana</i>	Scorched Blunt-wing	<i>St. 4, p. 96.</i> 6913 SPILONOTA.	Coombe Wood, Norfolk, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
913 <i>Fimbriana</i>	Brown Border- ed	<i>St. 4, p. 97.</i> Heusimene.	Taken by Mr. Stephens at Coombe Wood, in March.
914 <i>Obscurana</i>	Obscure Blotch-back	<i>St. 4, p. 98.</i> 6916 PSEUDOTOMIA.	Very rare. Taken near London.
915 <i>Fraternana</i>	Cinereous Sil- ver-barred	<i>St. 4, p. 98.</i> 6917 PSEUDOTOMIA.	Found in the spring, at Coombe Wood; rare.
916 <i>Atromar- gana</i>	Black, Border- ed	<i>St. 4, p. 99.</i> 6918 PSEUDOTOMIA.	Darenth, Birch, and Coombe Woods; among Oaks, &c. June.
917 <i>Strobilella</i>	Light Silver- striped	<i>St. 4, p. 99.</i> 6919 PSEUDOTOMIA.	Fir Woods. End of May.
918 <i>Sequana</i>	Silver Blotch- back	<i>St. 4, p. 99.</i> 6920 PSEUDOTOMIA.	Woods in Middlesex and in Norfolk. Beginning of June.
919 <i>Petiverella</i>	Petiverian	<i>St. 4, p. 100.</i> 6921 PSEUDOTOMIA.	Woods near London, also in the New Forest, Devonshire, &c. End of May, or beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
920 <i>Lunulana</i>	Crescent	<i>St. 4, p. 100.</i> 6922 PSEUDOTOMIA concinnana.	Taken in Hampshire by the Rev. G. T. Rudd. June.
921 <i>Simplicia-na</i>	Plain Silver-fringed	<i>St. 4, p. 100.</i> 6923 PSEUDOTOMIA.	Norfolk. Middle of June.
922 <i>Jacquiniана</i>	Jacquinian	<i>St. 4, p. 100.</i> 6924 PSEUDOTOMIA.	Coombe and Darenth Woods; the New Forest, &c. June.
923 <i>Strigana</i>	Plain Gold-fringed	<i>St. 4, p. 101.</i> 6025 PSEUDOTOMIA.	Coombe Wood, Hertford, Brockenhurst, &c. June.
924 <i>Atropurpurana</i>	Purple Black	<i>St. 4, p. 101.</i> 6926 PSEUDOTOMIA.	Coombe Wood. End of July.
925 <i>Nigricana</i>	Black Striped-edge	<i>St. 4, p. 101.</i> 6927 PSEUDOTOMIA.	Darenth and Coombe Woods, &c. Middle of June.
926 <i>Proximana</i>	Pale Brown Striped-edge	<i>St. 4, p. 101.</i> 6928 PSEUDOTOMIA.	Devonshire, &c. Middle of June.
927 <i>Puncticosata</i>	Sector-spotted	<i>St. 4, p. 102.</i> 6929 PSEUDOTOMIA.	Ripley, in grassy places; but rare. June.
928 <i>Populana</i>	Pygmy Y	<i>St. 4, p. 102.</i> 6931 PSEUDOTOMIA.	Norfolk, &c., on Nettles; but scarce. Autumn.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
929 <i>Ephippiana</i>	Three-angled Blotch-back	<i>St. 4, p. 102.</i> 6932 PSEUDOTOMIA trigonana.	Birch and Darenth Woods. June.
930 <i>Trauniana</i>	Traunian	<i>St. 4, p. 103.</i> 6930 PSEUDOTOMIA..	Near Holt in Norfolk; but very rare. June.
931 <i>Compositella</i>	Triple-striped Blotch-back	<i>St. 4, p. 103, t. 37, f. 2.</i> 6936 PSEUDOTOMIA.	Birch and Darenth Woods. June.
932 <i>Gundiana</i>	Gundian	<i>St. 4, p. 103.</i> 6935 PSEUDOTOMIA.	Same time and place as 931.
933 <i>Dorsana</i>	Single-striped Blotch-back	<i>St. 4, p. 103.</i> 6937 PSEUDOTOMIA.	Birch and Darenth Woods; but very rare. June.
934 <i>Lediana</i>	Ledian	<i>St. 4, p. 104.</i> 6933 PSEUDOTOMIA.	Woods in Norfolk, Devonshire, &c. June.
935 <i>Nitidana</i>	Dark Silver-striped	<i>St. 4, p. 104.</i> 6939 PSEUDOTOMIA.	Darenth-Wood, the New Forest, &c. June.
936 <i>Aurana</i>	Double Orange-spot	<i>D. 2, t. 57, f. 2. St. 4, p. 105.</i> 6938 PSEUDOTOMIA.	Near London, Ripley, and Hertford, &c. June.



902 n



911 n



920 n



929 n



903 n



912 n



921 n



930 n



904 n



913 n



922 n



931 n



905 n



914 n



923 n



932 n



906 n



915 n



924 n



933 n



907 n



916 n



925 n



934 n



908 n



917 n



926 n



935 n



909 n



918 n



927 n



936 n



910 n



919 n



928 n



937 n

W. Wood Junr.



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
937 <i>Tetraque-trana</i>	Square-barred Single-dot	<i>St. 4, p. 105.</i> <i>6940 STEGANOPTY-CHA.</i>	On the margin of Darenth and Coombe Woods; but rare. June.
938 <i>Angulana</i>	Angle-striped Single-dot	<i>St. 4, p. 106.</i> <i>6943 STEGANOPTY-CHA.</i>	Darenth Wood. June.
939 <i>Unipunc-tana</i>	Marbled Single-dot	<i>St. 4, p. 106.</i> <i>6941 STEGANOPTY-CHA.</i>	Near London, and in the New Forest. June.
940 <i>Triquetra-na</i>	Angle-barred Single-dot	<i>St. 4, p. 106.</i> <i>6942 STEGANOPTY-CHA.</i>	Middlesex, the West of England, and in the New Forest. End of June.
941 <i>Pavonana</i>	Blotch-backed Grey	<i>D. 2, t. 58, f. 3. St. 4, p. 107.</i> <i>6945 STEGANOPTY-CHA rubiana.</i>	Epping Forest, Darenth Wood, &c. August.
942 <i>Bœberana</i>	Bœberian	<i>St. 4, p. 107.</i> <i>6944 STEGANOPTY-CHA.</i>	Woods near London, also in the New Forest. August.
943 <i>Cuspidana</i>	Pointed Bar	<i>St. 4, p. 107.</i> <i>6946 STEGANOPTY-CHA.</i>	Darenth and Coombe Woods. Beginning of August.
944 <i>Rhombifasciана</i>	Square Bar	<i>St. 4, p. 108.</i> <i>6948 STEGANOPTY-CHA.</i>	Darenth Wood; but rare. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
945 <i>Stictana</i>	Spotted Red	<i>St. 4, p. 108.</i> 6947 STEGANOPTY- CHA.	Taken near Lon- don; but very rare. August.
946 <i>Cinerana</i>	Mottled Grey	<i>St. 4, p. 108.</i> 6949 STEGANOPTY- CHA.	Taken near Lon- don.
947 <i>Retusana</i>	Variable Red	<i>St. 4, p. 108.</i> Stegano- ptycha. 6950 ANCHYLOPERA.	Common in hedges near Darenth Wood, &c. June.
948 <i>Subuncana</i>	Red Hook-tip	<i>St. 4, p. 109.</i> Stegano- ptycha. 6951 ANCHYLOPERA.	Woods in Mid- dlesex, Kent, Surrey, &c. June.
949 <i>Obtusana</i>	Blunt-winged Blotch-back	<i>St. 4, p. 110.</i> 6952 ANCHYLOPERA.	Darenth and Coombe Woods. Beginning of June.
950 <i>Unculana</i>	Hook-tipped Blotch-back	<i>St. 4, p. 110.</i> 6953 ANCHYLOPERA.	Birch and Da- renth Woods, &c. June.
951 <i>Lundana</i>	Lundian	<i>D. 11, t. 374, f. 1.</i> <i>St. 4,</i> <i>p. 110.</i> 6954 ANCHYLOPERA.	Darenth and Coombe Woods. End of May.
952 <i>Lyellana</i>	Lyell's	<i>C. fol. 376.</i> <i>St. 4, p. 111.</i> — ANCHYLOPERA.	Taken at Kin- nordy in Scot- land, by C. Lyell, Esq. Mr. Curtis's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
953 <i>Fractifasciana</i>	Broken-barred Streak	<i>St. 4, p. 111, t. 34, f. 3.</i> 6955 ANCHYLOPERA.	Brockenhurst in the New Forest. June.
954 <i>Siculana</i>	Hook-tipped Streak	<i>St. 4, p. 111.</i> 6956 ANCHYLOPERA.	Coombe and Darenth Woods, &c. End of May.
955 <i>Diminutana</i>	Festoon Torrix	<i>St. 4, p. 112.</i> 6957 ANCHYLOPERA.	In woody places near London, also at Coombe and Darenth Woods; but rare. June.
956 <i>Funalana</i>	Dark Festoon	<i>St. 4, p. 112.</i> 6958 ANCHYLOPERA.	Mr. Stephens mentions it as being once taken at Coombe Wood in June. Mr. Chant's Cabinet.
957 <i>Uncana</i>	Bridge	[ <i>St. 4, p. 112.</i> 6959 ANCHYLOPERA.]	Darenth and Coombe Woods. Beginning of June.
958 <i>Ustomaculana</i>	Loch Ranoch	<i>C. 8, t. 376. St. 4, p. 112.</i> — ANCHYLOPERA.	Mr. Curtis's Cabinet, taken in the Black wood of Loch Ranoch, in June.
959 <i>Cuspidana</i>	Sharp-angled	<i>St. 4, p. 113.</i> 6960 ANCHYLOPERA.	Taken in May, by Mr. Chant at Coombe Wood.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
960 <i>Derasana</i>	Naked-winged	<i>St. 4, p. 113.</i> — ANCHYLOPERA.	Taken at Spitch-week, in Devonshire by Mr. Chant in June.
961 <i>Harpana</i>	Hooked. Mar-ble	<i>St. 4, p. 114.</i> 6961 ANTICLEA.	Darenth Wood. June.
962 <i>Nigromaculata</i>	Beautiful Mar-ble	<i>St. 4, p. 114.</i> 6962 ANTICLEA.	Tunbridge Wells, &c.; but very rare. Beginning of July.
963 <i>Albana</i>	Light Mar-bled	<i>St. 4, p. 114.</i> Anticlea. 7135 EUPÆCILIA.	Darenth Wood; but rare. End of June.
964 <i>Nœvana</i>	Spotted Short-cloak	<i>St. 4, p. 115.</i> Anticlea. 6963 —.	Darenth and Birch Woods. June.
965 <i>Sociana</i>	White Short-cloak	<i>St. 4, p. 115.</i> Anticlea. 6964 —.	Darenth Wood, &c. June.
966 <i>Incarnana</i>	Marbled Short-cloak	<i>St. 4, p. 115.</i> Anticlea. 6965 —.	Darenth Wood, &c. August.
967 <i>Paykulliana</i>	Paykullian	<i>St. 4, p. 116.</i> Anticlea. 6966 —.	Darenth Wood. End of March.
968 <i>Fimbriana</i>	Double-crescent	<i>St. 4, p. 116.</i> Anticlea. 6967 —.	Birch, Darenth and Coombe Woods. June.
969 <i>Bilunana</i>	Hoary Double-crescent	<i>St. 4, p. 116.</i> Anticlea. 7134 EUPÆCILIA.	Darenth and Birch Woods. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
970 <i>Subocel-lana</i>	Retuse Mar-ble	<i>D. 12, t. 381, f. 1. St. 4, p. 116.</i> <i>Anticlea.</i> 6968 ——.	Hedges near London. End of June and beginning of July.
971 <i>Asseclana</i>	Obtuse Mar-ble	<i>St. 4, p. 117.</i> <i>Anticlea.</i> 6969 ——.	Darenth Wood. July.
972 Mitterba-cheriana	Mitterbachian	<i>D. 11, t. 369, f. 1. St. 4, p. 117.</i> <i>Anticlea.</i> 6970 ——.	On Elm trees near London; common in the summer.
— 973 Arcuana	Arched	<i>D. 11, t. 364, f. 1. St. 4, p. 118.</i> <i>Roxana.</i> 6984 ——.	Near London, also at Darenth and Coombe Woods, &c. End of June.
974 Pomonella	Apple-tree	<i>W.t.9. St. 4, p. 119.</i> <i>Carpocapsa.</i> 6971 SEMASIA.	Gardens and orchards, near London, &c. June.
975 <i>Splendana</i>	Splendid	<i>St. 4, p. 119.</i> <i>Carpocapsa.</i> 6972 SEMASIA.	Epping Forest and Darenth Wood; but rare. June.
976 <i>Grossana</i>	Smoky Mar-ble	<i>St. 4, p. 120.</i> <i>Carpocapsa.</i> 6973 SEMASIA.	Birch Wood; rare. June.
977 <i>Weberana</i>	Weberian	<i>St. 4, p. 120.</i> <i>Carpocapsa.</i> 6974 SEMASIA.	Apple-orchards, and the borders of woods. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
978 <i>Aspidisca-na</i>	Spotted Tortrix	<i>St. 4, p. 120.</i> Carpocapsa. — SEMASIA.	Near London, and in the North of England, but very rare.
979 <i>Rheediella</i>	Rheedian	<i>D. 12, t. 377, f. 1.</i> <i>St. 4, p. 121.</i> Carpocapsa. 6975 SEMASIA.	Near London; the New Forest, &c. June.
980 <i>Lanceolana</i>	Light-striped-edge	<i>St. 4, p. 121.</i> Carpocapsa. 6976 SEMASIA.	Coombe Wood; in hedges, among nettles, &c. Spring.
981 <i>Hypericana</i>	Yellow-striped-edge	<i>St. 4, p. 121.</i> Carpocapsa. 6977 SEMASIA.	Coombe and Darenth Woods. June.
982 <i>Leplastriana</i>	Leplastrian	<i>C. 8, t. 352.</i> <i>St. 4, p. 121.</i> Carpocapsa. — SEMASIA.	Near Dover. Beginning of June.
983 <i>Perlepida-na</i>	Beautiful Crescent	<i>St. 4, p. 122.</i> Carpocapsa. 6978 SEMASIA.	Darenth Wood, but rare. June.
984 <i>Stellifera-na</i>	Starry Tortrix	<i>St. 4, p. 122.</i> Carpocapsa. — SEMASIA.	Mr. Curtis's Cabinet. Taken in Perthshire.
985 <i>Pupillana</i>	Wormwood Tortrix	<i>St. 4, p. 122, t. 34, f. 2.</i> Carpocapsa. 6979 SEMASIA.	Coasts of England, especially Devonshire. June.
986 <i>Fulvana</i>	Fulvous Sealed	<i>St. 4, p. 123.</i> Carpocapsa. 6980 SEMASIA.	Near London, in meadows adjoining woods. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
987 <i>Cana</i>	Hoary Sealed	<i>St. 4, p. 123.</i> <i>Carpocapsa.</i> 6981 <i>SEMASIA.</i>	Coombe and Darenth Woods, &c. June.
988 <i>Scopoliana</i>	Scopolian	<i>St. 4, p. 123.</i> <i>Carpocapsa.</i> 6982 <i>SEMASIA.</i>	Near London; the New Forest, &c. June.
989 <i>Rufana</i>	Red Sealed	<i>St. 4, p. 124.</i> <i>Carpocapsa.</i> 6983 <i>SEMASIA.</i>	Darenth Wood. July.
990 <i>Egenana</i>	Dusty Drab	<i>St. 4, p. 124.</i> <i>Bactra.</i> 6985 <i>APHELIA.</i>	Moist places near Coombe Wood. June.
991 <i>Pauperana</i>	Spotted Drab	<i>St. 4, p. 125.</i> <i>Bactra.</i> 6986 <i>APHELIA.</i>	Marshy places on Wimbledon Common, &c. July.
992 <i>Egestana</i>	Lesser Drab	<i>St. 4, p. 125.</i> <i>Bactra.</i> 6987 <i>APHELIA.</i>	Marshy places; end of June.
993 <i>Plagana</i>	Broad-streaked Drab	<i>St. 4, p. 125.</i> <i>Bactra.</i> 6988 <i>APHELIA.</i>	Near London, but rare. June.
994 <i>Expallidana</i>	Pale Drab	<i>St. 4, p. 125.</i> <i>Bactra.</i> 6989 <i>APHELIA.</i>	Taken near Coombe Wood. June.
995 <i>Quadripunctata</i>	Dotted Drab	<i>St. 4, p. 126.</i> <i>Ablabia.</i> 6990 <i>APHELIA.</i>	Near Dover. August.
996 <i>Penziana</i>	Penzian	<i>St. 4, p. 127.</i> 6992 <i>CNEPHASIA.</i>	North of England and Scotland. Beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
997 <i>Longana</i>	Long-winged	<i>St. 4, p. 127.</i> 6994 CNEPHASIA.	Meadows and marshy places near London. June.
998 <i>Ictericana</i>	Jaundiced Drab	<i>St. 4, p. 128.</i> 6995 CNEPHASIA.	Meadows near London. June.
999 <i>Sinuana</i>	Waved Elm	<i>St. 4, p. 128.</i> 6996 CNEPHASIA.	Mr. Stephens has seen but one specimen, taken at Darenth in June.
1000 <i>Assinana</i>	Large Grey Elm	<i>St. 4, p. 128.</i> 6998 CNEPHASIA.	Near London, and in the New Forest. Middle of June.
1001 <i>Interjectana</i>	Lesser Grey Elm	<i>St. 4, p. 129.</i> 6999 CNEPHASIA.	Near London, &c. June.
1002 Logiana	Logian	<i>St. 4, p. 129.</i> 7000 CNEPHASIA.	Very common near London, and in other places. June.
1003 <i>Obsoletana</i>	Obscure Elm	<i>St. 4, p. 129.</i> 6997 CNEPHASIA.	Taken by Mr. Stephens near Ripley in Surrey, in June, 1827.
1004 <i>Rutifasciana</i>	Straight-barred Elm	<i>D. 11, t. 370, f. 2. St. 4,</i> <i>p. 130.</i> 7001 CNEPHASIA.	Darenth and Coombe Woods. June.



938 n



947 n



956 n



965 n



939 n



948 n



957 n



966 n



940 n



949 n



958 n



967 n



941 n



950 n



959 n



968 n



942 n



951 n



960 n



969 n



943 n



952 n



961 n



970 n



944 n



953 n



962 n



971 n



945 n



954 n



963 n



972 n



946 n



955 n



964 n



973 n







<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1005 <i>Curvifasciana</i>	Curve Barred Elm	<i>St. 4, p. 130.</i> — CNEPHASIA.	Darenth and Birch Woods and near Dover. June.
1006 <i>Nubilana</i>	Smoky Grey	<i>St. 4, p. 130.</i> 7004 CNEPHASIA.	Common near London in meadows, &c. June.
1007 <i>Perfuscana</i>	Deep Brown	<i>St. 4, p. 131.</i> 7005 CNEPHASIA.	Taken at the same time and place as the above.
1008 <i>Quadrivittata</i>	Blotched Drab	<i>St. 4, p. 131.</i> Sericoris. 7006 ORTHOTÆNIA.	Near London; also at Ripley and in Norfolk. June.
1009 <i>Striana</i>	Straight Barred red	<i>St. 4, p. 132.</i> Sericoris. 7007 ORTHOTÆNIA fasciana.	Woods and hedges near London; at Coombe and Darenth Woods, &c. June.
1010 <i>Fasciolana</i>	Small Barred	<i>St. 4, p. 132.</i> Sericoris. — ORTHOTÆNIA.	Mr. Stephens's Cabinet.
1011 <i>Urticana</i>	Barred Nettle	<i>St. 4, p. 132.</i> Sericoris. 7008 ORTHOTÆNIA.	Common in June among nettles, &c., in Middlesex, Essex, Kent, &c.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1012 <i>Obsole-tana</i>	Dull Barred Nettle	<i>St. 4, p. 133.</i> Sericoris. — ORTHOTÆNIA.	Near London and at Darenth and Coombe Woods, &c. June.
1013 <i>Alterna-na</i>	Alternate Barred	<i>St. 4, p. 133.</i> Sericoris. — ORTHOTÆNIA.	Mr. Curtis's Cabinet. Taken at Loch Rannock in Scotland.
1014 <i>Undulana</i>	Silver-striped	<i>St. 4, p. 133.</i> Sericoris. 7010 ORTHOTÆNIA.	Birch and Darenth Woods, &c. June.
1015 <i>Gramine-aná</i>	Great Barred	<i>St. 4, p. 134.</i> Sericoris. — ORTHOTÆNIA.	Mr. Curtis's Cabinet. Taken at Arthur's Seat near Edinburgh. July.
1016 <i>Micana</i>	Silver-dotted	<i>St. 4, p. 134.</i> Sericoris. 7009 ORTHOTÆNIA.	In the east of Norfolk; rare near London. End of June.
1017 <i>Cespita-na</i>	Meadow Bar-red	<i>St. 4, p. 134.</i> Sericoris. — ORTHOTÆNIA.	Taken in Devonshire in June.
1018 <i>Politana</i>	Red-barred Grey	<i>St. 4, p. 135.</i> Sericoris. 7015 ORTHOTÆNIA.	The New Forest and Devonshire; but rare. June.
1019 <i>Pulchel-lana</i>	Dark-barred Grey	<i>St. 4, p. 135.</i> Sericoris. 7017 ORTHOTÆNIA.	Mr. Stephens has a specimen taken in the New Forest in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1020 <i>Fuligana</i>	Smoky Barred	<i>St. 4, p. 135.</i> Sericoris. 7016 ORTHOTÆNIA.	Near London and in Norfolk; but very rare. June.
1021 Subse- quana	Faint Silver- striped	<i>St. 4, p. 136.</i> Sericoris. 7021 ORTHOTÆNIA.	Mr. Stephens has a specimen found near Lon- don in June.
1022 <i>Aurifas- ciana</i>	Gold-barred	<i>St. 4, p. 136, t. 38, f. 3.</i> Sericoris. 7019 ORTHOTÆNIA.	Taken by Mr. Stephens on Clandon Com- mon near Rip- ley. July.
1023 <i>Bifasci- ana</i>	Double-barred Orange	<i>St. 4, p. 136.</i> Sericoris. 7018 ORTHOTÆNIA.	Taken at Da- renth Wood; but very rare. June.
1024 <i>Furfura- na</i>	Mottled Bran	<i>St. 4, p. 137.</i> Sericoris. 7020 ORTHOTÆNIA.	Mr. Stephens's Cabinet, ob- tained from the late Mr. Haworth.
1025 <i>Marmo- rana</i>	Marbled Dog's-tooth	<i>St. 4, p. 137.</i> Sericoris. 7011 ORTHOTÆNIA.	Coombe and Da- renth Woods, &c. June.
1026 Udman- niana	Udmannian	<i>D. 5, t. 153, f. 1—3. St. 4,</i> <i>p. 138.</i> Notocelia. 7024 PÆCILOCHROMA.	Woody places near London, and in Kent, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1027 <i>Solandri-</i> ana	<i>Solandrian</i>	<i>St. 4, p. 139.</i> <i>7026 PÆCILOCHROMA.</i>	Middlesex, Essex, Surrey, Kent, &c. End of July or beginning of August.
1028 <i>Trapeza-</i> <i>na</i> M. & F.	<i>Marbled Diamond-back</i>	<i>St. 4, p. 139.</i> <i>7025 PÆCILOCHROMA</i> <i>Sparmanniana.</i>	Coombe and Darenth Woods, &c. August.
1029 <i>Commu-</i> <i>nana</i>	<i>Cock's head</i>	<i>St. 4, p. 139.</i> <i>7023 ORTHOTÆNIA.</i>	Very common in several counties. June.
1030 <i>Piceana</i>	<i>Shining Pitch</i>	<i>St. 4, p. 140.</i> <i>7029 PÆCILOCHROMA.</i>	Near Brockenhurst in the New Forest. August.
1031 <i>Semifus-</i> <i>cana</i>	<i>Half Brown</i>	<i>St. 4, p. 140, t. 36, f. 1.</i> <i>7028 PÆCILOCHROMA.</i>	The New Forest. August.
1032 <i>Maculana</i>	<i>Black Double-</i> <i>blotched</i>	<i>St. 4, p. 141.</i> <i>7027 PÆCILOCHROMA.</i>	Darenth and Coombe Woods. Beginning of August.
1033 <i>Maurana</i>	<i>Great Double-</i> <i>bar</i>	<i>St. 4, p. 141.</i> <i>7030 PÆCILOCHROMA.</i>	Mr. Stephens's Cabinet. Very rare.
1034 <i>Lecheana</i>	<i>Lechean</i>	<i>St. 4, p. 142.</i> <i>7031 PTYCHOLOMA.</i>	Darenth and Coombe Woods; woody places near London, &c. End of June.

<i>Linn.</i> , names.	<i>Engl.</i> , names.	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1035 <i>Obsoleta-</i>	Obsolete	<i>St. 4, p. 142.</i>	
<i>na</i>		<b>7012 ORTHOTÆNIA.</b>	Mr. Stephens has seen but one, taken at Birch Wood in June.
1036 <i>Purpura-</i>	Purple	<i>St. 4, p. 143.</i>	New Forest, and in Norfolk;
<i>na</i>		<b>7032 EUCHROMIA.</b>	but very rare. June.
1037 <i>Fulvi-</i>	Tawny-dotted	<i>St. 4, p. 143.</i>	Near London
<i>punctana</i>		<b>7033 EUCHROMIA.</b>	and in Norfolk. Very rare. June.
1038 <i>Ministra-</i>	Yellow-barred	<i>St. 4, p. 144.</i>	Common in se- veral places, especially near Dover. June.
<i>na nus</i>	Iron	<b>7034 LOPHODERUS.</b>	
1039 Subfasci- <i>ana</i>	Pale-barred Iron	<i>St. 4, p. 144.</i> <b>7035 LOPHODERUS.</b>	Taken in the New Forest, in June.
1040 <i>Degene-</i>	Large Mar- <i>ranus</i>	<i>D. 11, t. 357, f. 3. St. 4,</i> <i>p. 146.</i>	Darenth and Birch Woods.
	bled	<b>7036 SARROTHRIPUS.</b>	July to Decem- ber.
1041 <i>Undula-</i>	Waved Mar- <i>nus</i>	<i>St. 4, p. 146.</i> — <b>SARROTHRIPUS.</b>	Darenth and Birch Woods; also in the New Forest. July to December.
1042 <i>Lathami-</i>	Lathamian	<i>D. 10, t. 359, f. 2. St. 4,</i> <i>p. 146.</i>	Birch and Da- renth Woods.
<i>anus</i>		<b>7039 SARROTHRIPUS.</b>	August.
		X	

<i>Linn. names.</i>	<i>Engl. names,</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1043 <i>Dilutana-</i> <i>nus</i>	Large Brown	<i>St. 4, p. 146.</i> 7037 SARROTHRIPIUS.	Darenth and Birch Woods, &c. August.
1044 <i>Ilicanus</i>	Large Holly	<i>St. 4, p. 147.</i> 7040 SARROTHRIPIUS.	Birch, Darenth, and Coombe Woods. End of July and beginning of August.
1045 <i>Afzeliana-</i> <i>nus</i>	Afzelian	<i>St. 4, p. 147.</i> 7038 SARROTHRIPIUS.	Taken at the same time and place with the above.
1046 <i>Ramula-</i> <i>nus</i>	Twigged Bar	<i>C. 1, t. 29. St. 4, p. 147.</i> 7041 SARROTHRIPIUS.	Birch and Darenth Woods; but very rare. July.
1047 <i>Profana-</i> <i>na</i>	Rusty Button	<i>D. 12, t. 377, f. 3. St. 4,</i> <i>p. 149.</i> 7043 PERONEA.	Birch and Coombe Woods. Autumn.
1048 <i>Striana</i>	Brown Button	<i>St. 4, p. 149.</i> 7044 PERONEA.	Birch Wood, &c. July.
1049 <i>Substria-</i> <i>na</i>	Striped Button	<i>St. 4, p. 149.</i> 7045 PERONEA.	Birch Wood and the New Forest. August.
1050 <i>Brunnea-</i> <i>na</i>	Brown Button	<i>St. 4, p. 149.</i> 7046 PERONEA.	Darenth Wood and the New Forest. August.
1051 <i>Vittana</i>	Streaked But- ton	<i>St. 4, p. 150.</i> 7047 PERONEA.	Near London; but rare. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1052 <i>Spadiceana</i>	Bay-shoulder-ed Button	<i>St. 4, p. 150.</i> 7048 PERONEA.	Coombe Wood. Autumn.
1053 <i>Consimilana</i>	Pale Bay But-ton	<i>St. 4, p. 150.</i> 7049 PERONEA.	The New Forest and near Ripley in Surrey. Autumn.
1054 <i>Desfontainianiana</i>	Desfontainian Button	<i>St. 4, p. 150.</i> 7050 PERONEA.	Birch and Coombe Woods; also the New Fo- rest. Autumn.
1055 <i>Fulvocrisitana</i>	Tawny-crested Button	<i>St. 4, p. 151.</i> 7051 PERONEA.	The New Forest; but rare. Au-tumn.
1056 <i>Albovitana</i>	White-streak-ed Button	<i>St. 4, p. 151.</i> 7052 PERONEA.	Mr. Stephens has seen but one taken in the New Fo- rest in August 1821.
1057 <i>Fulvovitana</i>	Tawny-streak-ed Button	<i>St. 4, p. 151.</i> 7053 PERONEA.	The New Fo- rest, and at Greenhithe. Autumn.
1058 <i>Cristala</i>	Barred Button	<i>St. 4, p. 152.</i> 7054 PERONEA.	The New Fo- rest, also Birch and Coombe Woods. End of August or beginning of September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1059 <i>Subvitta-na</i>	Obscure-streaked Button	<i>St. 4, p. 152.</i> 7055 PERONEA.	The New Forest. August.
1060 <i>Cristana</i>	White Button	<i>St. 4, p. 152.</i> 7056 PERONEA.	Birch and Coombe Woods, Norfolk, and the New Forest. August and September.
1061 <i>Albipunctana</i>	White-spotted Button	<i>St. 4, p. 152.</i> 7057 PERONEA.	The New Forest. Autumn.
1062 <i>Ruficos-tana</i>	Red-edged Button	<i>St. 4, p. 153.</i> 7074 PERONEA.	The New Forest. August to October.
1063 <i>Umbrana</i>	Dark-streaked Button	<i>St. 4, p. 153.</i> 7058 PERONEA.	The New Forest, and Coombe Wood. August and September.
1064 <i>Divisana</i>	Half-coloured Button	<i>St. 4, p. 153.</i> 7059 PERONEA.	The New Forest; but rare. Autumn.
1065 <i>Radiana</i>	Buff-edged	<i>St. 4, p. 154.</i> 7061 PERONEA.	Coombe Wood. September.
1066 <i>Ramostriana</i>	Branched Button	<i>St. 4, p. 154.</i> 7063 PERONEA.	The New Forest. Autumn.
1067 <i>Centro-vittana</i>	Centre-streaked Button	<i>St. 4, p. 154.</i> 7062 PERONEA.	Near London, and Ripley; also in the New Forest. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1068 <i>Combus-tana</i>	Flame Button	<i>St. 4, p. 154.</i> 7064 PERONEA.	The New Forest, and near Ripley. August.
1069 <i>Albistria-na</i>	Grey-streak	<i>St. 4, p. 155.</i> 7065 PERONEA.	Greenhithe and the New Forest. August and September.
1070 <i>Autumn-nana</i>	Autumnal Button	<i>St. 4, p. 155.</i> 7066 PERONEA.	The New Forest. Autumn.
1071 <i>Subcris-tana</i>	Half-crested Button	<i>St. 4, p. 155.</i> 7067 PERONEA.	The New Forest. Autumn.
1072 <i>Coronana</i>	Marbled Chestnut	<i>St. 4, p. 156.</i> 7068 PERONEA.	The New Forest, and Coombe Wood. October.
1073 <i>Byringera-na</i>	Byringer's	<i>St. 4, p. 156.</i> 7069 PERONEA.	The New Forest. Autumn.
1074 <i>Obsoleta-na</i>	Obscure Button	<i>St. 4, p. 156.</i> 7070 PERONEA.	Found by Mr. Stephens at Ripley, in July 1827.
1075 <i>Favillacea-na</i>	Ash-coloured	<i>St. 4, p. 156.</i> 7071 PERONEA.	Common in the New Forest, also occasionally in woods about London. July to September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1076 <i>Tristana</i>	Lesser Ash-coloured	<i>St. 4, p. 157.</i> 7072 PERONEA.	Taken at the same time and places as the above.
1077 <i>Reticulana</i>	Chequered Grey	<i>St. 4, p. 157.</i> 7073 PERONEA.	Woods about London; but rare. July to September.
1078 <i>Bistriana</i>	Double Bay-streak	<i>St. 4, p. 157.</i> 7075 PERONEA.	Birch Wood; but very rare. July and August.
1079 <i>Albicos-tana</i>	White-edged Button	<i>St. 4, p. 158.</i> 7076 PERONEA.	Taken by Mr. Stephens at Dover, in August.
1080 <i>Similana</i>	Pale-edged Button	<i>St. 4, p. 158.</i> 7077 PERONEA.	Birch Wood; but very rare. Autumn.
1081 <i>Latifasci-ana</i>	Broad Barred	<i>St. 4, p. 158.</i> 7078 PERONEA.	Taken, but rarely, round London. August and September.
1082 <i>Plumbo-sana</i>	Lead-coloured	<i>St. 4, p. 158.</i> 7079 PERONEA.	Mr. Bentley's Cabinet. Birch Wood and the New Forest. September.
1083 <i>Boscana</i>	Boscan	<i>St. 4, p. 159.</i> 7080 PERONEA.	Darenth and Birch Woods; also in the New Forest. August.



1010 n



1019 n



1028 n



1036 n



1011 n



1020 n



1028 n



1037 n



1012 n



1021 n



1029 n



1038 n



1013 n



1022 n



1030 n



1039 n



1014 n



1023 n



1031 n



1040 n



1015 n



1024 n



1032 n



1041 n



1016 n



1025 n



1033 n



1042 n




1017 n



1026 n



1034 n



1043 n



1018 n



1027 n



1035 n



1044 n





1045 n



1054 n



1063 n



1072 n



1046 n



1055 n



1064 n



1073 n



1047 n



1056 n




1065 n



1074 n



1048 n



1057 n



1066 n



1075 n



1049 n



1058 n



1067 n



1076 n



1050 n



1059 n



1068 n



1077 n



1051 n



1060 n



1069 n



1078 n



1052 n



1061 n



1070 n



1079 n



1053 n



1062 n

W. Wood Junr.



1071 n



1080 n



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1084 <i>Trigona-</i> <i>na</i>	Three-dotted	<i>St. 4, p. 159.</i> 7081 PERONEA.	Birch Wood ; but rare. Sep- tember.
1085 Schalle- <i>riana</i>	Schallerian	<i>St. 4, p. 159.</i> 7082 PERONEA.	Darenth, Birch, and Coombe Woods, and gardens near London. End of August and in September.
1086 <i>Rufana</i>	Red Triangle	<i>St. 4, p. 160.</i> 7083 PERONEA.	Woods and gar- dens round London. Sep- tember.
1087 <i>Costima-</i> <i>culana</i>	Costal Dotted	<i>St. 4, p. 160.</i> 7084 PERONEA.	Taken near Do- ver; but very rare. August.
1088 <i>Asperana</i>	White-shoul- dered	<i>St. 4, p. 160.</i> 7086 PERONEA.	Woods and gar- dens round London. July and August.
1089 <i>Variega-</i> <i>na</i>	Common Rough-wing	<i>St. 4, p. 160.</i> 7087 PERONEA.	Woods and hedges in Mid- dlesex, Essex, Kent, &c. Au- gust and Sep- tember.
1090 <i>Borana</i>	Crested Buff	<i>St. 4, p. 161.</i> 7088 PERONEA.	Woods round London. Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1091 <i>Logiana</i>	Logian	<i>St. 4, p. 161.</i> 7085 PERONEA.	Mr. Bentley's Cabinet. Taken at Greenhithe, in September 1823.
1092 <i>Subtrijunctulana</i>	False three-dotted	<i>St. 4, p. 162.</i> Acleris. 7089 PARAMESIA.	Near London; also in the New Forest. August.
1093 <i>Gnomana</i>	Dial	<i>St. 4, p. 162.</i> Acleris. 7090 PARAMESIA.	Common in woods and hedges near London and elsewhere. July to September.
1094 <i>Tripunctulana</i>	Rusty Treble-spot	<i>St. 4, p. 163.</i> Acleris. 7092 PARAMESIA.	Not uncommon round London from July to September.
1095 <i>Bifidana</i>	Forked-striped	<i>St. 4, p. 163.</i> Acleris. 7091 PARAMESIA.	Darenth and Coombe Woods; the New Forest, &c. July to September.
1096 <i>Cerusana</i>	White Treble-spot	<i>St. 4, p. 163.</i> Acleris. 7093 PARAMESIA.	Darenth Wood, the New Forest, and near Dover. July.
1097 <i>Scabrana</i>	Grey Rough-wing	<i>St. 4, p. 163.</i> Acleris. 7099 LEPTOGRAMMA.	Darenth and Birch Woods. July and August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1098 <i>Literana</i>	Black-sprigged Green	D. 10, t. 355, f. 2. St. 4, p. 164. 7094 LEPTOGRAMMA.	Darenth Wood ; the New Forest, &c. July to October.
1099 <i>Squama-na</i>	Green-tufted	D. 5, t. 157, f. 7. St. 4, p. 165. 7095 LEPTOGRAMMA.	Darenth, Birch, and Coombe Woods ; also near Dover, &c. August.
1100 <i>Irrorana</i>	Sprinkled Green	C. 9, t. 440. St. 4, p. 165. 7097 LEPTOGRAMMA.	Birch Wood ; the New Forest, &c. August.
1101 <i>Tricolorana</i>	Tricoloured Green	St. 4, p. 165. 7096 LEPTOGRAMMA.	Darenth Wood ; the New Forest, and the West of England. August and September.
1102 <i>Fulvo-mixtana</i>	Tawny and Green	St. 4, p. 166. 7098 LEPTOGRAMMA.	The New Forest. August.
1103 <i>Emarginata</i>	Chequerred Notch-wing	St. 4, p. 167, t. 38, f. 1. Teras. 7100 GLYPHISIA.	The New Forest, Devonshire, and Bere Wood near Dover ; but rare. Autumn.
1104 <i>Excavana</i>	Iron Notch-wing	D. 3, t. 106, f. 5. St. 4, p. 167. Teras. 7101 GLYPHISIA.	Birch, Darenth, and Coombe Woods. July to September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1105 <i>Effracta-</i> <i>na</i>	Common Notch-wing	D.3, t. 106, f. 1. St. 4, p. 168. Teras. 7102 GLYPHISIA.	Woods in Middlesex, Surrey, Essex, &c. Autumn.
1106 <i>Caudana</i>	Shallow Notch-wing	St. 4, p. 168. Teras. 7103 GLYPHISIA.	Round London; also in Yorkshire and the North of England. Autumn.
1107 <i>Contami-</i> <i>nana</i>	Chequered Pebble	St. 4, p. 169. 7105 DICTYOPTERYX.	Common in Middlesex, Essex, Kent, &c. July to September.
1108 <i>Ciliana</i>	White-fringed	D.12, t. 374, f. 2. St. 4, p. 169. 7106 DICTYOPTERYX.	Woods and hedges round London, &c. Beginning of autumn.
1109 <i>Rhomba-</i> <i>na</i>	Dark-chequered	St. 4, p. 170. 7107 DICTYOPTERYX.	Middlesex, Surrey, Essex, &c. August and September.
1110 <i>Plumba</i> <i>na</i>	Clouded Straw	St. 4, p. 170. 7108 DICTYOPTERYX.	Woods and hedges near London, &c. August and September.
1111 <i>Lœflingi-</i> <i>ana</i>	Lœflingian	D.3, t. 90. St.4, p.170. 7109 DICTYOPTERYX.	Common in several counties. August and September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1112 <i>Forskali-</i> ana	Forskalian	<i>St. 4, p. 171.</i> 7110 <b>DICTYOPTERYX.</b>	Common round London, and in the New Forest. June and July.
1113 <i>Ochrea-</i> <i>ceana</i>	Ochreous	<i>St. 4, p. 172.</i> Capua. 7111 <b>DICTYOPTERYX.</b>	Taken by Messrs. Chant and Bentley near Lyndhurst. June.
1114 <i>Castane-</i> ana	Chestnut Tor- trix	<i>St. 4, p. 172.</i> 7112 <b>CHEIMATOPHILA.</b>	Common in the New Forest, &c., in the autumn.
1115 <i>Bergman-</i> niana	Bergmannian	<i>D.5,t.157,f.1—6. St.4,</i> <i>p. 173.</i> 7113 <b>ARGYROTOSA.</b>	Common in hedges, gardens and woods, in several parts of England. End of June, and beginning of August.
1116 <i>Hoffman-</i> <i>seggiana</i>	Hoffmannseg- gian	<i>St. 4, p. 174.</i> 7116 <b>ARGYROTOSA.</b>	Darenth Wood, the New Forest, and near Dover; but very rare. June.
1117 <i>Conway-</i> ana	Conwayian	<i>St. 4, p. 174.</i> 7114 <b>ARGYROTOSA.</b>	Coombe, Birch, and Darenth Woods, &c. June.
1118 <i>Subau-</i> <i>rantiana</i>	Gold-varied	<i>St. 4, p. 175.</i> 7115 <b>ARGYROTOSA.</b>	Darenth Wood; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1119 <i>Daldorfi-</i> ana	Daldorfian	<i>D. 11, t. 264, f. 2. St. 4,</i> <i>p. 175.</i> <i>7118 ARGYROTOSA.</i>	Darenth, Birch, and Coombe Woods, &c. June.
1120 <i>Lathonia-</i> na	Silver-spotted	<i>St. 4, p. 176.</i> <i>7119 ARGYROLEPIA.</i>	Mr. Stephens be- lieves a pair of this very rare species were taken near Tun- bridge Wells in July 1831.
1121 <i>Margari-</i> tana	Orange-barred Pearl	<i>St. 4, p. 176. Argyrolepia.</i> <i>7141 EUPÆCILLA.</i>	Mr. Stephens's Cabinet, from the late Mr. Haworth's col- lection.
1122 <i>Aeneana</i>	Silvery Broad Bar	<i>St. 4, p. 176.</i> <i>7123 ARGYROLEPIA.</i>	Epping Forest ; but very rare. June.
1123 <i>Bistriga-</i> na	Two-striped	<i>St. 4, p. 177. Argyrolepia.</i> <i>7013 ORTHOTÆNIA.</i>	Mr. Stephens has seen but three specimens ; found near London.
1124 <i>Tessera-</i> na	Tessellated	<i>St. 4, p. 177.</i> <i>7124 ARGYROLEPIA.</i>	On the Downs near Brighton and Dover, &c. June.
1125 <i>Decimana</i>	Ten-dotted	<i>St. 4, p. 177.</i> <i>7125 ARGYROLEPIA.</i>	Coombe Wood. May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1126 <i>Turionana</i>	Orange-spot- ted	C. 8, t. 364. St. 4, p. 178. Orthotænia.	Birch Wood. June.
		7121 ARGYROLEPIA.	
1127 <i>Gemmanna</i>	Scarce Orange- spotted	St. 4, p. 178. Orthotænia. 7122 ARGYROLEPIA.	Birch Wood; rare. July and August.
1128 <i>Bentleyana</i>	Bentleyan	D. 10, t. 357, f. 1. St. 4, p. 179. Orthotænia. 7120 ARGYROLEPIA.	Mountains in Cumberland and Scotland. June.
1129 <i>Haworthiana</i>	Silver-marbled	St. 4, p. 179. 7014 ORTHOTÆNIA Pinetana.	Norfolk; but very rare. End of July.
1130 <i>Resinella</i>	Spotted Pine	St. 4, p. 179. Orthotænia. 7003 CNEPHASIA.	Fir-trees near Birch Wood. July.
1131 <i>Comitana</i>	Streaked Pine	St. 4, p. 180. Orthotænia. 6934 PSEUDOTOMIA.	Common in Birch Wood among fir-trees. June.
1132 <i>Hastiana</i>	Hastian	St. 4, p. 180. Rhyacionia. 7022 ORTHOTÆNIA.	Mr. Stephens's specimens were taken in Devon- shire, in June 1820.
1133 <i>Maculosa</i>	Small Black- spotted	St. 4, p. 181. 7127 EUPÆCILIA.	Common in woods and hedges, in Middlesex and elsewhere. Be- ginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1134 <i>Angusta-</i> <i>na</i>	Barred Mar- ble	<i>St. 4, p. 182.</i> 7128 EUPŒCILIA.	Woods round London; also in the New Forest, &c. July.
1135 <i>Nana</i>	Barred Dwarf	<i>St. 4, p. 182.</i> 7130 EUPŒCILIA.	Darenth and Birch Woods. July.
1136 <i>Pygmæa-</i> <i>na</i>	Dingy Dwarf	<i>St. 4, p. 182.</i> 7129 EUPŒCILIA.	Near Darenth Wood; but rare. July.
1137 <i>Permixta-</i> <i>na</i>	Orange and Black	<i>St. 4, p. 183.</i> Eupœcilia. 7117 ARGYROTOZA.	Woods and hedges round London. June.
1138 <i>Dubitana</i>	Doubtful T.	<i>St. 4, p. 183.</i> 7132 EUPŒCILIA.	North of En- gland, and in Scotland. July.
1139 <i>Sodaliana</i>	Brindled Mar- ble	<i>St. 4, p. 183.</i> 7133 EUPŒCILIA.	Taken by Mr. Stephens, near Ripley, in July 1827.
1140 <i>Luteolana</i>	Clay Tortrix	<i>St. 4, p. 184.</i> 7131 EUPŒCILIA.	Mr. Stephens's Cabinet; taken, he thinks, near Darenth Wood, in June.
1141 <i>Rugosana</i>	Rough-wing	<i>D. 11, t. 371, f. 1.</i> <i>St. 4,</i> <i>p. 184.</i> 7143 PHITHEOCHROA.	Darenth and Coombe Wood; but not com- mon. Middle of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1142 <i>Roseana</i>	Rosy	<i>St. 4, p. 185, t. 35, f. 1.</i> Cochylis. 7136 EUPÆCILIA.	Isle of Wight, Darenth Wood, and near Dover ; but rare. June.
1143 <i>Subroseana</i>	Dingy Rosy	<i>St. 4, p. 186.</i> Cochylis. 7137 EUPÆCILIA.	Birch Wood. June.
1144 <i>Ruficiliella</i>	Red Fringe	<i>St. 4, p. 186.</i> Cochylis. 7138 EUPÆCILIA.	Meadows in Yorkshire ; also at Darenth Wood ; but very rare. June.
1145 <i>Griceana</i>	Oblique-barred Grey	<i>St. 4, p. 186.</i> Cochylis. 7139 EUPÆCILIA.	Near London, and at Darenth Wood.
1146 <i>Rupicola</i>	The Chalk-cliff Tortrix	<i>C. 10, t. 491.</i> <i>St. 4, p. 187.</i> Cochylis. 7140 EUPÆCILIA marginana.	Mr. Stephens's specimen was taken near Lon- don in June.
1147 <i>Alternana</i>	Alternate-barred T	<i>St. 4, p. 187, t. 35, f. 2.</i> 7144 LOZOPERA.	On the hills near Dover. July and beginning of August.
1148 <i>Dubrisana</i>	Dover Straw	<i>St. 4, p. 188.</i> — LOZOPERA.	Taken on the top of cliffs near Dover. Middle of August.
1149 <i>Marmoratana</i>	Marbled Straw	<i>St. 4, p. 188.</i> LOZOPERA.	Taken near Dover. Middle of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1150 <i>Straminea</i>	Short-barred Straw	<i>St. 4, p. 188.</i> 7145 LOZOPERA.	Darenth Wood, and near Dover. May and the end of August.
1151 <i>Smeath- manniana</i>	Smeathman- nian	<i>St. 4, p. 189.</i> 7146 LOZOPERA Fa- briciiana.	Near Darenth Wood; but rare. Beginning of August.
1152 <i>Francil- lana</i>	Francillonian	<i>D.t.355, f.1. St.4, p.189.</i> 7147 LOZOPERA.	Near Darenth Wood. Middle of June; and on the cliff below Dover Castle, middle of July.
1153 <i>Badiana</i>	Chestnut Straw	<i>St. 4, p. 189.</i> 7142 LOZOPERA Smeathman- niana.	Marshes near Whittlesea Mere, Battersea fields, &c. Beginning of July.
1154 <i>Bauman- niana</i>	Baumannian	<i>St. 4, p. 190</i> Lozopera. 7126 ARGYROLEPIA.	Darenth Wood, &c. June.
1155 <i>Zœgana</i>	Zœgian	<i>D.S, t. 106, f. 2. St. 4, p. 191.</i> 7148 XANTHOSETIA.	Darenth and Coombe Woods; the New Forest, &c. August.



1081 n



1090 n



1099 n



H08 n



1082 n



1091 n



H00 n




H09 n



1083 n



1092 n



H01 n



H00 n




1084 n



1093 n



H02 n



H01 n



1085 n



1094 n



H03 n



H02 n



1086 n



1095 n



H04 n



H03 n



1087 n



1096 n



H05 n



H04 n



1088 n



1097 n



H06 n



H05 n



1089 n



1098 n

A. nessiella sp.



H07 n



H06 n





III7 n



II26 n



II35 n



II44 n



III8 n



II27 n



II36 n



II45 n



III9 n



II28 n



II37 n



II46 n



II20 n



II29 n



II38 n



II47 n



II21 n



II30 n



II39 n



II48 n



II22 n



II31 n



II40 n



II49 n



II23 n



II32 n



II41 n



II50 n



II24 n



II33 n



II42 n



II51 n



II25 n



II34 n



II43 n



II52 n

W. Reed Junr.



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1156 <i>Ferruga-na</i>	Clouded Iron	<i>St. 4, p. 192.</i> 7149 XANTHOSETIA.	A single specimen taken by Mr. Stephens at Darenth in August.
1157 Hamana	Hook-marked Straw	<i>St. 4, p. 192.</i> 7150 XANTHOSETIA.	Grassy places round London, &c. August.
1158 <i>Diversana</i>	Crossed Straw	<i>St. 4, p. 192.</i> 7151 XANTHOSETIA.	Not uncommon round London. Beginning of August.
1159 <i>Inopiana</i>	Plain Drab	<i>St. 4, p. 192.</i> 7152 XANTHOSETIA.	Mr. Stephens has taken but two specimens ; one in the New Forest in June, the other at Ripley in July.
1160 <i>Quercana</i>	Long-horned	<i>D. 3, t. 106, f. 3. St. 4, p. 193.</i> 7153 PHIBALOCERA.	Common in woods and gardens round London. August.
1161 Christier-nana	Christiernian	<i>D. 2, t. 20, f. 1. St. 4, p. 194, t. 38, f. 2.</i> 7154 HYPERCALLIA.	Darenth Wood ; but very rare. July.
1162 <i>Venosa</i>	Veined Wainscot	<i>St. 4, p. 195, t. 35, f. 3.</i> 7155 ORTHOTÆLIA.	Marshy places near Walthamstow, &c. End of July and beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1163 <i>Heracle-</i> ana	Cow-Parsnip	<i>A.t. 38, f. 61.a—d. St. 4,</i> <i>p. 197.</i>	The neighbour- hood of Lon- don; Darent Wood, &c. July.
		7156 DEPRESSARIA.	
1164 <i>Umbella-</i> na	Large-streak- ed	<i>St. 4, p. 197.</i>	Near London, &c. July and August.
		7157 DEPRESSARIA.	
1165 <i>Venosa</i>	Wainscot Flat- body	<i>St. 4, p. 198.</i>	Near London; also at Dover; but rare. July and August.
		7159 DEPRESSARIA.	
1166 <i>Nervosa</i>	Coarse Wains- cot	<i>St. 4, p. 198.</i>	Taken round London. July and beginning of August.
		7161 DEPRESSARIA.	
1167 <i>Apicella</i>	Brindled Flat- body	<i>St. 4, p. 198.</i>	Bere Wood, near Dover; but rare. Au- gust.
		7160 DEPRESSARIA.	
1168 <i>Badiella</i>	Brown Brin- dled Flat- body	<i>St. 4, p. 199.</i>	Darent Wood, Hertford, Do- ver, &c. July.
		7162 DEPRESSARIA.	
1169 <i>Characte-</i> <i>rosa</i>	Lesser Flat- body	<i>St. 4, p. 199.</i>	Found round London in the Autumn.
		7163 DEPRESSARIA.	
1170 <i>Carduella</i>	Thistle Flat- body	<i>St. 4, p. 199.</i>	Mr. Stephens has a pair of this species taken near Brockenhurst, in July 1821.
		7173 DEPRESSARIA.	

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1171 <i>Gilvella</i>	Brindled Straw	<i>St. 4, p. 199.</i> 7170 DEPRESSARIA.	Darenth, Hertford, &c., amongst Willows. July.
1172 <i>Sparman-</i> <i>niana</i>	Straw-colour- ed	<i>St. 4, p. 200.</i> 7175 DEPRESSARIA.	Round London; also at Dover, &c. August.
1173 <i>Yatesana</i>	Yates's	<i>St. 4, p. 200.</i> 7177 DEPRESSARIA.	Darenth and Coombe Woods; the New Forest, &c. July.
1174 Immacu- lana	Spotless Flat- body	<i>St. 4, p. 200.</i> 7176 DEPRESSARIA.	The New Fo- rest, near Brockenhurst; rare. July.
1175 <i>Ocellana</i>	Red Letter	<i>St. 4, p. 201.</i> 7169 DEPRESSARIA.	Woods and hedges round London, &c. July and Au- gust.
1176 <i>Applana</i>	Common Flat- body	<i>St. 4, p. 201.</i> 7166 DEPRESSARIA.	Gardens and hedges round London, &c. End of August.
1177 <i>Curvi- punctosa</i>	Curve Dotted	<i>St. 4, p. 201.</i> 7167 DEPRESSARIA.	Near London. August.
1178 <i>Albipunc- tella</i>	Rufous Brin- dled	<i>St. 4, p. 202.</i> 7168 DEPRESSARIA.	Near London; but rare. Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1179 <i>Alstroemeriæ</i>	Alstroemer's	<i>St. 4, p. 202.</i> 7178 <b>DEPRESSARIA.</b>	Round London; also in the New Forest, &c. The Autumn.
1180 <i>Putridella</i>	Brown-veined	<i>St. 4, p. 202.</i> 7158 <b>DEPRESSARIA.</b>	In Norfolk, and the New Forest; but rare. August.
1181 <i>Atomella</i>	Powdered	<i>St. 4, p. 202.</i> 7174 <b>DEPRESSARIA.</b>	Round London, and near Dover; but rare. April and September.
1182 <i>Costata</i> <sup>var.</sup>	Dingy Straw	<i>St. 4, p. 203.</i> 7171 <b>DEPRESSARIA.</b>	Near London, and in different parts of the country. Beginning of Autumn.
1183 <i>Irrorella</i>	Dusted Flat-body	<i>St. 4, p. 203.</i> 7172 <b>DEPRESSARIA.</b>	In the New Forest, near Brockenhurst. July.
1184 <i>Liturella</i>	Purple Flat-body	<i>St. 4, p. 203.</i> 7164 <b>DEPRESSARIA.</b>	Taken at Birch Wood; but very rare. June.
1185 <i>Bluntii</i>	Blunt's	<i>C. 5, t. 221. St. 4, p. 193.</i> 7165 <b>DEPRESSARIA.</b>	Taken at Southchurch, Essex. Mr. Curtis's Cabinet.



H53 n



H62 n



H71 n



H80 n



H54 n



H63 n



H72 n



H81 n



H55 n



H64 n



H73 n



H82 n



H56 n



H65 n



H74 n



H83 n



H57 n



H66 n



H75 n



H84 n



H58 n



H67 n



H76 n



H85 n



H59 n



H68 n



H77 n



H86 n



H60 n



H69 n



H78 n



H87 n



H61 n



H70 n

W. Wood Jun'r



H79 n



H88 n



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1186 <i>Purpurea</i>	Lesser Purple	<i>St. 4, p. 204.</i>	Near Hertford;
		7179 <i>DEPRESSARIA.</i>	the New Forest, &c. April and Autumn.
1187 Juniper-	Juniper	<i>St. 4, p. 205.</i>	Gardens and
ella		7180 <i>ANACAMPSIS.</i>	hedges round London; also near Dover, &c. July.
1188 <i>Laticinctella</i>	Poplar	<i>St. 4, p. 205.</i>	Gardens round London. June
		7181 <i>ANACAMPSIS</i>	and July.
		<i>Populella.</i>	
1189 <i>Hortuella</i>	Dark Brown	<i>St. 4, p. 205.</i>	The same as above.
		7182 <i>ANACAMPSIS</i>	
		<i>Rusticella.</i>	
1190 Listerella	Lister's	<i>St. 4, p. 206.</i>	The same as above.
		7184 <i>ANACAMPSIS.</i>	
1191 <i>Nebulea</i>	Dotted Brown	<i>St. 4, p. 206.</i>	The same as above.
		7185 <i>ANACAMPSIS.</i>	
1192 <i>Betulea</i>	Birch	<i>St. 4, p. 206.</i>	Birch Wood,
		7186 <i>ANACAMPSIS.</i>	and the New Forest. June.
1193 <i>Zephyrella</i>	Powdered Grey	<i>St. 4, p. 206.</i>	Mr. Stephens has two of this species, one taken by himself near London, in June.
		— <i>ANACAMPSIS.</i>	

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1194 <i>Rhom-bella</i>	Black-specked Grey	<i>St. 4, p. 207.</i> 7187 ANACAMPSIS.	Darenth and Birch Woods. June.
1195 Cinerella	Cinereous	<i>St. 4, p. 207.</i> 7188 ANACAMPSIS.	Found round London; at Coombe Wood, and near Ilertford. June.
1196 <i>Subcinea-reæ</i>	Subcinereous	<i>St. 4, p. 207.</i> 7189 ANACAMPSIS.	Round London, and in the New Forest. June.
1197 <i>Lutarea</i>	Clay-coloured	<i>St. 4, p. 207.</i> 7190 ANACAMPSIS.	Darenth Wood; but not common. June.
1198 <i>Longicor-nis</i>	Long-horned	<i>C. 4, t. 189. St. 4, p. 207.</i> 7183 ANACAMPSIS.	North of England, and Scotland. June and July.
1199 <i>Annuli-cornis</i>	Ring-horned	<i>St. 4, p. 208.</i> — ANACAMPSIS.	Mr. Stephens's Cabinet. Taken in the Isle of Wight, in June.
1200 Dodecel-la	Small Black-specked Grey	<i>St. 4, p. 208.</i> 7191 ANACAMPSIS.	Coombe Wood; rare. Beginning of June.
1201 Mouffet-tella	Dotted Grey	<i>St. 4, p. 208.</i> 7193 ANACAMPSIS.	Darenth Wood; but rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1202 <i>Aspera</i>	Rough	<i>St. 4, p. 209.</i> 7192 ANACAMPSIS.	Gardens and shrubby places round London. June.
1203 <i>Domestica</i>	Domestic	<i>St. 4, p. 209.</i> 7198 ANACAMPSIS.	Common in houses and gardens. June and July.
1204 <i>Affinis</i>	Brindled Brown	<i>St. 4, p. 209.</i> 7199 ANACAMPSIS.	Gardens and woody places round London. June.
1205 <i>Difflinis</i>	Greater Brindled-brown	<i>St. 4, p. 209.</i> 7200 ANACAMPSIS.	The same as above; but rare.
1208 <i>Lacteella</i>	Cream-shouldered	<i>St. 4, p. 210.</i> 7196 ANACAMPSIS.	The only two Mr. Stephens has seen, are in his cabinet; one taken at Dover, the other near London. July.
1207 <i>Sarcitella</i>	White-shouldered Wool-len	<i>St. 4, p. 210.</i> 7195 ANACAMPSIS.	Very common in houses about London and elsewhere. Beginning of Spring to the end of Autumn.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1209 <i>Rusticella</i>	Dusted Black	<i>St. 4, p. 210.</i> 7194 ANACAMPSIS.	Darenth Wood; the new Fo- rest, &c. June.
1210 <i>Lanceo- rella</i>	Black-dotted	<i>St. 4, p. 211.</i> — ANACAMPSIS.	A single speci- men taken in the North of England in July.
1211 <i>Hubneri</i>	Hubner's	<i>St. 4, p. 211.</i> 7197 ANACAMPSIS.	Neighour- hood of Lon- don and at Da- renth Wood; but very rare. June.
1212 <i>Contigua</i>	Light Brin- dled-brown	<i>St. 4, p. 211.</i> 7201 ANACAMPSIS.	Gardens round London. June.
1213 <i>Sequax</i>	Dark Brindled- brown	<i>St. 4, p. 211.</i> 7202 ANACAMPSIS.	Common in gar- dens near Lon- don. June.
1214 <i>Proxima</i>	Beautiful Brin- dled-brown	<i>St. 4, p. 212.</i> 7203 ANACAMPSIS.	Gardens round London. June and July.
1215 <i>Tricolore- lla</i>	Tricoloured	<i>St. 4, p. 212.</i> 7204 ANACAMPSIS.	Darenth and Birch Woods; but rare. June.
1206 <i>Luctuella</i>	Crescent- shouldered	<i>St. 4, p. 212.</i> 7205 ANACAMPSIS.	Woody places round London, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1219 <i>Subrosea</i>	Little Blossom	<i>St. 4, p. 212.</i> 7207 ANACAMPSIS.	Darenth and Birch Woods. June.
1217 <i>Decorella</i>	Neat	<i>St. 4, p. 213.</i> 7206 ANACAMPSIS.	Darenth Wood; but rare. June.
1218 <i>Marmo-rea</i>	Beautiful Mar-ble	<i>St. 4, p. 213.</i> 7208 ANACAMPSIS.	Birch Wood and the New Forest; rare. June.
1216 <i>Guttifera</i>	White-dotted Black	<i>St. 4, p. 213.</i> 7209 ANACAMPSIS.	Found near Lon-don; but very rare. June.
1220 <i>Atra</i>	Little Black	<i>St. 4, p. 213.</i> 7210 ANACAMPSIS.	Woody places near London; also in the New Forest. June.
1221 <i>Subocel-lea</i>	Eylet	<i>St. 4, p. 214.</i> — ANACAMPSIS.	Taken in the New Forest. June.
1222 <i>Maculella</i>	Short-barred White	<i>St. 4, p. 214.</i> 7211 ANACAMPSIS.	Darenth and Coombe Woods. June.
1223 <i>Tremella</i>	Horse-shoe	<i>St. 4, p. 214.</i> 7212 ANACAMPSIS.	Hedges near Birch and Da-renth Woods, &c. June and beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1224 <i>Nivella</i>	Black-dotted White	<i>St. 4, p. 214.</i> <i>7213 ANACAMPSIS.</i>	Darenth Wood; and near Dover. June.
1225 <i>Alella</i>	Black-clouded	<i>St. 4, p. 214.</i> <i>7214 ANACAMPSIS.</i>	Gardens, on apple trees. June and be- ginning of July.
1226 <i>Interrup-</i> <i>tella</i>	Brown-Streak	<i>St. 4, p. 214.</i> <i>7215 ANACAMPSIS.</i>	Round London, and near Lewes and Brighton; but scarce. June.
1227 <i>Fulves-</i> <i>cens</i>	Tawny	<i>St. 4, p. 214.</i> <i>7116 ANACAMPSIS.</i>	Near London; also at Dover, and in Norfolk. June.
1228 <i>Fusces-</i> <i>cens</i>	Faint-dotted Brown	<i>St. 4, p. 216.</i> <i>7217 ANACAMPSIS.</i>	Round London; but not com- mon. June.
1229 <i>Alternel-</i> <i>la</i>	Black-spotted White	<i>St. 4, p. 216.</i> <i>7218 ANACAMPSIS.</i>	Darenth and Birch Woods. June.
1230 <i>Angustel-</i> <i>la</i>	Black-spotted Brimstone	<i>St. 4, p. 216.</i> <i>7219 ANACAMPSIS.</i>	Near London; Battersea fields, &c. Beginning of June.
1231 <i>Albima-</i> <i>culea</i>	White-spotted Black	<i>St. 4, p. 217.</i> <i>7220 ANACAMPSIS.</i>	Round London; at Charlton, and Plaistow, &c., but scarce. Beginning of June.



H99 n



H98 n



J207 n



J216 n



H90 n



H99 n



J208 n



J217 n



H91 n



J200 n



J209 n



J218 n



H92 n



J201 n



J210 n



J219 n



H93 n



J202 n



J211 n



J220 n



H94 n



J203 n



J212 n



J221 n



H95 n



J204 n



J213 n



J222 n



H96 n



J205 n



J214 n



J223 n



H97 n



J206 n


W. Wood Junr.



J215 n



J224 n



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1232 <i>Quadri-puncta</i>	Four-spotted	<i>St. 4, p. 217.</i> 7221 ANACAMPSIS.	Near London; rare. August.
1233 <i>Bifasciella</i>	Two-banded	<i>St. 4, p. 217.</i> Anacampsis. 7279 YPONOMEUTA.	Environs of London; Chelsea, Kensington; also near Dover. August.
1234 <i>Fasciculellus</i>	Prominent Tinea	<i>St. 4, p. 218, t. 39, f. 1.</i> 7222 LOPIONOTUS.	Mr. Stephens has seen but one specimen; taken in July 1824, near Whittlesea Mere.
1260 <i>Emarginella</i>	Notch-winged Tinea	<i>D. 11, t. 392, f. 3.</i> <i>St. 4,</i> <i>p. 219.</i> Acria. 7223 —.	Taken in Kent, according to Donovan.
1235 Rhomboidella	Lobster-clawed	<i>C. 8, t. 368.</i> <i>St. 4, p. 219.</i> 7224 CHELARIA.	Coombe and Darenth Woods; near Dover, &c. Middle of August.
1236 <i>Silacella</i>	Dingy Straw	<i>St. 4, p. 220.</i> Cleodora. 7225 —.	The New Forest. End of July.
1237 <i>Rufescens</i>	Dwarf Wainscot	<i>St. 4, p. 221.</i> Cleodora. 7226 —.	Near London, and in the New Forest; but very rare. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1238 <i>Nebulella</i>	Clouded Wainscot	<i>St. 4, p. 221.</i> Cleodora. 7227 ——.	The New Forest, near Brockenhurst; also near Ripley in Surrey. July.
1239 <i>Ochroleu- cella</i>	Pale-ochreous Wainscot	<i>St. 4, p. 221.</i> Cleodora. 7228 ——.	Near Ripley; but very rare. End of July.
1240 <i>Lucidella</i>	Lucid Wain- scot	<i>St. 4, p. 221.</i> Cleodora. 7229 ——.	Near Brockenhurst. July.
1241 <i>Falcifor- mis</i>	Hook-tipped	<i>St. 4, p. 221.</i> Cleodora. 7230 ——.	Near London; but very rare. July and August.
1242 <i>Cinerella</i>	Ash-coloured	<i>St. 4, p. 222.</i> Acompsia. 7232 ——.	Darenth Wood. Beginning of July.
1243 <i>Unitella</i>	Brown-gold	<i>St. 4, p. 222.</i> Acompsia. 7233 ——.	Near London. June to August.
1244 <i>Tinctella</i>	Tinted	<i>St. 4, p. 223.</i> Acompsia. 7231 ——.	Darenth Wood. End of June.
1245 <i>Fasciella</i>	Long-winged	<i>St. 4, p. 223.</i> 7234 MACROCHILA.	Round London; near Darenth Wood; but very rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1246 <i>Parenthes-</i> <i>esella</i>	<i>Parenthesis</i>	<i>St. 4, p. 224.</i>  <i>7235 MACROCHILA.</i>	Shooter's Hill, Kent; but rare. End of July or beginning of August.
1247 <i>Margin-</i> <i>ella</i>	<i>White Border-</i> <i>ed</i>	<i>D. 3, t. 58, f. 2.</i> <i>St. 4,</i>  <i>p. 224.</i>  <i>7236 MACROCHILA.</i>	Chalky places near Faver- sham and Do- ver; but very rare. End of June or begin- ning of July.
1248 <i>Bicostella</i>	<i>Light Streak</i>	<i>St. 4, p. 224.</i>  <i>7237 MACROCHILA.</i>	The New Forest; Darenth Wood, and near Do- ver. July.
1249 <i>Palpella</i>	<i>Dingy Streak</i>	<i>St. 4, p. 225.</i> <i>Aplota.</i>  <i>7239 MACROCHILA.</i>	A specimen taken by Mr. Stephens in a clover field near Ripley, in July 1827.
1250 <i>Thun-</i> <i>bergana</i>	<i>Thunberg's</i>	<i>St. 4, p. 226.</i>  <i>7240 ENICOSTOMA.</i>	Gardens round London. June.
1251 <i>Geoffroy-</i> <i>ella</i>	<i>Geoffroy's</i>	<i>St. 4, p. 227.</i> <i>Alabonia.</i>  <i>7241 ENICOSTOMA.</i>	Woods and hedges near London. End of May and be- ginning of June.
1252 <i>Olivella</i>	<i>Olivier's</i>	<i>St. 4, p. 228.</i> <i>Œcophora.</i>  <i>7142 DASYCERA.</i>	Hedges, &c., round London. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1253 <i>Sulphurella</i>	Yellow Under-winged	C.9, t.408. St. 4, p. 228. Œcophora. 7143 DASYCERA.	Gardens and hedges near London, &c. June.
1254 <i>Latreillella</i>	Latreille's	St. 4, p. 229. 7244 ADELA.	North of England. July.
1255 <i>Sulzella</i>	Sultz's	St. 4, p. 230. D. 8, t. 267, f. 3. 7245 ADELA.	Hedges, &c., near Darenth and Birch Woods. End of May and beginning of June.
1256 DeGeer- ella	DeGeer's	D.8, t. 267, f. 1 & 2. St. 4, p. 230. 7246 ADELA.	Common near London, and elsewhere. End of June and beginning of July.
1257 <i>Fasciella</i>	Copper Japan	St. 4, p. 230. 7247 ADELA.	Near Darenth Wood; and several other places. July.
1258 <i>Cuprella</i>	Scabious Long-horn	St. 4, p. 230: 7248 ADELA.	Very rare. Mr. Stephens has a specimen taken in Devonshire in June.
1259 Reaumurella	Reaumur's	C.10, t.463. St.4, p.231. 7250 ADELA.	Mr. Stephens has seen but two specimens; one taken in June near London; the other in Devonshire.
1260 See Page 179			







<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1261 <i>Viridella</i>	Green Long-horn	<i>St. 4, p. 231.</i> 7249 <b>ADELA.</b>	Very common in hedges round London. May.
1262 <i>Frischella</i>	Frischian	<i>St. 4, p. 231.</i> 7251 <b>ADELA.</b>	Near Darenth Wood, &c. End of July.
1263 <i>Swam-merdammella</i>	Swammer-dam's	<i>St. 4, p. 232.</i> 7252 <b>ADELA.</b>	Coombe and Darenth Woods, &c. Middle of May.
1264 <i>Panzer-ella</i>	Panzer's	<i>St. 4, p. 232.</i> 7253 <b>ADELA.</b>	Darenth and Birch Woods. Dover, &c. End of June and beginning of July.
1265 Robert-ella	Pale-brown Long-horn	<i>St. 4, p. 232.</i> 7254 <b>ADELA.</b>	Chalky places near Hertford, and Cottingham in Yorkshire. Beginning of June.
1266 <i>Tessellea</i>	Pale chequer-ed Brown	<i>C. 11, t. 487. St. 4, p. 233.</i> M. and F. 7257 ——.	Near London, also at Darenth Wood, &c. End of May.
1267 <i>Pubicor-nis</i>	Pale downy-horned	<i>St. 4, p. 233. Cochleophasia.</i> 7258 ——	Of two specimens, one was taken near London; the other in July 1821, near Brockenhurst.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1268 <i>Tortri-cellæ</i>	Pale Chequer-ed Brown	<i>St. 4, p. 234.</i> Oporinia. 7255 ——.	Oak Woods near Hertford; Coombe Wood, &c. Spring
1269 <i>Nubilea</i>	Clouded Brown	<i>St. 4, p. 234.</i> Oporinia. 7256 ——.	Woods round London. March.
1270 <i>Gelatella</i>	Autumnal Dagger M. and F.	<i>St. 4, p. 235.</i> Oxypate. 7260 ——.	Epping Forest, Hertford, and in Hampshire; but rare. December.
1271 <i>Salicella</i>	Rosy Day M. and F.	<i>St. 4, p. 236.</i> Dasystoma. 7259 ——.	Woods round London; also in the New Forest. Autumn.
1272 <i>Phrygan-ella</i>	Drab Day M. and F.	<i>St. 4, p. 237.</i> Cheimophila. 7261 ——.	Coombe and Darenth Woods, &c. End of October.
1273 <i>Fagella</i>	March Dagger M. and F.	<i>A. t. 36, f. 57. a—e.</i> <i>St. 4,</i> <i>p. 237.</i> 7262 DIURNEA.	Very common in woody places round London. March.
1274 <i>Novem-bris</i>	November Dagger F.	<i>St. 4, p. 238.</i> 7263 DIURNEA.	On trunks of trees near Kensington; also at Walthamstow; but very rare. November.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1275 <i>Avella-</i> <i>nella</i>	Hazel	<i>St. 4, p. 239. Semioscopis.</i> 7264 EPIGRAPHIA.	Near Birch and Darenth Wood; but very rare. Autumn.
1276 <i>Steinkel-</i> <i>nerana</i>	Steinkelner's	<i>St. 4, p. 239. Semioscopis.</i> 7265 EPIGRAPHIA.	Hedges near Coombe Wood and at Hertford. End of March.
1277 <i>Echiella</i>	Bordered Er- mine	<i>C. 9, t. 412, f.* St. 4,</i> <i>p. 240. Anesychia.</i> 7266 MELANOLEUCA.	Mr. Stephens's Cabinet, and the British Museum.
1278 <i>Pusiella</i>	Beautiful Er- mine	<i>C. 9, t. 412, f. 2** St. 4,</i> <i>p. 240, t. 39, f. 3. Ane-</i> <i>sychia.</i> 7267 MELANOLEUCA.	Mr. Stephens's Cabinet, found near Gravesend; also in the British Museum, from a Chalk-pit near Darenth Wood, in June, 1812.
1279 <i>Dodecca</i>	Scarce Ermine	<i>St. 4, p. 241. Anesychia.</i> 7268 MELANOLEUCA.	Coombe and Birch Woods, among fir-trees; but very rare. June.
1280 <i>Funerella</i>	Funereal	<i>St. 4, p. 241. Anesychia.</i> 7269 MELANOLEUCA.	Mr. Curtis's Cabinet. Taken at Clifton.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1281 <i>Evony-mella</i>	Full-spotted Ermine	<i>D. 11, t. 355, f. 4. St. 4,</i> <i>p. 242.</i> <b>7270 YPONOMEUTA.</b>	Hedges and gardens near Highgate; also near Darenth Wood, &c. End of June.
1282 <i>Irrorella</i>	Surrey Ermine	<i>St. 4, p. 242.</i> <b>7271 YPONOMEUTA.</b>	Coombe and Birch Woods; but very rare. June.
1283 <i>Cognatella</i>	Allied Ermine	<i>St. 4, p. 243.</i> — <b>YPONOMEUTA.</b>	Hedges and gardens near London, and at Darenth, &c. End of June and beginning of July.
1284 <i>Rorella</i>	Few-spotted Ermine	<i>A. t. 20, f. a—d. St. 4,</i> <i>p. 243.</i> <b>7272 YPONOMEUTA.</b>	The same as above.
1285 Padella	Common Ermine	<i>W. 4, t. 5. H. t. 3, f. k—m.</i> <i>D. 1, t. 9. St. 4, p. 243.</i> <b>7273 YPONOMEUTA.</b>	Extremely common round London, and elsewhere. June and July.
1286 <i>Plumbella</i>	Kent Ermine	<i>St. 4, p. 244.</i> <b>7274 YPONOMEUTA.</b>	Near London, Coombe and Darenth Woods, &c. July.





<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1287 <i>Curtis-ella</i>	Curtis's	D.2,t.65,f.4. St.4,p.245. Telea. 7275 YPONOMEUTA.	Hedges and gardens round London, &c. June and July.
1288 <i>Ambiguella</i>	Small Brown-bar	St.4,p.245. Telea. 7277 YPONOMEUTA.	Near Brocken-hurst; also near Darenth and Coombe Woods; but rare. July.
1289 <i>Crataegella</i>	Whitethorn Bar	St.4,p.245. Telea. 7276 YPONOMEUTA.	Near Lyndhurst in the New Forest. July.
1290 <i>Leucatella</i>	Small White-bar	St.4,p.246. Telea. 7278 YPONOMEUTA.	Gardens near London, &c. July.
1291 <i>Comptella</i> Peacock's-feather		D.2,t.57,f.3. St.4, p.246. Telea. 7280 YPONOMEUTA.	Mr. Bentley's Cabinet, Darenth Wood, and hedges near London. End of June.
1292 <i>Lutarella</i> Muddy Ermine		St.4,p.247. Telea. 7281 YPONOMEUTA.	Woods and gardens round London. End of June and beginning of July.
1293 <i>Subfasciella</i>	Slight-barred	St.4,p.247. Telea. 7282 YPONOMEUTA.	Darenth Wood. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1294 <i>Cæsiella</i>	Purple-edged White-back	<i>St. 4, p. 247.</i> <i>Telea.</i> <i>7283 YPONOMEUTA.</i>	Near London, and at Coombe and Darenth Woods, &c. June.
1295 <i>Semifusca</i>	Long-winged White-back	<i>D. 2, t. 58.</i> <i>St. 4, p. 248.</i> <i>Ismene.</i> <i>7284 YPONOMEUTA.</i>	Hedges round London. End of May and be- ginning of June.
1296 <i>Mendi- cella</i>	Purple White- back	<i>St. 4, p. 248.</i> <i>Ismene.</i> <i>7285 YPONOMEUTA.</i>	Frequent in gar- dens, &c. in the suburbs of London, and elsewhere. June.
1297 <i>Albistria</i>	Purple White- streak	<i>St. 4, p. 248.</i> <i>Ismene.</i> <i>7286 YPONOMEUTA.</i>	Darenth and Coombe Woods. June.
1298 <i>Pruniella</i>	White-back	<i>St. 4, p. 249.</i> <i>Ismene.</i> <i>7287 YPONOMEUTA.</i>	Middlesex, Es- sex, Surrey, the New Fo- rest, &c. June and July.
1299 <i>Tetra- podella</i>	Blotched White-back	<i>St. 4, p. 249.</i> <i>Ismene.</i> <i>7288 YPONOMEUTA.</i>	Gardens, &c. round London. June.
1300 <i>Semipur- purella</i>	Half purple White-back	<i>St. 4, p. 249.</i> <i>Ismene.</i> — <i>YPONOMEUTA.</i>	Mr. Stephens has a pair of this species taken in the New Forest, in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1301 <i>Semites-tacella</i>	Testaceous White-back	<i>St. 4, p. 249.</i> Ismene. — <b>YPONOMEUTA.</b>	In the environs of London, and in the New Forest. June.
1302 <i>Curvella</i>	Brindled Ermine	<i>St. 4, p. 250.</i> Ismene. 7292 <b>YPONOMEUTA.</b>	Gardens and marshy places round London. June and July.
1303 <i>Clema-tella</i>	Barred White	<i>St. 4, p. 250.</i> Ismene. 7293 <b>YPONOMEUTA.</b>	Darenth Wood, and Ripley in Surrey. Beginning of July.
1304 <i>Ossea</i> }	Cream-colour-ed	<i>St. 4, p. 250.</i> Ismene. 7291 <b>YPONOMEUTA.</b>	Coombe Wood; also near Dover, &c. June and July.
1305 <i>Ocellea</i>	Eyed White-back	<i>St. 4, p. 251.</i> Ismene. 7289 <b>YPONOMEUTA.</b>	Mr. Stephens caught a pair at Darenth Wood in June.
1307 <i>Gœdar-tella</i>	Gœdart's	<i>D. 2, t. 65, f. 2, 3.</i> <i>St. 4,</i> p. 252. 7294 <b>ARGYROSETIA.</b>	Common in Coombe, Birch, and Darenth Woods, &c. End of June and beginning of July.
1308 <i>Semifasciella</i>	Short Gold-bar	<i>St. 4, p. 252.</i> 7295 <b>ARGYROSETIA.</b>	Woods and gardens round London. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1309 <i>Brockella</i>	Gold I W	<i>St. 4, p. 252.</i> 7296 <b>ARGYROSETIA</b> I. W-ella,	Coombe, Darenth, and Birch Woods. End of June.
1310 <i>Literella</i>	Greek-lettered Gold	<i>St. 4, p. 253.</i> 7298 <b>ARGYROSETIA.</b>	Coombe and Darenth Woods; but rare. June.
1311 <i>Aurivit-tella</i>	Golden Ri-band	<i>St. 4, p. 253.</i> 7299 <b>ARGYROSETIA.</b>	Taken at Darenth Wood in June; but very rare.
1312 <i>Aurifas-ciella</i>	Gold-banded	<i>St. 4, p. 253.</i> 7300 <b>ARGYROSETIA.</b>	Mr. Stephens's specimen was taken at Darenth, in June.
1313 <i>I V-ella</i>	Gold I V	<i>St. 4, p. 254.</i> 7297 <b>ARGYROSETIA.</b>	Taken at Darenth Wood; but very rare. June.
1314 <i>Blanch-ardella</i>	Blanchard's	<i>St. 4, p. 255.</i> 7301 <b>ARGYROMYGES.</b>	Coombe and Darenth Wood. End of May.
1315 <i>Schreberella</i>	Schreber's	<i>St. 4, p. 255.</i> 7302 <b>ARGYROMYGES.</b>	Coombe Wood. End of May.
1316 <i>Cydoni-ella</i>	Bright-specked Gold	<i>St. 4, p. 255.</i> 7303 <b>ARGYROMYGES.</b>	In gardens near London. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1317 <i>Kleman-</i> <i>nella</i>	Kleman's nella	<i>St. 4, p. 256.</i> 7304 ARGYROMYGES.	Coombe and Darenth Woods; but very rare. End of May.
1318 <i>Mespi-</i> <i>rella</i>	Silver-spotted Gold	<i>St. 4, p. 256.</i> 7305 ARGYROMYGES.	In the neighbourhood of London. End of May.
1319 Rayella	Ray's	<i>St. 4, p. 256.</i> 7306 ARGYROMYGES.	Common in gardens, &c. round London. End of May.
1320 <i>Tristri-</i> <i>gella</i>	Treble Gold- stripe	<i>St. 4, p. 256.</i> 7307 ARGYROMYGES.	Darenth and Coombe Woods. End of May.
1321 <i>Trifasci-</i> <i>ella</i>	Tawny Treble- bar	<i>St. 4, p. 257.</i> 7308 ARGYROMYGES.	Coombe and Darenth Woods. End of May.
1322 Harris- ella	Harris's	<i>St. 4, p. 257.</i> 7310 ARGYROMYGES.	Middlesex, Surrey, Essex, &c. End of May and beginning of June.
1323 <i>Cramer-</i> <i>ella</i>	Cramer's	<i>St. 4, p. 257.</i> 7311 ARGYROMYGES.	Gardens, hedges, &c. round London. End of May and beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1324 <i>Hortella</i>	Porcelain	<i>St. 4, p. 257.</i> 7312 ARGYROMYGES.	Gardens near London. End of May.
1325 <i>Sylvella</i>	Dark Porcelain	<i>St. 4, p. 258.</i> 7313 ARGYROMYGES.	Woody places near London. End of May.
1326 <i>Cuculipe-</i> <i>nella</i>	Cuckoo's Feather	<i>St. 4, p. 258.</i> 7314 ARGYROMYGES.	Coombe Wood. End of May.
1327 <i>Corylifo-</i> <i>liella</i>	Hazel Red	<i>St. 4, p. 258.</i> 7315 ARGYROMYGES.	Woods round London. End of May and beginning of June.
1328 <i>Ulmifoli-</i> <i>ella</i>	Elm Red	<i>St. 4, p. 259.</i> — ARGYROMYGES.	Neighbourhood of London. June.
1329 <i>Alnifoli-</i> <i>ella</i>	Alder Red	<i>St. 4, p. 259.</i> 7316 ARGYROMYGES.	Darenth Wood. End of May and beginning of June.
1330 <i>Obscu-</i> <i>rella</i>	Dull Red	<i>St. 4, p. 259.</i> 7317 ARGYROMYGES.	Coombe Wood. Beginning of June.
1331 <i>Rufipun-</i> <i>ctella</i>	Red and White Barred	<i>St. 4, p. 259.</i> 7318 ARGYROMYGES.	Darenth Wood; but very rare. End of May.



I292 n



I301 n



I310 n



I319 m



I293 n



I302 n



I311 n



I320 m



I294 n



I303 n



I312 n



I321 m



I295 n



I304 n



I313 n



I322 m



I296 n



I305 n



I314 m



I323 m



I297 n



I306 n



I315 m



I324 m



I298 n



I307 n



I316 m



I325 n



I299 n



I308 n



I317 m



I326 n



I300 n



I309 n

R. Wood, Junr.



I318 m



I327 m




<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1332 <i>Autumnella</i>	Autumnal	<i>C. 6, t. 284. St. 4, p. 260.</i> — <b>ARGYROMYGES.</b>	Mr. Curtis's Cabinet; taken at Glanville's Wootton, Dorsetshire; and in the New Forest. Beginning of October.
1333 <i>Nivella</i>	Snowy	<i>St. 4, p. 60. Argyromyges.</i> <b>7325 HERIBEIA.</b>	Darenth Wood and the New Forest. Beginning of June.
1334 <i>Semiarrella</i>	Pale Gold Dot	<i>St. 4, p. 260. Argyromyges.</i> <b>7328 HERIBEIA.</b>	Ripley in Surrey, and the New Forest. June.
1335 <i>Unipunctella</i>	Simple Dot	<i>St. 4, p. 260. Argyromyges.</i> <b>7327 HERIBEIA.</b>	Coombe Wood. End of May and beginning of June.
1336 <i>Spartifolicella</i>	Golden Dot	<i>St. 4, p. 260. Argyromyges.</i> <b>7326 HERIBEIA.</b> <i>punctaurella</i>	Very common in the Broom-field at Coombe Wood. End of May and beginning of June.
1337 <i>Clerckella</i>	Clerck's	<i>St. 4, p. 261. Argyromyges.</i> <b>7324 HERIBEIA.</b>	Darenth Wood; but rare. End of May and beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1338 <i>Haworth-</i> <i>ana</i>	<i>Haworth's ana</i>	<i>St. 4, p. 262, t. 39, f. 2.</i> 7319 HERIBEIA.	Neighbourhood of Birmingham. June.
1339 <i>Humer-</i> <i>ella</i>	<i>Shoulder- stripe</i>	<i>St. 4, p. 262.</i> 7320 HERIBEIA.	Darenth and Birch Woods. End of May.
1340 <i>Forster-</i> <i>clla</i>	<i>Forster's</i>	<i>St. 4, p. 262.</i> 7321 HERIBEIA.	Coombe and Darenth Woods; also the New Forest, &c. End of May.
1341 <i>Simplici-</i> <i>ella</i>	<i>Simple Shoul- der-stripe</i>	<i>St. 4, p. 263.</i> 7322 HERIBEIA.	Hertford and Coombe Wood, &c. End of May and beginning of June.
1342 <i>Cognata-</i> <i>tella</i>	<i>Allied Shoul- der-stripe</i>	<i>St. 4, p. 263.</i> 7323 HERIBEIA.	Mr. Stephens's specimen was taken at Darenth Wood in June.
1343 <i>Subbistri-</i> <i>gella</i>	<i>Double Silver- bar</i>	<i>St. 4, p. 264.</i> 7329 MICROSETIA.	Darenth Wood; but very rare. Beginning of June.
1344 <i>Obsole-</i> <i>tella</i>	<i>Obscure Dot</i>	<i>St. 4, p. 264.</i> 7330 MICROSETIA.	Taken by Mr. Stephens at Ripley in Surrey. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1345 <i>Exiguella</i> Small Dot	St. 4, p. 264. 7331 MICROSETIA.		Coombe and Darenth Woods. End of May and beginning of June.
1346 <i>Cinereo-punctella</i>	Grey-dotted Brown	St. 4, p. 265. 7332 MICROSETIA.	Darenth Wood. End of May.
1347 <i>Stipella</i>	Triple Gold-spotted	St. 4, p. 265. 7333 MICROSETIA.	Near Darenth Wood. May.
1348 <i>Guttella</i>	White-spotted Sable	St. 4, p. 265. 7334 MICROSETIA.	Darenth Wood. End of May and beginning of June.
1349 <i>Quadrella</i> Silver-spotted Sable	St. 4, p. 265. 7335 MICROSETIA.		Darenth and Coombe Woods; also in gardens at Chelsea. End of May.
1350 <i>Sequella</i>	Silver-blotched	St. 4, p. 266. ed 7336 MICROSETIA.	Hedges near Woods. End of May and beginning of June.
1351 <i>Pulchella</i>	Small Argent and Sable	St. 4, p. 266. 7337 MICROSETIA.	Darenth Wood; but very rare. June.
1352 <i>Bella</i>	Beautiful Argent and Sable	St. 4, p. 266. — MICROSETIA.	Mr. Stephens's Cabinet. Taken in Scotland in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1353 <i>Nigrella</i>	Small double Silver-bar	<i>St. 4, p. 266.</i> 7338 MICROSETIA.	Darenth Wood, &c. June.
1354 <i>Trimaculella</i>	Cream-spotted Sable	<i>St. 4, p. 267.</i> 7339 MICROSETIA.	Gardens in the neighbourhood of London; but rare. Beginning of June.
1355 <i>Subbimaculella</i>	Twin-spot Sable	<i>St. 4, p. 267.</i> 7340 MICROSETIA.	Gardens and hedges round London. Beginning of July.
1356 <i>Nigrociliella</i>	Black-edged Sable	<i>St. 4, p. 267.</i> 7341 MICROSETIA.	Near London. July.
1357 <i>Unifasciella</i>	Silver-barred Brown	<i>St. 4, p. 268.</i> 7342 MICROSETIA.	Mr. Stephens's Cabinet. Taken at Darenth Wood in June.
1358 <i>Mediofasciella</i>	Central Silver-bar	<i>St. 4, p. 268.</i> 7343 MICROSETIA.	Taken near London; but very rare. June.
1359 <i>Posticella</i>	Pygmy Silver-bar	<i>St. 4, p. 268.</i> 7345 MICROSETIA.	Near London; also near Ripley in Surrey. July.
1360 <i>Aurella</i>	Diamond-bar-red Pygmy	<i>St. 4, p. 268.</i> 7344 MICROSETIA.	Gardens and hedges round London. June.





<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1361 <i>Floslactella</i>	Creamy Pygmy	<i>St. 4, p. 268.</i> 7347 MICROSETIA.	Hedges near London, and at Coombe Wood. End of May.
1362 <i>Atricapitella</i>	Black-headed Pygmy	<i>St. 4, p. 269.</i> 7348 MICROSETIA.	Gardens and hedges near London. Beginning of June.
1363 <i>Ruficapitella</i>	Red-headed Pygmy	<i>St. 4, p. 269.</i> 7349 MICROSETIA.	Near London. June.
1364 <i>Violacea</i>	Violet Pygmy	<i>St. 4, p. 269.</i> 7346 MICROSETIA.	Gardens round London; but rare. June.
1365 <i>Pygmæella</i>	Least Pygmy	<i>St. 4, p. 269.</i> 7350 MICROSETIA.	Near London; and at Ripley. June.
1366 <i>Sericiella</i>	Satin Pygmy	<i>St. 4, p. 270.</i> 7351 MICROSETIA.	Near London; also at Coombe and Darenth Woods, &c. June.
1367 <i>Aurofasciella</i>	Gold-banded	<i>St. 4, p. 270.</i> 7352 MICROSETIA.	Mr. Stephens has seen but one specimen, now in his Cabinet, and taken by him at Darenth Wood, in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1368 <i>Gleichella</i> Gleiche's		<i>St. 4, p. 270.</i> 7353 MICROSETIA.	Darenth Wood ; but very rare. June.
1369 <i>Pfeiffer- ella</i>	Four-spotted Gold	<i>St. 4, p. 270.</i> 7354 MICROSETIA quadrigut-tella.	Darenth Wood ; but rare. End of May.
1370 <i>Linneella</i> Linneus's		<i>C. 4, t. 152. St. 4, p. 271.</i> Glyphipteryx. 7355 OEOPHORA.	Common on lime-trees in St. James's Park ; also at Battersea, Chelsea, &c. End of July and beginning of August.
1371 Roesella	Roesel's	<i>St. 4, p. 272.</i> Glyphi-pteryx. 7356 OEOPHORA.	Darenth Wood ; but very rare. Middle of July.
1372 <i>Zinckella</i> Zinck's		<i>St. 4, p. 272.</i> Glyphi-pteryx. — OEOPHORA.	Mr. Curtis's Cabinet ; taken near Norwich, in Devonshire in June.
1373 Schæffer- ella	Schæffer's	<i>D. 5, t. 175. St. 4, p. 272.</i> Glyphipteryx. 7357 OEOPHORA.	Darenth and Birch Woods ; the New Forest, &c. End of May and beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1374 <i>Bimaculella</i>	Orange-blotted Black	<i>St. 4, p. 272.</i> Glyphi-pteryx. 7358 <b>ŒCOPHORA.</b>	Devonshire. June.
1375 <i>Eximia</i>	Nonpareil	<i>St. 4, p. 273.</i> Glyphi-pteryx. 7359 <b>ŒCOPHORA.</b>	Mr. Stephens's Cabinet; taken by him in Holne-wood lane, near Ripley, in July 1827.
1376 <i>Metalleta</i>	Metallic	<i>St. 4, p. 273.</i> Glyphi-pteryx. 7360 <b>ŒCOPHORA.</b>	Mr. Stephens has seen but two specimens; taken by himself at Ripley in July 1827.
1377 <i>Subcuprella</i>	Coppery	<i>St. 4, p. 273.</i> Glyphi-pteryx. — <b>ŒCOPHORA.</b>	A single specimen in Mr. Stephens's Cabinet. Taken near London.
1378 <i>Auroguttella</i>	Gold-dotted	<i>St. 4, p. 274.</i> Glyphi-pteryx. 7584 —.	Mr. Stephens has a pair; found at Darenth Wood in June 1818.
1379 <i>Variella</i>	Variable	<i>St. 4, p. 274.</i> Glyphi-pteryx.	Taken by the Rev. G. T. Rudd, in a sand pit, near Lyndhurst, in June 1834.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1380 <i>Lewen-hoekella</i>	Lewenhoek's	<i>C. 7, t. 304. St. 4, p. 275.</i> 7361 <b>PANCALIA.</b>	Darenth Wood, and the New Forest. June.
1381 <i>Latreillella</i>	Latreille's	<i>St. 4, p. 275.</i> — <b>PANCALIA.</b>	Mr. Curtis's Ca- binet; taken in Cumberland, and near Lon- don; but rare. End of June.
1382 <i>Woodiella</i> Wood's		<i>C. 8, t. 304. St. 4, p. 275.</i> — <b>PANCALIA.</b>	Mr. Curtis's Ca- binet; taken, says Mr. Curtis, on Kensall Moor, in the middle of June, by Mr. R. Wood, of Manchester.
1383 <i>Fusco-aenea</i>	Brown-brassy	<i>St. 4, p. 376.</i> 7362 <b>PANCALIA.</b>	Darenth Wood; but rare. June.
1384 <i>Fusco-cuprea</i>	Brown-copper	<i>St. 4, p. 376.</i> 7363 <b>PANCALIA.</b>	Near London, and at Ripley; but very rare. June.
1385 <i>Merian-ella</i>	Merian's	<i>St. 4, p. 376.</i> 7364 <b>PANCALIA.</b>	Near London, and in the New Forest. June.
1386 <i>Guttea</i>	White-spotted Brown	<i>St. 4, p. 277.</i> Callisto. 7365 —.	Darenth Wood, and other places round London; but rare. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1387 <i>Fyesella</i>	Fuesly's	D. 11, t. 382, f. 1. St. 4, p. 277. Callisto. 7366 ——.	Marshy places on Wimbledon Common, and near Brocken- hurst. June.
1388 <i>Fusco- cuprella</i>	Brown-copper	St. 4, p. 277. Callisto. 7367 ——.	Near London; but very rare. June.
1389 <i>Fusco- viridella</i>	Brown-green	St. 4, p. 278. Callisto. 7368 ——.	Heaths and com- mons round London. June and July.
1390 <i>Cinetella</i>	Silver-barred Sable	St. 4, p. 279. Harfagus. 7369 ——.	Taken by Mr. Stephens at Ripley in Sur- rey. June.
1391 <i>Albistri- gella</i>	White-striped Sable	St. 4, p. 279. Harfagus. 7370 ——.	Mr. Stephens has seen but two specimens; taken near Lon- don in June.
1392 <i>Grandi- pennis</i>	Great Raven- feather	St. 4, p. 280. Astyages. 7371 ——.	Near London, and in the New Forest; but very rare. June.
1393 <i>Cylin- drella</i>	Buff-blotched Slender	St. 4, p. 280. Astyages. 7373 ——.	On poplar trees near London, and in Devon- shire, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1394 <i>Coraci-pennella</i>	Small Raven-feather	<i>St. 4, p. 280.</i> Astyages. 7375 —.	Hedges in Middlesex, Kent, Surrey, Essex, &c. June.
1395 Serratel-la	Notched-horn feather	<i>St. 4, p. 280.</i> Astyages. 7374 —.	Taken, but rarely, round London, and near Ripley in Surrey. June.
1396 <i>Obscurel-la</i>	Brown-feather	<i>St. 4, p. 281.</i> Astyages. 7376 —.	Darenth Wood, Hertford, and Ripley. June.
1397 <i>Gryphi-pennella</i>	Vulture-feather	<i>St. 4, p. 281.</i> Astyages. 7377 —.	Darenth Wood. Middle of June.
1398 <i>Lutarea</i>	Shining Clay	<i>St. 4, p. 281.</i> Astyages. 7378 —.	Taken near Croydon in June.
1399 <i>Ochroleu-cellula</i>	Pale-shining Clay	<i>St. 4, p. 281.</i> Astyages. 7379 —.	Darenth Wood. June.
1400 <i>Nigri-cellula</i>	Black-fringed Clay	<i>St. 4, p. 281.</i> Astyages. 7380 —.	Darenth Wood, and near Dover. June.
1401 <i>Flavica-put</i>	Yellow-headed Black	<i>St. 4, p. 282.</i> Astyages. 7381 —.	Common in woody places round London. June.



I364 m



I373 n



I382 n



I391 n



I365 m



I374 m



I383 n



I392 n



I366 m



I375 m



I384 n



I393 n



I367 m



I376 n



I385 n



I394 n



I368 m



I377 n



I386 n



I395 n



I369 m



I378 m



I387 n



I396 n



I370 n



I379 m



I388 n



I397 n



I371 n



I380 m



I389 n



I398 n



I372 m

I381 n  
Wood hunt

I390 n



I399 n




<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1402 <i>Angusti-pennella</i>	Narrow-winged	<i>St. 4, p. 282.</i> Chrysocorys.	West side of the warren at Coombe Wood. Middle of June.
1403 <i>Spissicornis</i>	Thick-horned Green	<i>St. 4, p. 283, t. 41, f. 1.</i> Metallosetia. 7383 ——.	Damp places, near Glanville's Wootton; also in the fens near Whittlesea Mere, and at Camberwell. July.
1404 <i>Trifolii</i>	Trefoil	<i>C. 9, t. 391.</i> <i>St. 4, p. 284.</i> Metallosetia. 7384 ——.	Ripley, Hertford, &c. On the flowers of Trefoil. July.
1405 <i>Anati-pennella</i>	Goose-feather	<i>St. 4, p. 284.</i> 7385 PORRECTARIA.	Darenth and Coombe Woods; also in gardens near London. June.
1406 <i>Otidipen-nella</i>	Bustard-feather	<i>St. 4, p. 285.</i> — PORRECTARIA.	Darenth Wood. June.
1407 <i>Anseri-pennella</i>	Duck-feather	<i>St. 4, p. 285.</i> — PORRECTARIA.	Near London, and in the New Forest; rare. June.
1408 <i>Struthio-nipennella</i>	Ostrich-feather	<i>St. 4, p. 285.</i> — PORRECTARIA.	Darenth Wood, the New Forest, and near Dover. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1409 <i>Ornati-</i> <i>pennella</i>	Silver- streaked Hook-tip	<i>St. 4, p. 285.</i> 7386 PORRECTARIA.	Birch and Da- renth Woods; but very rare. June.
1410 <i>Ochrea</i>	Silver- streaked	<i>St. 4, p. 286.</i> 7387 PORRECTARIA.	Darenth Wood. June.
1411 <i>Gallipen-</i> <i>nella</i>	Cock's-feather	<i>St. 4, p. 286.</i> 7388 PORRECTARIA.	Darenth and Coombe Woods, &c. June.
1412 <i>Lineolea</i>	Red-specked	<i>St. 4, p. 286.</i> 7389 PORRECTARIA.	Woody places near London; Coombe and Darenth Woods, &c. June.
1413 <i>Albicosta</i>	White-edged	<i>St. 4, p. 286.</i> 7390 PORRECTARIA.	Near London, and at Darenth Wood. June.
1414 <i>Leuca-</i> <i>pennella</i>	Lead-coloured	<i>St. 4, p. 287.</i> 7391 PORRECTARIA.	Coombe and Darenth Woods, Hert- ford, Ripley, &c. June.
1415 <i>Argentu-</i> <i>la</i>	Silvered	<i>St. 4, p. 287.</i> 7392 PORRECTARIA.	Coombe and Darenth Woods, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1416 <i>Auritella</i>	Eared	St. 4, p. 288. Aphelo-setia. 7393 —.	Mr. Stephens's Cabinet. Taken in June, at Monk's Wood in Huntingdonshire.
1417 <i>Cygnipennella</i>	Swans'-feather	St. 4, p. 288. Aphelo-setia. 7394 —.	Dover. June.
1418 <i>Semialbella</i>	Half-white	St. 4, p. 288. Aphelo-setia. 7395 —.	Ripley in Surrey. June.
1419 <i>Triatomaea</i>	Treble-atomed White	St. 4, p. 288. Aphelo-setia. 7396 —.	Norfolk, and near London; but very rare. June.
1420 <i>Floslactis</i>	Cream-coloured	St. 4, p. 289. Aphelo-setia. 7397 —.	In the neighbourhood of London. June.
1421 <i>Rufocinerrea</i>	Red-brindled	St. 4, p. 289. Aphelo-setia. 7398 —.	Round London. June.
1422 <i>Oleella</i>	Small Shining Brown	St. 4, p. 289. Aphelo-setia. 7400 —.	Darenth Wood; but very rare. June.
1423 <i>Lucidella</i>	Lucid	St. 4, p. 289. Aphelo-setia. 7399 —.	Taken near Ripley, and at Hertford, June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1424 <i>Rufipen-nella</i>	Red-feather	<i>St. 4, p. 289.</i> Aphelo-setia. 7401 —.	Darenth and Coombe Woods. June.
1425 <i>Fulves-cens</i>	Tawny	<i>St. 4, p. 289.</i> Aphelo-setia. 7402 —.	Round London, and in the New Forest. June.
1426 <i>Marginea</i>	Bordered Straw	<i>St. 4, p. 290.</i> Aphelo-setia. 7403 —.	Darenth Wood, Ripley, and the New Forest. June.
1427 <i>Lambdel-la</i>	Tawny Crescent	<i>D. 2, t. 57, f. 2.</i> <i>St. 4, p. 291.</i> Batia. 7404 —.	Darenth Wood, the New Forest, &c. June.
1428 <i>Lunaris</i>	Lesser Tawny-Crescent	<i>St. 4, p. 291.</i> Batia. 7405 —.	Chelsea, and Battersea fields, &c. June.
1429 <i>Lutarella</i>	Clay	<i>St. 4, p. 291.</i> Batia. 7406 —.	Near London; but very rare. June.
1430 <i>Satura-tella</i>	Dark-clay	<i>St. 4, p. 291.</i> Batia. 7407 —.	Darenth Wood. June.
1431 <i>Panzer-ella</i>	Panzer's	<i>St. 4, p. 292.</i> Batia. 7408 —.	Mr. Stephens possesses a pair found near London about June.





<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1432 <i>Flavifrontella</i>	Yellow-head	<i>St. 4, p. 292.</i> Batia. 7409 ——.	Darenth Wood, and near Camberwell; but rare. July.
1433 <i>Alvearea</i> Honey		<i>St. 4, p. 294.</i> Achroia. 7410 GALLERIA.	Near London, and in Devonshire; but rare. June.
1434 Cereana Honey-comb		<i>C. 13, t. 587.</i> <i>D. 8, t. 283.</i> <i>St. 4, p. 295.</i> 7411 GALLERIA.	Birch Wood, Epping, Devonshire and Norfolk. End of June, or beginning of July.
1435 Sociella M		<i>D. 8, t. 263, f. 2.</i> <i>St. 4,</i> <i>p. 296.</i>	Darenth Wood, and Ripley.
1436 Sociella F Pale-shouldered		7413 ILYTHIA.	June.
1437 <i>Anella</i>	Twin-spot	<i>St. 4, p. 297.</i> 7414 ILYTHIA bipunctata.	Taken, says Mr. Stephens, by the late Mr. Hatchet in the Jews, burying-ground at Stepney.
1438 <i>Flammea</i>	Flame	<i>C. 5, t. 201.</i> <i>St. 4, p. 297.</i> Senta. 7415 ——.	Near Lewisham. July.
1439 <i>Sericea</i>	Silky	<i>St. 4, p. 298.</i> Senta. 7416 ——. 2 E	Mr. Curtis's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1440 <i>Cembrel-</i> la	Large Grey	<i>St. 4, p. 299.</i> <b>7421 EUDOREA.</b>	Trunks of fir-trees round London, &c. July.
1441 <i>Subfusca</i>	Drab Grey	<i>St. 4, p. 299.</i> <b>7422 EUDOREA.</b>	Taken with the above.
1442 <i>Dubitalis</i>	Hoary Grey	<i>St. 4, p. 299.</i> <b>7420 EUDOREA.</b>	On the trunks of trees in woods and gardens round London. June and July.
1443 <i>Pyrallel-</i> la	Yellow-stig-maed Grey	<i>St. 4, p. 299.</i> <b>7418 EUDOREA.</b>	Very common in woods, &c. round London, during the Summer.
1444 <i>Tristri-gella</i>	Three-streaked Grey	<i>St. 4, p. 300.</i> <b>7419 EUDOREA.</b>	Round London, and in the New Forest. June.
1445 <i>Pallida</i>	Pale Grey	<i>St. 4, p. 300.</i> <b>7417 EUDOREA.</b>	Near Whittlesea Mere, and in Monk's Wood, Huntingdonshire. June.
1446 <i>Lincola</i>	Striped Grey	<i>St. 4, p. 300.</i> <b>7424 EUDOREA.</b>	Round London, and in the North of England. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1447 <i>Murana</i>	Wall Grey	C.4, t. 170. St. 4, p. 301. 7423 EUDOREA.	North of England, and in Scotland. End of June, and beginning of July.
1448 <i>Resinea</i>	Resin Grey	St. 4, p. 301. 7425 EUDOREA.	On the trunks of fir-trees round London; also in the New Forest, and near Dover. June and July.
1449 Mercu- rella	Small Grey	St. 4, p. 302. 7426 EUDOREA.	Very common on trunks of trees round London, &c., in the Summer.
1450 <i>Angustea</i>	Narrow-wing- ed Grey	St. 4, p. 302. 7427 EUDOREA.	Round London; also near Tunbridge Wells and Hastings. June.
1451 <i>Nebulcl-</i> <i>la</i>	Ermine Knot- horn	St. 4, p. 303. 7428 PHYCITA.	Darenth Wood, and Epping Forest. June.
1452 <i>Binævel-</i> <i>la</i>	Double- blotched	St. 4, p. 303. — PHYCITA.	Mr. Stephens has but one specimen, taken near Brockenhurst in the New Forest, in July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1453 <i>Dilutella</i>	Powdered Knot-horn	<i>St. 4, p. 303.</i> 7429 PHYCITA.	Coombe Wood, and in Berkshire. End of June and beginning of July.
1454 <i>Elutella</i>	Cinereous Knot-horn	<i>St. 4, p. 304.</i> 7430 PHYCITA.	Hedges near Darenth and Coombe Woods. June.
1455 <i>Rufa</i>	Rufous Knot-horn	<i>St. 4, p. 304.</i> 7431 PHYCITA.	Gardens, and on the borders of Woods, round London. July and August.
1456 <i>Angust-tella</i>	Small Ermine Knot-horn	<i>St. 4, p. 304.</i> 7432 PHYCITA.	The same as above; but found in June.
1457 <i>Semirufa</i>	Red-streaked Knot-horn	<i>St. 4, p. 305.</i> 7433 PHYCITA.	Coombe Wood, Epping Forest, and near Dover. June.
1458 <i>Bistriga</i>	Double-striped Red Knot-horn	<i>St. 4, p. 305.</i> 7434 PHYCITA.	Coombe and Darenth Woods, &c. June.
1459 <i>Tumida-na</i>	Warted Knot-horn	<i>St. 4, p. 305.</i> 7436 PHYCITA.	Epping Forest; and near Darenth Wood. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1460 <i>Fascia</i>	Broad-barred Knot-horn	<i>St. 4, p. 305.</i> 7438 <b>PHYCITA.</b>	Epping Forest, &c.; but rare. June.
1461 <i>Advenel-</i> <i>la</i>	Marbled broad-barred Knot-horn	<i>St. 4, p. 306.</i> 7439 <b>PHYCITA.</b>	Darenth Wood, and the New Forest. End of June.
1462 <i>Marmo-</i> <i>rea</i>	Marbled Knot-horn	<i>St. 4, p. 306.</i> 7340 <b>PHYCITA.</b>	Coombe and Darenth Woods. End of June and beginning of July.
1463 <i>Porphy-</i> <i>rea</i>	Porphyry Knot-horn	<i>St. 4, p. 306.</i> 7341 <b>PHYCITA.</b>	Epping, and the New Forest. Middle of June.
1464 <i>Consoci-</i> <i>ella</i>	Allied Knot- horn	<i>St. 4, p. 306.</i> 7337 <b>PHYCITA.</b>	Coombe Wood. End of June.
1465 <i>Rhenella</i>	Dove-colour- ed Knot- horn	<i>St. 4, p. 307.</i> 7442 <b>PHYCITA.</b>	Darenth Wood, &c. End of June.
1466 <i>Pinguis</i>	Tabby Knot- horn	<i>St. 4, p. 307.</i> 7443 <b>PHYCITA.</b>	Near Chelsea, and in the Green Park; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1467 <i>Hostilis</i>	Varied Knot-horn	<i>St. 4, p. 307.</i> — PHYCITA.	Mr. Stephens has two specimens, one taken at Darenth Wood, and the other at Ripley. June.
1468 <i>Formosa</i>	Beautiful Knot-horn	<i>St. 4, p. 308.</i> 7444 PHYCITA.	Near Darenth Wood, on the whitethorn. End of June and beginning of July.
1469 <i>Obtusa</i>	Blunt-winged Knot-horn	<i>St. 4, p. 308.</i> 7445 PHYCITA.	Darenth Wood; but very rare. June.
1470 <i>Obscura</i>	Obscure Knot-horn	<i>St. 4, p. 308.</i> — PHYCITA.	Mr. Stephens's Cabinet. Taken in June.
1471 <i>Ornatella</i>	Speckled Knot-horn	<i>St. 4, p. 309.</i> 7446 PHYCITA.	Coombe and Darenth Woods. June.
1472 <i>Abietella</i>	Pine Knot-horn	<i>St. 4, p. 309.</i> 7447 PHYCITA.	Coombe and Darenth Woods. June.
1473 <i>Tristri-gella</i>	Three-streaked Knot-horn	<i>St. 4, p. 311.</i> — PHYCITA.	Mr. Stephens's Cabinet. Taken by him at Darenth in June.

*PHALAENAE.*

Pl. 46



I436 a +



I445 n



I454 n



I463 n



I437 a +



I446 n



I455 n



I464 n



I438 a +



I447 n



I456 n



I465 n



I439 a



I448 n



I457 n



I466 a



I440 n



I449 n



I458 n



I467 n



I441 n



I450 n



I459 n



I468 n



I442 n



I451 n



I460 n



I469 n



I443 n



I452 n



I461 n



I470 n



I444 n



I453 n

W. Wood Junr.



I462 n



I471 n



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1474 <i>Palumbella</i>	Mealy Knot-horn	<i>St. 4, p. 311.</i> 7452 <b>PHYCITA.</b>	Coombe and Darenth Woods; also common near Lyndhurst. June.
1475 <i>Gemina</i>	Twin-barred Knot-horn	<i>St. 4, p. 312.</i> <b>Homœosoma.</b> 7434 <b>PHYCITA.</b>	Epping Forest. June.
1476 <i>Hybrida-</i> <i>lis</i>	Rush Veneer	<i>St. 4, p. 312.</i> <b>Nomophila.</b> 6803 —.	Woods and gardens round London; also at Dover, &c. July.
1477 <i>Cardui</i>	Thistle Ermine	<i>St. 4, p. 313.</i> 7453 <b>ONOCERA.</b>	On thistles, in the neighbourhood of London, &c. August.
1478 <i>Carnella</i>	Rosy Veneer	<i>St. 4, p. 314.</i> 7454 <b>ONOCERA.</b>	Common near Dover. July.
1479 <i>Sanguinella</i>	Buff-edged Rosy Veneer	<i>St. 4, p. 314.</i> 7455 <b>ONOCERA.</b>	In the Castle meadows at Dover. July and August.
1482 <i>Miniosella</i>	Flame Veneer	<i>St. 4, p. 314.</i> <b>Araxes.</b> 7456 <b>ONOCERA.</b>	Coasts of Cumberland and Lancashire. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1481 <i>Lotella</i>	Pale-edged Flame Veneer	<i>St. 4, p. 315.</i> Araxes. <i>7457 ONOCERA.</i>	Coast of Lancashire. June.
1480 <i>Ocellea</i>	Necklace Veneer	<i>St. 4, p. 316.</i> Araxes. <i>7458 ONOCERA.</i>	Mr. Stephens's Cabinet. Taken near London.
1483 <i>Ahenella</i>	Mouse-colour- ed Veneer	<i>St. 4, p. 316.</i> Araxes. <i>7459 ONOCERA.</i>	Darenth Wood, &c. June.
1484 <i>Nebuli- fera</i>	Clouded Veneer	<i>St. 4, p. 317.</i> Priona- pteryx.	Mr. Stephens's Cabinet.
1485 <i>Lythar- gyrellus</i>	Dark-streaked Satin Veneer	<i>St. 4, p. 318.</i> <i>7460 CRAMBUS.</i>	Near London, the New Fo- rest, Dover, &c. July and Au- gust.
1486 <i>Argyreus</i>	Streaked-Satin Veneer	<i>St. 4, p. 318.</i> <i>7461 CRAMBUS.</i>	Chalky places round London, &c. July and August.
1487 <i>Arbusto- rum</i>	Yellow-Satin Veneer	<i>St. 4, p. 319.</i> <i>7462 CRAMBUS.</i>	Near London; also in the New Forest, and near Dover. July and Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1488 <i>Argentellus</i>	White-satin Veneer	<i>St. 4, p. 319.</i> 7463 CRAMBUS.	Common in grassy places round London, &c. July and August.
1489 <i>Dealbel-lus</i>	Ivory Veneer	<i>St. 4, p. 319.</i> 7464 CRAMBUS.	Chalky places round London, &c. June and July.
1490 <i>Tentacu-llellus</i>	Portland Veneer	<i>St. 4, p. 319.</i> 7466 CRAMBUS.	Mr. Bentley's Cabinet. Taken'at Coombe Wood.
1491 <i>Hamellus</i>	Pearl-streak Veneer	<i>St. 4, p. 320.</i> 7465 CRAMBUS.	Darenth Wood; the New Fo- rest, Epping, &c. June.
1492 <i>Pascuel-lus</i>	Inlaid Veneer	<i>St. 4, p. 320.</i> 7467 CRAMBUS.	Very common near London, &c. June.
1493 <i>Dumetel-lus</i>	Wood Veneer	<i>St. 4, p. 321.</i> 7468 CRAMBUS.	New Forest; but very rare. End of June.
1494 <i>Ericellus</i>	Heath Veneer	<i>St. 4, p. 321.</i> 7469 CRAMBUS.	Mr. Stephens's specimen was taken in June in Cumberland.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1495 <i>Pratellus</i>	Dark inlaid Veneer	<i>St. 4, p. 321.</i> 7470 CRAMBUS.	Very common in fields, woods, and gardens round London, &c. In the Summer.
1496 <i>Angust-</i> <i>tellus</i>	Narrow-wing- ed Veneer	<i>St. 4, p. 322.</i> 7471 CRAMBUS.	Gardens, meadows, &c., near London, and elsewhere. Summer.
1497 <i>Hortuel-</i> <i>lus</i>	Garden Veneer	<i>St. 4, p. 322.</i> 7472 CRAMBUS.	Middlesex, Essex, Surrey, Kent, &c. Very common during the Summer.
1498 <i>Cespitel-</i> <i>lus</i>	Straw-colour- ed Veneer	<i>St. 4, p. 322.</i> 7473 CRAMBUS.	Very common round London, and in the New Forest, during the Summer.
1499 <i>Monta-</i> <i>nellus</i>	Dark Moun- tain Veneer	<i>St. 4, p. 323.</i> 7474 CRAMBUS.	Mountains in the North of England. July.
1500 <i>Margi-</i> <i>nellus</i>	Bordered Veneer	<i>St. 4, p. 323.</i> 7475 CRAMBUS.	In the neigh- bourhood of London. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1501 <i>Culmellus</i>	Small straw-coloured Veneer	<i>St. 4, p. 323.</i> 7476 CRAMBUS.	Middlesex, Essex, Surrey, Kent, &c. Summer.
1502 <i>Cerucellus</i>	Dark dwarf Veneer	<i>St. 4, p. 324.</i> 7478 CRAMBUS auri-ferellus.	Darenth Wood, and Devonshire; but very rare. July.
1503 <i>Pygmæus</i>	Pygmy Veneer	<i>St. 4, p. 324.</i> 7479 CRAMBUS.	Isle of Wight. July.
1504 <i>Radiellus</i>	Streaked mountain Veneer	<i>C. 3, t. 109. St. 4, p. 324.</i> 7480 CRAMBUS.	Mountains of Cumberland, &c. July.
1505 <i>Margari-tellus</i>	Pearl-streaked Veneer	<i>St. 4, p. 325, t. 40, f. 2.</i> 7481 CRAMBUS.	Very common near Birmingham. June.
1506 <i>Latistrius</i>	Broad-streak Veneer	<i>St. 4, p. 325.</i> 7482 CRAMBUS.	Darenth Wood, and the New Forest. June.
1507 <i>Pinetellus</i>	Pearl Veneer	<i>D. 8, t. 263, f. 1. St. 4, p. 325.</i> 7483 CRAMBUS.	Darenth Wood, &c. June.
1508 <i>Chrysonechellus</i>	Powdered Veneer	<i>St. 4, p. 325.</i> 7484 CRAMBUS.	Chalky places round London, &c. June.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1509 <i>Rorellus</i>	Chalk hill Veneer	<i>St. 4, p. 326.</i> 7485 CRAMBUS.	Near London; but very scarce. June.
1510 <i>Falsellus</i>	Chequered Veneer	<i>St. 4, p. 326.</i> 7486 CRAMBUS.	Round London, the New Fo- rest, and De- vonshire. June.
1511 <i>Luteellus</i>	Barred Veneer	<i>St. 4, p. 327.</i> 7487 CRAMBUS.	Grassy places, about Darent <sub>h</sub> , and Birch Woods, &c. June.
1512 <i>Tristis</i>	Dingy Veneer	<i>St. 4, p. 327.</i> 7476 CRAMBUS.	Darent Wood, and Epping Forest. June.
1513 <i>Inquinal-</i> <i>tellus</i>	Elbow-striped Veneer	<i>St. 4, p. 327.</i> 7488 CRAMBUS.	Darent Wood, &c. June.
1514 <i>Aridellus</i>	Chalk Veneer	<i>St. 4, p. 327.</i> 7489 CRAMBUS.	Darent Wood. Beginning of July.
1515 <i>Selasellus</i>	Dark-edged Veneer	<i>St. 4, p. 328.</i> 7490 CRAMBUS.	Near London, at Ripley, and in the New Forest. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1516 <i>Obtusellus</i>	Blunt-winged Veneer	<i>St. 4, p. 328.</i> 7492 CRAMBUS.	Near Ripley in Surrey. June.
1517 <i>Petrifuscus</i>	Common Veneer	<i>St. 4, p. 328.</i> 7493 CRAMBUS.	Round London. June.
1518 <i>Aquilellus</i>	Dusky-yellow Veneer	<i>St. 4, p. 329.</i> 7495 CRAMBUS.	Meadows and lanes, near woods round London. June and July.
1519 <i>Paleellus</i>	Large Yellow Veneer	<i>St. 4, p. 329.</i> 7496 CRAMBUS.	Very common in meadows, &c. round London. End of June, and all July.
1520 <i>Culmorum</i>	Brown-edged Veneer	<i>St. 4, p. 329.</i> 7497 CRAMBUS.	Fields and meadows, &c. round London. June and July.
1521 <i>Fuscelinellus</i>	Brown Veneer	<i>St. 4, p. 329.</i> 7491 CRAMBUS.	The same as above.
1522 <i>Nigristriellus</i>	Black-streaked Veneer	<i>St. 4, p. 330.</i> 7491 CRAMBUS.	Meadows near Ripley. July.
1523 <i>Forficellus</i>	Aquatic Veneer	<i>St. 4, p. 331.</i> 7498 CHILO.	Banks of the Thames, Whittlesea Mere, marshy places in Epping Forest, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1524 <i>Fumeus</i>	Smoky Veneer	<i>St. 4, p. 331.</i> 7499 CHILO.	Near London ; also at Whittlesea Mere, &c. ; but rare. June.
1525 <i>Punctiger-</i> <i>rellus</i>	Dark-wainscot Veneer	<i>St. 4, p. 332.</i> 7500 CHILO.	Taken near Whittlesea Mere. In July.
1526 <i>Phragmi-</i> <i>tellus</i>	Wainscot Veneer	<i>St. 4, p. 332.</i> 7501 CHILO.	Near Whittlesea Mere. June.
1527 <i>Gigan-</i> <i>tellus</i>	Gigantic Veneer	<i>St. 4, p. 332.</i> 7502 CHILO.	Marshes about Hackney, and at Whittlesea Mere; very rare. July.
1528 <i>Caudellus</i>	Hook-tip Veneer	<i>St. 4, p. 332.</i> 7503 CHILO.	Marshes near Dartford and Erith. June.
1529 <i>Acinaci-</i> <i>della</i>	Narrow-winged Veneer	<i>St. 4, p. 333, t. 40, f. 1.</i> Theristis. 7504 PLUTELLA.	In a lane at the bottom of Darenth Wood. August and September.
1530 <i>Nemo-</i> <i>rella</i>	Pale Hook-tip	<i>St. 4, p. 334.</i> Theristis. Veneer 7504 PLUTELLA.	On the borders of Darenth and Birch Woods. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1531 <i>Dentella</i>	Tooth-streaked Hook-tip	<i>St. 4, p. 335.</i> Harpipteryx. <b>7506 PLUTELLA.</b>	Gardens in Surrey, Kent, Essex, &c. August.
1532 <i>Falcella</i>	Dark Hook-tip	<i>St. 4, p. 335.</i> Harpipteryx. <b>7508 PLUTELLA subfalcatella</b>	New Forest. June and July.
1533 <i>Scabrella</i>	Wainscot Hook-tip	<i>St. 4, p. 335.</i> Harpipteryx. <b>7507 PLUTELLA.</b>	The same as above.
1534 <i>Asperella</i>	Chequered Hook-tip	<i>D. 10, t. 355, f. 5.</i> Hypsolo- pho. <b>7509 PLUTELLA.</b>	Taken by Mr. Dale, at Glanville's Wootton, in August.
1535 <i>Antennellus</i>	Netted Hook-tip	<i>St. 4, p. 336.</i> Hypsolo- pha. <b>7510 YPSOLOPHUS.</b>	Coombe and Darenth Woods; the New Forest, &c. July and August.
1536 <i>Percicellus</i>	Double-barred	<i>St. 4, p. 337.</i> Hypsolo- pha. <b>7511 YPSOLOPHUS.</b>	Found, but rarely, in the New Forest. June.
1537 <i>Costellus</i>	White-shouldered	<i>St. 4, p. 338.</i> Chætochilus. <b>7512 YPSOLOPHUS.</b>	Very common near Darenth Wood; the New Forest, &c. August and September.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1538 <i>Fissellus</i>	Broad-streak	<i>St. 4, p. 338. Chaetochilus.</i>	Birch, Darenth, and Coombe Woods, &c.
		7521 <b>YPSOLOPHUS.</b>	August and September.
1539 <i>Radia-tellus</i>	Radiated	<i>D. 3, t. 77, f. 4. St. 4, p. 338. Chaetochilus.</i>	Birch and Darenth Woods; also in the New Forest.
		7522 <b>YPSOLOPHUS.</b>	Autumn.
1540 <i>Variellus</i>	Variable Autumn	<i>St. 4, p. 339. Chaetochilus.</i>	Very common in the woods round London, &c. Autumn.
		7516 <b>YPSOLOPHUS.</b>	
1541 <i>Sylvella</i>	Wood Autumn	<i>St. 4, p. 339. Chaetochilus.</i>	Darenth Wood, &c. September.
		— <b>YPSOLOPHUS.</b>	
1542 <i>Rufimittrellus</i>	Red-headed Autumn	<i>St. 4, p. 340. Chaetochilus.</i>	Woody places round London.
		7520 <b>YPSOLOPHUS.</b>	Autumn.
1543 <i>Maurelius</i>	Dingy Autumn	<i>St. 4, p. 340. Chaetochilus.</i>	The same as the above.
		7523 <b>YPSOLOPHUS.</b>	
1544 <i>Vitellus</i>	Black-back	<i>St. 4, p. 340. Chaetochilus.</i>	Woods and hedges near London, in the New Forest, and in Devonshire. Autumn.
		7524 <b>YPSOLOPHUS.</b>	





PHALENA.

Pl. 48



W. Wood Junr.



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1545 <i>Sequellus</i>	Small Marvel	<i>St. 4, p. 341.</i> <i>Chætochidius du Jour</i>	Taken in a lane leading to Darenth Wood; also at Ripley, &c.; but rare. July.
		<i>7525 YPSOLOPHUS.</i>	
1546 <i>Porrec-tella</i>	Gray Streak	<i>St. 4, p. 342.</i> <i>Cerostoma.</i>	Gardens and woody places near London, &c. June and August.
		<i>7526 YPSOLOPHUS Hesperiellus.</i>	
1547 <i>Annula-tellus</i>	Annulated	<i>C. 9, t. 420.</i> <i>St. 4, p. 342.</i> <i>Cerostoma.</i>	North of England, and in Scotland. July and Au-gust.
		<i>— YPSOLOPHUS.</i>	
1548 <i>Maculi-pennis</i>	Spotted-winged	<i>St. 4, p. 342.</i> <i>Cerostoma.</i>	Taken near London; and in the New Forest, &c. July.
		<i>— YPSOLOPHUS.</i>	
1549 <i>Xylo-stella</i>	Honey-suckle	<i>St. 4, p. 342.</i> <i>Cerostoma.</i>	Very common in woods and gardens in se-veral counties. In the Sun-mer.
		<i>7527 YPSOLOPHUS.</i>	
1550 <i>Tapet-zella</i>	Black-cloaked Woollen	<i>St. 4, p. 343.</i> <i>7531 TINEA.</i>	Very common, in the Summer, in houses and gardens near London, &c.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1551 <i>Semiful-vella</i>	Fulvous-tip	<i>St. 4, p. 344.</i> 7532 <b>TINEA.</b>	The neighbourhood of London; at Darenth and Ripley; but rare. June.
1552 <i>Vestian-ella</i>	Dark-brindled Woollen	<i>St. 4, p. 344.</i> 7533 <b>TINEA.</b>	Very common in houses, &c. round London. In the Summer.
1553 <i>Ustella</i>	White-backed Black	<i>St. 4, p. 344.</i> 7542 <b>TINEA.</b>	The neighbourhood of London, &c. June and July.
1554 <i>Fusci-punctella</i>	Brown-dotted Woollen	<i>St. 4, p. 345.</i> 7534 <b>TINEA.</b>	Houses near London, &c. The Summer.
1555 <i>Pellion-nella</i>	Single-spotted Woollen	<i>St. 4, p. 345.</i> 7535 <b>TINEA.</b>	Abundant in houses, &c., round London and elsewhere. Spring and Summer.
1556 <i>Nigri-punctella</i>	Many-spotted Yellow	<i>St. 4, p. 345.</i> 7536 <b>TINEA.</b>	Houses, &c., near London; also at Coombe Wood. The Summer.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1557 <i>Albipunc-tella</i>	White-speckled Black	<i>St. 4, p. 345.</i> <i>7537 TINEA.</i>	Houses and gardens round London. June.
1558 <i>Flave-scentella</i>	Triple-spotted Buff	<i>St. 4, p. 346.</i> <i>7538 TINEA.</i>	Houses, &c., near London. June.
1559 <i>Lappella</i>	Triple-spotted Yellow	<i>St. 4, p. 346.</i> <i>7539 TINEA.</i>	Coombe and Darenth Woods; also in the New Forest. June.
1560 <i>Sulphur-rella</i>	Sulphur	<i>St. 4, p. 346.</i> <i>7540 TINEA.</i>	Taken round London, in June; but rare.
1561 <i>Destructo-r</i>	Destructive	<i>St. 4, p. 346.</i> <i>7541 TINEA.</i>	Very common in London, &c. Spring and Summer.
1562 <i>Cloacella</i>	Dark-mottled Woollen	<i>St. 4, p. 347.</i> <i>7543 TINEA.</i>	Round London, &c. Summer.
1563 <i>Granella</i>	Mottled Woollen	<i>St. 4, p. 347.</i> <i>7544 TINEA.</i>	Very common in London and elsewhere. All the Summer.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1564 <i>Parasi-</i> <i>tella</i>	Light-brindled Woollen	<i>St. 4, p. 347.</i> <i>7545 TINEA.</i>	Near London, &c. June and July.
1565 <i>Mediellus</i> Agaric		<i>C. 13, t. 591. St. 4,</i> <i>p. 349.</i> <i>7530 EUPLOCAMUS.</i>	Mr. Stephens has seen but three speci- mens, two taken near Birch Wood, and the other in Hain- hault Forest. July.
1566 <i>Birdella</i> Birds'		<i>C. 8, t. 344. St. 4,</i> <i>p. 350.</i> <i>7547 LEPIDOCERA.</i> Setella.	Near London and Hertford; but very rare. July.
1567 <i>Medio-</i> <i>pectinella</i>	Middle- Feathered	<i>St. 4, p. 350.</i> <i>7548 LEPIDOCERA.</i>	Marshes near Limehouse, Poplar, and Hackney. June.
1568 <i>Taurella</i> Little Bull		<i>St. 4, p. 350.</i> <i>7546 LEPIDOCERA.</i>	Marshy lanes round London. End of June and beginning of July.
1569 <i>Chenopo-</i> <i>diella</i>	Spotted Bull	<i>St. 4, p. 351.</i> <i>7549 LEPIDOCERA.</i>	Mr. Stephens's Cabinet. Taken at Hert- ford, in the Summer.

<i>Linн. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1570 <i>Masculella</i>	Feathered Diamond-back	<i>C. 13, t. 607.</i> <i>St. 4,</i> <i>p. 351.</i> 7550 INCURVARIA.	Darenth Wood, &c. End of May.
1571 <i>Pectinella</i>	Feathered Twin-spot	<i>St. 4, p. 352.</i> 7551 INCURVARIA.	In the neighbour-hood of London. End of May.
1572 <i>Oehlmaniiella</i>	Oehlman's	<i>St. 4, p. 352.</i> 7552 INCURVARIA.	Chalky places round London. End of May and beginning of June.
1573 <i>Spuria</i>	Spurious Treble-spot	<i>St. 4, p. 352.</i> 7553 INCURVARIA.	Found near London; but rare. End of May.
-- 1574 <i>Tripunctella</i>	Treble-spotted	<i>St. 4, p. 353.</i> 7554 INCURVARIA.	Near London; gardens at Chelsea, &c. End of May and beginning of June.
1575 <i>Opposittella</i>	Two-spotted Brown	<i>St. 4, p. 353.</i> Amauro-setia. 7555 —.	Common in gardens near London; also in the New Forest, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1576 <i>Quadri-punctella</i>	Double-spotted Brown	<i>St. 4, p. 354.</i> Amauro-setia. 7556 —.	Gardens and woody places near London; but rare. June.
1577 <i>Minutella</i>	Double Gold-spotted	<i>St. 4, p. 354.</i> Amauro-setia. 7557 —.	Near London, and in Norfolk. June.
1578 <i>Atrella</i>	Two-spotted Black	<i>St. 4, p. 354.</i> Amauro-setia. 7558 —.	Near Darenth Wood. June.
1579 <i>Cerusella</i>	Triple-spotted White	<i>St. 4, p. 355.</i> Amauro-setia. 7561 —.	Grassy places near London; but very rare. June.
1580 <i>Albinella</i>	Albin's	<i>St. 4, p. 355.</i> Amauro-setia. 7563 —.	Near London, and in the New Forest, &c. June.
1581 <i>Megerella</i>	Megerles'	<i>St. 4, p. 355.</i> Amauro-setia. 7564 —.	Darenth Wood, and the New Forest. Middle of June.
1582 <i>Albifron-tella</i>	White-fronted	<i>St. 4, p. 355.</i> Amauro-setia.	In the neighbourhood of London. June.



1544 n



1553 n



1562 n



1571 n



1545 n



1554 n



1563 n



1572 n



1546 n



1555 n



1564 n



1573 n



1547 n



1556 n



1565 a



1574 n



1548 n



1557 n



1566 n



1575 n



1549 n



1558 n



1567 n



1576 n



1550 n



1559 n



1568 n



1577 n



1551 n



1560 n



1569 n



1578 n



1552 n



1561 n



1570 n



1579 n

W. Wood, Junr.



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1583 <i>Capitella</i>	Triple-spotted Black	<i>St. 4, p. 356.</i> <i>7565 LAMPRONIA.</i>	Orchards and gardens round London. End of May and beginning of June.
1584 <i>Præla-</i> <i>tella</i>	Spotted Violet	<i>St. 4, p. 356.</i> <i>7566 LAMPRONIA.</i>	Hedges near Coombe and Darenth Woods. End of May and beginning of June.
1585 <i>Lerzella</i>	Barred Violet	<i>St. 4, p. 357.</i> — <i>LAMPRONIA.</i>	Near London, and in the New Forest; but rare. June.
1586 <i>Flavi-</i> <i>punctella</i>	Four-spotted Brown	<i>St. 4, p. 357.</i> <i>7568 LAMPRONIA.</i>	Darenth Wood; but very rare. End of May and beginning of June.
1587 <i>Rupella</i>	Four-spotted Black	<i>St. 4, p. 358.</i> <i>7567 LAMPRONIA.</i>	Near Darenth Wood and Westerham in Kent; also in the New Forest. June.
1588 <i>Margine-</i> <i>punctella</i>	Dotted-border	<i>St. 4, p. 358.</i> <i>7569 LAMPRONIA.</i>	Mr. Stephens's Cabinet; in which is a pair taken at Ripley in June 1827.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1589 <i>Melanella</i>	White-speckled Black	<i>St. 4, p. 358.</i> <i>7570 LAMPRONIA.</i>	On Elm trees near London, &c. June.
1590 <i>Atrella</i>	Dingy Black-speckled	<i>St. 4, p. 359.</i> <i>7572 LAMPRONIA.</i>	The neighbourhood of London. June.
1591 <i>Corticella</i>	Golden-speckled Black	<i>St. 4, p. 359.</i> <i>7571 LAMPRONIA.</i>	Gardens near London, &c. End of May and beginning of June.
1592 <i>Subpurella</i>	Purple Under-wing	<i>St. 4, p. 359.</i> <i>7573 LAMPRONIA.</i>	Woody places round London, &c. June.
1593 <i>Semipurella</i>	Purplish Upper-wing	<i>St. 4, p. 359.</i> — <i>LAMPRONIA.</i>	Darent Wood; rare. June.
1594 <i>Purpurella</i>	Purple Upper-wing	<i>St. 4, p. 360.</i> <i>7574 LAMPRONIA.</i>	Taken occasionally round London. June.
1595 <i>Auropurpurella</i>	Gold-brindled Purple	<i>St. 4, p. 360.</i> <i>7575 LAMPRONIA.</i>	Taken but rarely near London, on flowers. Beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1596 <i>Rubro-aurella</i>	Red Gold Gold	<i>St. 4, p. 360.</i> <i>7576 LAMPRONIA.</i>	Coombe and Darenth Woods, &c. Summer.
1597 <i>Helwigella</i>	Red-barred Gold	<i>St. 4, p. 360.</i> <i>7577 LAMPRONIA.</i>	On flowers in the vicinity of London, &c. In the Summer.
1598 <i>Sanguinella</i>	Scarlet-barred Gold	<i>St. 4, p. 361.</i> <i>7578 LAMPRONIA.</i>	Mr. Stephens's Cabinet.
1599 Calthella	Small Gold	<i>St. 4, p. 361.</i> <i>7579 LAMPRONIA.</i>	Very common in meadows, &c., round London, in the Summer.
1600 <i>Concinnella</i>	The Neat	<i>St. 4, p. 361.</i> <i>7580 LAMPRONIA.</i>	Darenth Wood, &c. June.
1601 <i>Seppella</i>	Sepp's	<i>St. 4, p. 362.</i> <i>7581 LAMPRONIA.</i>	The same as above.
1602 <i>Ammanella</i>	Single-spotted Gold	<i>St. 4, p. 362, t. 41, f. 2.</i> <i>7582 LAMPRONIA.</i>	Near Hertford; Colney Hatch, Darenth Wood, and the New Forest. May.
1603 <i>Bistri-gella</i>	Silver-striped Gold	<i>St. 4, p. 362.</i> <i>7583 LAMPRONIA.</i>	Darenth Wood; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1604 <i>Aurogut-</i> <i>tella</i>	Gold-dotted	<i>St. 4, p. 363.</i> Euspila- pteryx. 7584 ——.	Mr. Stephens has seen but one, which he found at Ripley, in June 1827.
1605 <i>Nebulca</i>	Nebulous Slender	<i>St. 4, p. 364.</i> 7585 GRACILLARIA.	Hedges, &c., round London. Spring.
1606 <i>Melea-</i> <i>gripennella</i>	Turkey's Feather	<i>St. 4, p. 364.</i> 7586 GRACILLARIA.	Darenth Wood. June.
1607 <i>Syringel-</i> <i>la</i>	Confluent Barred	<i>C. 10, t. 479.</i> <i>St. 4,</i> <i>p. 364.</i> 7587 GRACILLARIA.	Very common in gardens near London, &c. June.
1608 <i>Cinerea</i>	Double-bar- red Slender	<i>St. 4, p. 364.</i> 7588 GRACILLARIA.	Coombe Wood, &c. June.
1609 <i>V-flava</i>	Yellow V	<i>St. 4, p. 365.</i> 7589 GRACILLARIA.	Taken by Mr. Stephens near Ripley, in June 1827.
1610 <i>Versicolor</i>	Changeable	<i>St. 4, p. 365.</i> 7590 GRACILLARIA.	Near London and Ripley. June.
1611 <i>Substriga</i>	Obscure- striped	<i>St. 4, p. 365.</i> 7591 GRACILLARIA.	Hedges round London; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1612 <i>Semi-fascia</i>	Semi White-bar	<i>St. 4, p. 365.</i> 7592 GRACILLARIA.	The same as above.
1613 <i>Purpurea</i>	Triangle-marked Purple	<i>St. 4, p. 366.</i> 7593 GRACILLARIA.	Found in the neighbourhood of London. June.
1614 <i>Stigmella</i>	Triangle-marked Red	<i>St. 4, p. 366.</i> 7594 GRACILLARIA.	Near London. Autumn.
1615 <i>Ochrea-cea</i>	Triangle-marked Ochre	<i>St. 4, p. 366.</i> 7595 GRACILLARIA.	The same as above.
1616 <i>Thunbergiella</i>	Thunberg's	<i>St. 4, p. 366.</i> 7596 GRACILLARIA.	Gardens round London, and among oak trees in woods, &c. Autumn.
1617 <i>Hemidactylella</i>	Mottled Red	<i>St. 4, p. 367.</i> 7597 GRACILLARIA.	Hedges and woody places round London. August.
1618 <i>Rufipennella</i>	Dull Red	<i>St. 4, p. 367.</i> 7598 GRACILLARIA.	The same as above.
1619 <i>Elongella</i>	Plain Red	<i>St. 4, p. 367.</i> 7599 GRACILLARIA.	In the neighbourhood of London. August.
1620 <i>Violacea</i>	Violaceous Slender	<i>St. 4, p. 368.</i> 7600 GRACILLARIA.	Near Darenth Wood. July.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1621 <i>Rosci-</i> <i>pennella</i>	Livid Slender	<i>St. 4, p. 368.</i> 7601 <b>GRACILLARIA.</b>	Darenth and Coombe Woods, &c. June.
1622 <i>Leuca-</i> <i>pennella</i>	Pale Slender	<i>St. 4, p. 368.</i> 7602 <b>GRACILLARIA.</b>	The New Forest. June and July.
1623 <i>Sulphu-</i> <i>rella</i>	Sulphur		New Forest. July.
1624 <i>Præan-</i> <i>gusta</i>	Poplar Slender	<i>St. 4, p. 368.</i> 7603 <b>GRACILLARIA.</b>	Hedges, and on the trunks of poplars near London. End of May.
1625 <i>Bennetii</i>	Sea-side Plume	<i>C. 10, t. 471.</i> <i>St. 4,</i> <i>p. 370.</i> <b>ADACTYLUS.</b>	Mr. Curtis's Ca- binet. Taken, says that gen- tleman, on plants on the Salterns at Tollsbury, Essex. End of July.
1626 <i>Penta-</i> <i>dactylus</i>	Large White Plume	<i>H. t. 1, f. a—q.</i> <i>D. 5,</i> <i>t. 110.</i> <i>St. 4, p. 371.</i> 7604 <b>PTEROPHORUS.</b>	Very common in hedges and lanes near London, &c.
1627 <i>Spilodac-</i> <i>tylus</i>	Wormwood Plume	<i>C. 4, t. 161.</i> <i>St. 4,</i> <i>p. 371.</i> 7605 <b>PTEROPHORUS.</b>	The coast of Suffolk and Devonshire. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1628 <i>Galacto-</i> <i>dactylus</i>	Spotted White Plume	<i>St. 4, p. 371.</i> 7616 PTEROPHORUS.	Near Andover, Reading and Birmingham. End of May and beginning of June.
1629 <i>Bipuncti-</i> <i>dactylus</i>	Grey Wood Plume	<i>St. 4, p. 372.</i> 7606 PTEROPHORUS.	Woods round London. June and July.
1630 <i>Fusco-</i> <i>dactylus</i>	Brown Wood Plume	<i>St. 4, p. 372.</i> 7607 PTEROPHORUS.	Woods and gardens near London. All the Summer.
1631 <i>Ptero-</i> <i>dactylus</i>	Common Plume	<i>H. t. 30, f. i—l. St. 4,</i> <i>p. 372.</i> 7608 PTEROPHORUS.	Middlesex, Sur- rey, Kent, Essex, Hert- fordshire, &c. The Summer.
1632 Mono- <i>dactylus</i>	Hoary Plume	<i>St. 4, p. 373.</i> 7609 PTEROPHORUS.	Near Croydon, and at Darenth Wood. June.
1633 <i>Tephra-</i> <i>dactylus</i>	Plain Plume	<i>St. 4, p. 373.</i> 7610 PTEROPHORUS.	Near Brocken- hurst, at Ripley in Surrey, and in Norfolk; but rare. July.
1634 <i>Tridac-</i> <i>tulus</i>	Dotted-bor- dered Plume	<i>St. 4, p. 373.</i> 7611 PTEROPHORUS.	Darenth Wood, and near Brighton; rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1635 <i>Niveidac-</i> <i>tylus</i>	Snowy Plume 7612 PTEROPHORUS.	<i>St. 4, p. 373.</i>	Darenth Wood. July.
1636 <i>Tetra-</i> <i>dactylus</i>	White-shafted Plume	<i>St. 4, p. 373.</i> 7613 PTEROPHORUS.	Darenth Wood, Ripley and Dover. June.
1637 <i>Carpho-</i> <i>dactylus</i>	Citron Plume	<i>St. 4, p. 374.</i> 7614 PTEROPHORUS Citridactylus.	Whittlesea Mere. August.
1638 <i>Ochro-</i> <i>dactylus</i>	Ochreous Plume	<i>St. 4, p. 374.</i> 7615 PTEROPHORUS.	Darenth Wood. July.
1639 <i>Leuco-</i> <i>dactylus</i>	Lemon Plume	<i>St. 4, p. 374.</i> 7617 PTEROPHORUS.	Darenth Wood; but rare. End of June.
1640 <i>Luna-</i> <i>dactylus</i>	Crescent Plume	<i>St. 4, p. 374.</i> 7618 PTEROPHORUS.	Common in grassy places near Darenth Wood, &c. June and be- ginning of July.
1641 <i>Pallidac-</i> <i>tylus</i>	Pale Plume	<i>St. 4, p. 375.</i> 7619 PTEROPHORUS.	Darenth Wood, Hertford, Do- ver, &c. June.
1642 <i>Migadac-</i> <i>tylus</i>	Chalk-pit Plume	<i>St. 4, p. 375.</i> 7620 PTEROPHORUS.	Near Darenth Wood; but very rare. June.
1643 <i>Simili-</i> <i>dactylus</i>	Dusky Plume	<i>St. 4, p. 375.</i> 7621 PTEROPHORUS Phæodactylus.	Dorsetshire, De- vonshire, the New Forest, &c.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1644 <i>Trigono-</i> <i>dactylus</i>	Triangle Plume	<i>St. 4, p. 375.</i> 7622 PTEROPHORUS.	Coast of Hamp- shire, &c. During the Summer.
1645 <i>Rhodo-</i> <i>dactylus</i>	Rose Plume	<i>St. 4, p. 375, t. 41, f. 3.</i> 7623 PTEROPHORUS.	Near Coombe Wood, and Hackney; but rare. May and June.
1646 <i>Calodac-</i> <i>talus</i>	Beautiful Plume	<i>St. 4, p. 376.</i> 7624 PTEROPHORUS.	Found occasion- ally round London; also in the New Forest. Au- gust.
1647 Tessera- <i>dactylus</i>	Marbled Plume	<i>St. 4, p. 376.</i> 7625 PTEROPHORUS.	Rare near Lon- don; but com- mon in the New Forest. The Summer.
1648 <i>Puncti-</i> <i>dactylus</i>	Brindled Plume	<i>St. 4, p. 376.</i> 7626 PTEROPHORUS.	Near London, and in Devon- shire. June and July.
1649 Cosmo- <i>dactylus</i>	Dark Brindled Plume	<i>St. 4, p. 377.</i> — PTEROPHORUS.	Taken by Mr. Stephens, near Ripley, in June 1827.
1650 Didacty- <i>lus</i>	Spotted rusty Plume	<i>D. 9, t. 318. St. 4, p. 377.</i> 7627 PTEROPHORUS.	Woody places round London; also in the New Forest, &c. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1651 <i>Heterodactylus</i>	Spotted black Plume	<i>St. 4, p. 377.</i> 7628 PTEROPHORUS.	Found with the above.
1652 <i>Microdactylus</i>	Small Plume	<i>St. 4, p. 377.</i> 7629 PTEROPHORUS.	Darenth Wood; but very rare. June.
1653 <i>Hexadactyla</i>	Six-cleft Plume	<i>D. 4, t. 136. St. 4, p. 378.</i> 7630 ALUCITA.	Very common in gardens round London, &c. Summer and Autumn.
1654 <i>Polydactyla</i>	Many-cleft Plume	<i>St. 4, p. 379.</i> 7631 ALUCITA.	The New Forest; but very rare. June.
1655 <i>Pœcilo-dactyla</i>	Dark six-cleft Plume	<i>St. 4, p. 379.</i> 7632 ALUCITA.	Mr. Stephens's Cabinet, Taken near Brockenhurst in June 1822.







1620 n



1629 n



1638 n



1647 n



1621 n



1630 n



1639 n



1648 n



1622 n



1631 n



1640 n



1649 n



1623 n



1632 n



1641 n



1650 n



1624 n



1633 n



1642 n



1651 n



1625 n



1634 n



1643 n



1652 n



1626 n



1635 n



1644 n



1653 n



1627 n



1636 n



1645 n



1654 n



1628 n



1637 n



W. Wood Jun'r

1646 n



1655 n



## ADDITIONS.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
<b>PAPILIO.</b>			
83 <i>Dia</i>	Purple Pearl Border	<i>St. 1, p. 34.</i> <i>5822 MELITÆA.</i>	Mr. Stephens has an English specimen. Taken in Sutton Park, near Bir- mingham.
84 <i>Pyronia</i>	Dark Under- wing	<i>St. 1, p. 31.</i> <i>5817 MELITÆA.</i>	Taken near Lon- don in 1803.
85 <i>Arcanius</i>	Pale Heath	<i>St. 1, p. 69.</i> <i>5860 HIPPARCHIA.</i>	A reputed indi- genous speci- men of this insect was in Mr. Plastead's Collection.
<b>SPHINX.</b>			
37 <i>Nerii</i>	Oleander	<i>C.14, t.626. St. 4, p. 381.</i> Daphnis. <i>Entom. Mag.</i> <i>I, p. 525.</i>	Taken in a draw- ing-room at Dover, in Sep- tember, 1833.
1658 <i>Epheme- ræformis</i>	Beltless Clear- wing	<i>Entom. Trans. pl.10, f.1.</i> Thyridopteryx.	Taken by the late Mr. Bolton, in Yorkshire. In Mr. Stephens's Collection.
<b>PHALÆNA.</b>			
1656 <i>Suffusa</i>	Dark Choco- late tip	<i>St. 4, p. 385, pl. 16, f. 1.</i> Clostera	Near London; but very rare. End of May.
1657 <i>Radiata</i>	Rayed Ermine	<i>St. 2, p. 77.</i> <i>6030 SPILOSOMA.</i>	Mr. Stephens has seen but one specimen, taken in York- shire, now in Mr. Bentley's Cabinet.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
1659 <i>Cursoria</i>	Rusty Dart	Agrotis.	Near Bristol.
1660 <i>Plaga</i>	Striped Dart	<i>St. 4, p. 388.</i> Agrotis.	Whittlesea Mere.
1661 <i>Albimacula</i>	White-spotted Clay	<i>St. 2, p. 199.</i> Lytæa.	Whittlesea Mere.
1662 <i>Birivia</i>	Double-striped Clay	<i>St. 4, p. 388.</i> Graphiphora.	
1663 <i>Obscura</i>	Dingy Brocade	<i>St. 2, p. 184.</i> 6203 HADENA.	From Mr. Haworth's Cabinet.
1664 <i>Connexa</i>	Union Rustic	Apamea.	
1665 <i>Strigosa</i>	Streaked Dagger	<i>St. 3, p. 39.</i> 6281 ACRONYCTA.	Formerly in Mr. Haworth's Cabinet. Supposed to have been taken in Norfolk.
1666 <i>Cuspis</i>	Large Dagger	<i>St. 3, p. 40.</i> 6283 ACRONYCTA.	Norwood; in Mr. Hatchett's Collection.
1667 <i>Solidaginis</i>	Golden Rod Brindle	<i>Curtis, 14, pl. 683.</i> Xylinæ.	Mr. Bentley's Cabinet. Taken by Joseph Eveleigh, Esq., near Manchester, in 1837, in abundance.
1668 <i>Lutosa</i>	Clay Wainscot	<i>Hübner, t. 48, f. 232.</i> <i>St. 4, p. 390.</i> Nonagria.	Mr. Curtis has a specimen taken in Derbyshire.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
1669 <i>Vectis</i>	Southern Wainscot	C. 10, t. 451. St. 4, p. 390. Nonagria.	Mr. Curtis mentions this insect as inhabiting Black-gang Chine, Isle of Wight, and Whittlesea Mere, in July.
1670 <i>Cordigera</i>	Small Dark Yellow-underwing	St. 3, p. 112. 6391 ANARTA.	Scotland. Mr. Curtis's Cabinet.
1671 <i>Aprica</i>	The Nun	St. 3, p. 113. 6394 ACONTIA.	A single specimen, according to Mr. Stephens, taken nearly half a century since by Mr. Tinley.
1672 <i>Scutosa</i>	Spotted Clover Moth	Curtis, 13, pl. 595. Heliothis.	Carlisle.
1673 <i>Subatomaria</i>	Dotted Angle	Haworth. Timandra.	Mr. Bentley's Cabinet; from Mr. Haworth's.
1674 <i>Zonaria</i>	Belted Brindle	St. 4, p. 391. Entom. Mag. 2, p. 437. Nyssia.	Taken at the Black Rock, near Liverpool, in September 1832, and February 1833.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
1675 <i>Tauaria</i>	Tau Brindle	<i>St. 4, p. 391. Entom. Mag. 1, 431.</i> <i>Nussia.</i>	Mr. Newman's Cabinet; to whom we are indebted for the use of the specimen. Taken at Leominster, in June 1832.
1676 <i>Poly-grammata</i>	Many-striped	<i>St. 3, p. 256.</i> <i>6606 PHIBALAPTERYX.</i>	Said to have been taken in Norfolk.
1677 <i>Luteolana</i>	Striped Clay Tortrix	<i>St. 4, p. 395.</i> <i>Tortrix.</i>	Whittlesea Mere. In June.
1678 <i>Juliana</i>	July Tortrix	<i>St. 4, p. 396.</i> <i>Lozotænia.</i>	New Forest. In July.
1679 <i>Areolana</i>	Streamlet	<i>St. 4, p. 396.</i> <i>Carpocapsa.</i>	Devonshire, Yorkshire, and Norfolk.
1680 <i>Roborella</i>	Dotted Knot-Horn	<i>St. 4, p. 309.</i> <i>7448 PHYCITA.</i>	Middlesex, Surrey, Essex, &c. End of June.
1681 <i>Cristella</i>	Purplish Knot-horn	<i>St. 4, p. 310.</i> <i>7449 PHYCITA.</i>	Hedges near Coombe and Darent Woods, &c. End of June.
1682 <i>Legatella</i>	Plain Knot-horn	<i>St. 4, p. 310.</i> <i>7450 PHYCITA.</i>	Found with the above; but not so common.
1683 <i>Fusca</i>	Brown Knot-horn	<i>St. 4, p. 310.</i> <i>7451 PHYCITA.</i>	Darent Wood; but very rare. June.

## ADDITIONS.

PL. 52





## DOUBTFUL BRITISH SPECIES.

---

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
<b>PAPILIO.</b>			
1 Podalirius	Scarce Swallow-tail	<i>D. 4, pl. 109. St. 1, p. 6.</i> <b>5795 PAPILIO.</b>	Not authenticated as British.
2 Palæno		<i>Hub. t. 86, f. 434. St. 1,</i> <i>p. 11.</i> <b>5798 COLIAS.</b>	Introduced as British by Martyn in his Aurelian's Vade-Mecum.
3 Apollo	Crimson-ringed	<i>D. 13, t. 433. St. 1, p. 25.</i> <b>5813 DORITIS.</b>	Introduced by Donovan as British, but without sufficient authority.
4 Mnemosyne		<i>St. 1, p. 26.</i> <b>5814 DORITIS.</b>	Marked by Turton as British in his Translation of the <i>Systema Naturæ</i> .
5 Maturna		<i>St. 1, p. 33.</i> <b>5821 MELITEA.</b>	Not authenticated as British.
6 Niobe		<i>St. 1, p. 37.</i> <b>5826 ARGYNNIS.</b>	In the indigenous collection of the late Dr. Abbot of Bedford.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
7 <i>Hampstedi-</i> <i>ensis</i>	Albin's Hamp- stead Eye	<i>St. 1, p. 48, t. 5, f. 3 &amp; 4.</i> Vanessa. 5837 CYNTHIA.	The only speci- men of this in- sect is figured by Petiver, who says it was found by Albin at Hampstead.
8 <i>Huntera</i>		<i>St. 4, p. 381.</i> Vanessa.	Said to be taken in Pembrok- shire by Capt. Blomer.
9 <i>Levana</i>		<i>St. 1, p. 49.</i> Vanessa. 1838 CYNTHIA.	Considered by Turton as a native species.
10 <i>Populi</i>		<i>St. 1, p. 51.</i> 5840 LIMENITIS.	Said by Stewart to be British, and found in July.
11 <i>Sibilla</i>		<i>St. 1, p. 52.</i> 5842 LIMENITIS.	Also said by Stewart to be British.
12 <i>Maera</i>		<i>St. 1, p. 55.</i> 5844 HIPPARCHIA.	Introduced as British, prob- ably by mis- take for <i>H.</i> <i>Egeria.</i>
13 <i>Phædra.</i>		<i>St. 1, p. 56.</i> 5846 HIPPARCHIA.	Noticed as Bri- tish by Turton.
14 <i>Aleyone</i>		<i>St. 1, p. 56.</i> 5847 HIPPARCHIA.	Said by Stewart to inhabit Scotland.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
15 <i>Mnestra</i>		<i>St. 1, p. 63.</i> 5855 <b>HIPPARCHIA.</b>	Admitted as British by mistake.
16 <i>Alcon</i>		<i>St. 1, p. 88.</i> <b>Polyommatus.</b>	Introduced by Haworth in the old Entomological Transactions.
17 <i>Malvæ</i>		<i>St. 1, p. 98.</i> 5888 <b>THYMELE.</b>	Mr. Stephens does not believe that this insect has ever been taken in England.
18 <i>Sylvius</i>		<i>St. 1, p. 100.</i> 5892 <b>PAMPHILA.</b>	Said to be English, but not satisfactorily ascertained.
19 <i>Globulariæ</i>		<i>St. 1, p. 106.</i> 5899 <b>Ino.</b>	Introduced in the Syst. Cat. in mistake for a var. of Statices.
20 <i>Scabiosæ</i>		<i>St. 1, p. 108.</i> 5901 <b>ANTHROCERA.</b>	According to Mr. Haworth, this insect was taken near London by Capt. Lindgren.
21 <i>Peucedani</i>		<i>St. 4, p. 383.</i> 5906 <b>ANTHROCERA.</b>	Mistaken by Wilkes for <i>An. Filipendulæ.</i>

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
SPHINX.			
22 <i>Carolina</i>	Tobacco	<i>C. 5, t. 197. St. 1, p. 118.</i> 5911 SPHINX.	Taken in England, but imported from America.
23 <i>Quinque-maculatus</i>	Yellow-spot- ted Unicorn	<i>D. 11, t. 361. St. 1,</i> * <i>p. 119.</i> 3912 SPHINX.	Also a North American insect, but has been taken at Chelsea.
24 <i>Druræi</i>		<i>D. 14, t. 469. St. 1,</i> <i>p. 120.</i> 5914 SPHINX.	A native of America; but taken at four different times in England.
25 <i>Plebeia</i>		<i>St. 1, p. 122.</i> 5917 SPHINX.	Introduced into the old English Cabinets in mistake for Pinastri.
26 <i>Pœcila</i>		<i>St. 1, p. 122.</i> 5918 SPHINX.	Mr. Stephens doubts the authenticity of this insect, said to be British.
27 <i>Daucus</i>		<i>St. 1, p. 126.</i> 5922 DEILEPHILA.	Taken near Lynn in Norfolk; but a native of America.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
28 <i>Argentata</i>		<i>Sl. 1, p. 130.</i> 5924 <b>DEILEPHILA.</b>	Found in some old Cabinets; but not considered as British.
29 <i>Thysbe</i>		<i>Sl. 1, p. 135.</i> <b>Sesia Cimbiformis.</b>	A native of North America; but obtained from Plastead's Cabinet as British by Mr. Stephens.

## PHALÆNA.

30 <i>Anastomosis</i>		<i>Sl. 2, p. 13.</i> 5953 <b>CLOSTERA.</b>	Mr. Stephens has never seen an indigenous specimen, though Stewart has it in his Elements of Natural History as British.
31 <i>Quernea</i>		<i>Sl. 2, p. 31.</i> 5980 <b>CHAONIA.</b>	Haworth supposed this to be British.
32 Tau	Tau Emperor	<i>Sl. 2, p. 37.</i> 5984 <b>AGLAIA.</b>	Mentioned as British by Martyn only in his Aurelian's Vade-Mecum.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
33 <i>Dumeti</i>		<i>St. 2, p. 41.</i> 5991 <b>LASIOCampa.</b>	Mentioned by Stewart as British; but doubtful.
34 <i>Proces-sionea</i>	Processionary	<i>St. 2, p. 47.</i> 5995 <b>CNETHOCampa.</b>	Pronounced British by Martyn and Stewart; but on no good foundation.
35 <i>Ilicifolia</i>		<i>St. 2, p. 53.</i> 6002 <b>GASTROPACHA.</b>	Introduced by Turton; but not ascertained to be British.
36 <i>Populifolia</i>		<i>St. 2, p. 53.</i> 6003 <b>GASTROPACHA.</b>	Martyn has given this as British.
37 <i>Mori</i>	Silkworm	<i>A. t. 12, f. 16. H. t. 13,</i> <i>f. a—f. St. 4, p. 385.</i> Bombyx.	Figured in the British works of Albin and Harris; but not indigenous.
38 <i>Matronula</i>		<i>St. 2, p. 70.</i> 6019 <b>ARCTIA.</b>	Noticed as British by Dr. Turton.
39 <i>Hebe</i>		<i>St. 2, p. 71.</i> 6021 <b>ARCTIA.</b>	Reputed, but improperly, to be British.
40 <i>Purpurea</i>		<i>St. 2, p. 71.</i> 6022 <b>ARCTIA.</b>	Given as British by Turton and Stewart.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
41 <i>Aulica</i>		<i>St. 2, p. 71.</i> 6023 <i>ARCTIA.</i>	In Martyn's Aurelian's <i>Vade-mecum.</i>
42 <i>Rubea</i>		<i>St. 2, p. 79.</i> 6082 <i>PENTHOPHERA.</i>	In Samouelle's Introduction to the Knowledge of British Insects; but without author- ity.
43 <i>Depuncta</i>		<i>St. 2, p. 133.</i> 6119 <i>GRAPHIPHORA.</i>	Entered as Bri- tish by Mr. Haworth in his <i>Prodromus.</i>
44 <i>Imbecilla</i>		<i>Curtis's Guide, p. 180.</i> Graphiphora.	Supposed to be British by Mr. Curtis.
45 <i>Ferspicil- laris</i>		Calophasia.	Introduced by mistake for a var. of <i>conspi- cillaris</i> , in the British Mu- seum.
46 <i>Ludifica</i>		<i>St. 3, p. 46.</i> 6293 <i>DIPHTHERA.</i>	Marked by Turton as British.
47 <i>Pteridis</i>		<i>St. 3, p. 49.</i> 6298 <i>DIPHTHERA.</i>	Mentioned as British by Samouelle.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
48 <i>Luteago</i>		<i>St. 3, p. 70.</i> 6328 <b>GORTYNA.</b>	Inserted by Samouelle in the Entomologist's Compendium.
49 <i>Gnaphalii</i>		<i>St. 3, p. 90.</i> 6364 <b>CUCULLIA.</b>	Introduced by mistake for Solidaginis.
50 <i>Asclepiadis</i>		<i>St. 3, p. 97.</i> 6371 <b>ABROSTOLA.</b>	Said to have been taken in England; but Mr. Stephens has not seen an indigenous specimen.
51 <i>Celsia</i>		<i>St. 3, p. 99.</i> <b>Calotænia.</b> 6374 <b>CELSLA.</b>	Introduced into the Vade-Mecum as British by Marty.
52 <i>Chalecytis</i>		Plusia.	Supposed to be British; but not ascertained.
53 <i>Ludicra</i>	Scarce Black-neck	<i>St. 3, p. 126.</i> 6417 <b>OPHIUSA.</b>	In Mr. Swainson's Collection.
54 <i>Leucomelas</i>	Large Four-spotted	<i>St. 3, p. 128.</i> 6420 <b>CATEPIA.</b>	This insect was in the late Mr. Haworth's Cabinet

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
55 <i>Elocata</i>		<i>C. 5, t. 217. St. 3, p. 132. 6424 CATOCALA.</i>	Obtained from the late Mr. Blunt's Cabinet by Mr. Curtis; but a native of Portugal.
56 <i>Pacta</i>		<i>St. 3, p. 133. 6426 CATOCALA.</i>	A native of Norway; mistaken by Wilkes for British.
57 <i>Triquetra</i>		<i>St. 3, p. 139. 6434 EUCLIDIA.</i>	A native of Hungary; inserted by mistake in the Entomologist's Compendium.
58 <i>Alniaria</i>	Canary-shouldered Thorn	<i>St. 3, p. 164. 6460 GEOMETRA.</i>	In Stewart's Elements of Natural History as British.
59 <i>Dilectaria</i>	Small Thorn	<i>St. 3, p. 204. Epione. 6526 BRADYEPETES.</i>	Supposed only by Haworth to be British.
60 <i>Ocellaria</i>		<i>St. 3, p. 200. Ephyra.</i>	Of doubtful authenticity.
61 <i>Monilis</i>		<i>St. 4, p. 391. Hypsolopha.</i>	Mentioned by Fabricius as inhabiting England; but is a native of Georgia.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
62 <i>Melanaria</i>	Yellow-under-winged Magpie	<i>St. 3, p. 149.</i> Fidonia. 6591 —.	The late Mr. Haworth, though he admitted this from report as British, had seen only foreign specimens.
63 <i>Tinctaria</i>		<i>St. 3, p. 291.</i> Cleogene. 6681 MINOA.	Locality not known.
64 <i>Purpuraria</i>	Purple-barred Yellow	<i>St. 3, p. 207.</i> Aspilates.	A reputed British specimen is in Mr. Swainson's Cabinet; the reference in p. 89, No. 539, is to <i>Asp. gilvaria</i> ♀.
65 <i>Decoraria</i>		<i>Curtis's Guide, p. 194.</i> Acidalia.	Indicated as doubtful by Mr. Curtis.
66 <i>Fascialis</i>		<i>St. 4, p. 33.</i> Ennychia.	Introduced by mistake.
67 <i>Dimidiatus</i>	Tea Tabby	<i>St. 4, p. 24.</i> 6775 AGLOSSA.	Brought with the tea from the East Indies; not indigenous.
68 <i>Marginatus</i>		<i>Haworth.</i>	Introduced by Haworth.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
69 <i>Magnifica</i> lis	Brindled	<i>St. 4, p. 395.</i> <i>Cataclysta.</i>	Stated by Hübner to be found in England; a mistake probably, for <i>New England</i> .
70 <i>Nebulalis</i>	Dusky Brindled	<i>St. 4, p. 60.</i> <i>Margaritia.</i> <i>6835 Scopula.</i>	Introduced by mistake as synonymous with <i>Prunalis</i> .
71 <i>Anthracinellus</i>		<i>St. 4, p. 348.</i> <i>Euplocamus.</i>	Introduced by Turton without authority.
72 <i>Bracteella</i>		<i>Curtis's Guide, p. 208.</i> <i>Enicostoma.</i>	Supposed by Curtis to be British.



*BOUPLATE BRITTONI* D'URB.


PL. 53





DOUBTFUL BRITISH SPECIES.

Pl. 54





# INDEX.

\*.\* The Generic names in the third column as altered by Mr. Stephens since his Catalogue was published, have been adopted in this Index.

PAPILIO.	Pl.	Pl.	Pl.
Apatura Iris, <i>page</i> 5...	1	Melitaea Dia, <i>page</i> 239	52
Argynnis Adippe, 4 ...	1	Euphrosyne, 3 .....	1
Aglaia, 4 .....	1	Maturna, 243 .....	53
Lathonia, 3 .....	1	Pyronia, 239.....	52
Niobe, 243 .....	53	Selene, 3 .....	1
Paphia, 4 .....	1	Nemeobius Lucina, 3. .	1
Colias Chrysotheme, 1	1	Papilio Machaon, 1 ..	1
Edusa, 1 .....	1	Podalirius, 243 .....	53
Europome, 1 .....	1	Pamphila Actaeon, 9...	3
Ilyale, 2 .....	1	Bucephalus, 10 ...	3
Paleno, 243 .....	53	Comma, 10 .....	3
Cynthia Cardui, 5.....	1	Linea, 9 .....	3
Hampstediensis, 244	53	Panisces, 9 .....	3
Levana, 244 .....	53	Sylvanus, 9 .....	3
Doritis Apollo, 243 .....	53	Sylvius, 245 .....	53
Mnemosyne, 243 .....	53	Pieris Crataegi, 3 .....	1
Gonepteryx Rhamni, 1	1	Polyommatus Acis, 8 .	3
Hipparchia Ægeria, 6.	2	Adonis, 8 .....	3
Alcyone, 244 .....	53	Agestis, 9 .....	3
Arcanius, 239 .....	52	Alcon, 245 .....	53
Blandina, 6 .....	2	Alexis, 8 .....	3
Cassiope, 6 .....	2	Alsus, 8.....	3
Davus, 6 .....	2	Argiolus, 7 .....	3
Galathea, 5 .....	2	Argus, 8 .....	3
Hero, 6.....	2	Arion, 8 .....	3
Hyperanthus, 6 ....	2	Artaxerxes, 9 .....	3
Janira, 5 .....	2	Corydon, 8 .....	3
Ligea, 6 .....	2	Dorylas, 8.....	3
Mara, 244 .....	53	Eros, 8 .....	3
Megæra, 5.....	2	Icarius, 8 .....	3
Mnestra, 245 .....	53	Salmacis, 9 .....	3
Paphilus, 6 .....	2	Pontia Brassice, 2 .....	1
Phædra, 244.....	53	Cardamine, 2 .....	1
Polydama, 6 .....	2	Chariclea, 2 .....	1
Semele, 5 .....	2	Duplicide, 2 .....	1
Tithonus, 5 .....	2	Metra, 2 .....	1
Leucophasia Sinapis, 2	2	Napi, 2 .....	1
Limenitis Camilla, 5... .	2	Rape, 2 .....	1
Populi, 244 .....	53	Sabellice, 2 .....	1
Sibilla, 244 .....	53	Theela Betule, 6 .....	2
Lycæna Chryseis, 7 ...	2	Pruni, 6.....	2
Dispar, 7 .....	3	Quereus, 7 .....	2
Hippothoe, 7 .....	2	Rubi, 7 .....	2
Phæcas, 7 .....	2	Spini, 7 .....	2
Virgaureæ, 7.....	3	W. Album, 7.....	2
Melitæa Artemis, 3 ...	1	Thymele Alveolus, 9..	3
Athalia, 3 .....	1	Malvae, 245 .....	53
Cinxia, 3 .....	1	Tages, 9 .....	3
		Vanessa Antiopa, 4 ...	1

Pl.	Pl.	Pl.
Smerinthus Populi, page 12 ..... 4	Acontia Caloris, <i>page</i> 73 ..... 17	Agrotis Nigricans, <i>page</i> 35 ..... 9
Tilia, 12 ..... 4	Luctuosa, 73 ..... 17	Obeliscata, 36 ..... 9
Sphinx Carolina, 246 ..... 53	Solaris, 73 ..... 17	Ocellina, 35 ..... 9
Convolvuli, 12 ..... 4	Acosmetia Arcuosa, 75 ..... 17	Plaga, 240 ..... 52
Druiae, 246 ..... 53	Caliginosa, 75 ..... 17	Pupillata, 35 ..... 9
Ligustri, 12 ..... 4	Lineola, 75 ..... 17	Radia, 34 ..... 9
Pinastri, 12 ..... 4	Lutescens, 75 ..... 17	Radiola, 34 ..... 9
Plebeia, 246 ..... 53	Rufa, 75 ..... 17	Ruris, 36 ..... 9
Pœcila, 246 ..... 53	Aeria Emarginella, 179 ..... 40	Sagittifera, 34 ..... 9
Quinque-maculatus, 246 ..... 53	Acronycta Alni, 60 ..... 14	Segetum, 33 ..... 9
Thyridopteryx Ephemeriformis, 239 ..... 52	Auricoma, 61 ..... 14	Subgothica, 36 ..... 9
Trochilium Apiformis, 14 ..... 4	Cuspis, 240 ..... 52	Suffusa, 34 ..... 9
Crabroniformis, 14 ..... 4	Euphorbiæ, 61 ..... 14	Tritici, 35 ..... 9
PHALÆNA.		
Ablavia Quadri-punctata, 147 ..... 33	Euphrasie, 61 ..... 14	Valligera, 34 ..... 9
Abraxas Grossulariata, 97 ..... 22	Ligustri, 60 ..... 14	Venosa, 35 ..... 9
Pantaria, 97 ..... 22	Megacephala, 60 ..... 14	Alabonia Geoffroyella, 181 ..... 40
Ulmata, 97 ..... 22	Menyanthedis, 61 ..... 14	Alcis Consobrina, 85 ..... 20
Abrostola Asclepiadis, 250 ..... 54	Psi, 60 ..... 14	Consortaria, 85 ..... 19
Illustris, 71 ..... 16	Rumicis, 61 ..... 14	Conversaria, 84 ..... 19
Triplacea, 70 ..... 16	Strigosa, 240 ..... 52	Destrigaria, 84 ..... 19
Urticæ, 71 ..... 16	Tridens, 60 ..... 14	Fimbriaria, 85 ..... 20
Achatis Piniperda, 56 ..... 13	Actebia Praecox, 57 ..... 13	Muraria, 84 ..... 19
Achroia Alvearia, 207 ..... 45	Adactylus Bennetii, 234 ..... 51	Repandata, 84 ..... 19
Acidalia Aversata, 113 ..... 26	Adela Cuprella, 182 ..... 40	Rhomboïdaria, 85 ..... 20
Decoraria, 252 ..... 54	De Geerella, 182 ..... 40	Roboraria, 85 ..... 20
Floslactata, 114 ..... 26	Fasciella, 182 ..... 40	Sericaria, 84 ..... 19
Fuliginata, 114 ..... 26	Frischella, 183 ..... 41	Alucita Hexadactyla, 238 ..... 51
Fumata, 114 ..... 26	Latreillella, 182 ..... 40	Pocillopdactyla, 238 ..... 51
Inornata, 113 ..... 26	Panzerella, 183 ..... 41	Polydactyla, 238 ..... 51
Lactata, 114 ..... 26	Reaumurella, 182 ..... 40	Amaurosetia Albifront-
Marginepunctata, 113 ..... 25	Robertella, 183 ..... 41	tella, 228 ..... 50
Osseata, 113 ..... 25	Sulzella, 182 ..... 40	Albinella, 228 ..... 50
Remutata, 113 ..... 26	Swammerdammella, 183 ..... 41	Atrella, 228 ..... 49
Subsericeata, 113 ..... 26	Viridella, 183 ..... 41	Cerusella, 228 ..... 49
Virgularia, 113 ..... 26	Æthia Emortalis, 118 ..... 27	Megerella, 228 ..... 50
Acleris Bifidana, 160 ..... 36	Aglia Tau, 247 ..... 53	Minutella, 228 ..... 49
Cerusana, 160 ..... 36	Aglossa Cuprealis, 119 ..... 27	Oppositella, 227 ..... 49
Gnomana, 160 ..... 36	Dimidiatus, 252 ..... 54	4-Punctella, 228 ..... 49
Scabrama, 160 ..... 36	Pinguinalis, 119 ..... 27	Amphyipyra Pyramidea, 46 ..... 11
Subtripunctulana, 160 ..... 36	Streatfieldii, 119 ..... 27	Anacampsis Affinis, 175 ..... 39
Tripunctulana, 160 ..... 36	Agroterta Flammalis, 120 ..... 27	Albimaculea, 178 ..... 40
Acompsia Cinerella, 180 ..... 40	Agrotis Æqua, 33 ..... 9	Aleella, 178 ..... 40
Tinctella, 180 ..... 40	Annexa, 34 ..... 9	Alternella, 178 ..... 40
Unitella, 180 ..... 40	Aquilina, 35 ..... 9	Angustella, 178 ..... 40
Acontia Aprica, 241 ..... 52	Corticea, 33 ..... 9	Annulicornis, 174 ..... 39
	Cinerea, 36 ..... 9	Aspera, 175 ..... 39
	Cuneigera, 35 ..... 9	Atra, 177 ..... 39
	Cursoria, 240 ..... 52	Betulea, 173 ..... 39
	Dubia, 36 ..... 9	Bifasciella, 179 ..... 40
	Exclamationis, 36 ..... 9	Cinerella, 174 ..... 39
	Fumosa, 36 ..... 9	Contigua, 176 ..... 39
	Hortorum, 35 ..... 9	Decorella, 177 ..... 39
	Lineolata, 35 ..... 9	Diffinis, 175 ..... 39
	Lunigera, 33 ..... 9	Dodecella, 174 ..... 39
	Nebulosa, 36 ..... 9	

Pl.	Pl.	Pl.
<i>Anacampsis Domestica</i> , page 175 ..... 39	<i>Anesychia Pusilla</i> , page 185 ..... 41	<i>Aphelosetia Semial-</i> <i>bella</i> , page 205 ... 45
<i>Fulvescens</i> , 178 ... 40	<i>Angerona Prunaria</i> , 82 19	<i>Triatomea</i> , 205..... 45
<i>Fuscescens</i> , 178 ... 40	<i>Ania Emarginata</i> , 116. 26	<i>Aplocera Cesiata</i> , 108 25
<i>Guttifera</i> , 177 ..... 39	<i>Limata</i> , 116 ..... 26	<i>Flavicinctata</i> , 108... 25
<i>Hortuella</i> , 173 ..... 39	<i>Anisopteryx Escula-</i> <i>ria</i> , 79 ..... 21	<i>Araxes Ahenella</i> , 214 . 47
<i>Hubneri</i> , 176 ..... 39	<i>Leucophearia</i> , 78... 21	<i>Lotella</i> , 214 ..... 47
<i>Interruptella</i> , 178... 40	<i>Anticlea Albana</i> , 144. 32	<i>Miniosella</i> , 213..... 47
<i>Juniperella</i> , 173 ... 38	<i>Ascelana</i> , 145 ..... 32	<i>Ocellea</i> , 214 ..... 47
<i>Lacteella</i> , 175 ..... 39	<i>Berberata</i> , 95 ..... 22	<i>Arctia Aulica</i> , 249 ... 54
<i>Lanceoella</i> , 176 ... 39	<i>Bilunana</i> , 144 ..... 32	<i>Caja</i> , 25..... 7
<i>Laticinctella</i> , 173... 38	<i>Derivata</i> , 95 ..... 22	<i>Hebe</i> , 248..... 54
<i>Listerella</i> , 173 ..... 39	<i>Fimbriana</i> , 144.... 32	<i>Matronula</i> , 248..... 54
<i>Longicornis</i> , 174 ... 39	<i>Harpana</i> , 144 ..... 22	<i>Purpurea</i> , 248 ..... 54
<i>Luctuella</i> , 176 ..... 39	<i>Incarvana</i> , 144.... 32	<i>Villica</i> , 25..... 7
<i>Lutarea</i> , 174..... 39	<i>Mitterbacheriana</i> ,	<i>Argyrolepia Eneana</i> ,
<i>Maculella</i> , 177 ..... 39	145 ..... 32	164 ..... 37
<i>Marmorea</i> , 177..... 39	<i>Nævana</i> , 144..... 32	<i>Bistrigana</i> , 164..... 37
<i>Mouffetella</i> , 174 ... 39	<i>Nigromaculana</i> , 144 32	<i>Desimana</i> , 164 .... 37
<i>Nebulea</i> , 173 ..... 39	<i>Paykulliana</i> , 144 ... 32	<i>Lathoniana</i> , 164 ... 37
<i>Nivella</i> , 178 ..... 39	<i>Rubidata</i> , 95..... 22	<i>Margaritana</i> , 164 ... 37
<i>Proxima</i> , 176 ..... 39	<i>Sinuata</i> , 95 ..... 22	<i>Tesserana</i> , 164 ..... 37
<i>Quadri-punctata</i> , 179 ..... 40	<i>Sociana</i> , 144..... 32	<i>Argyromyges Alnifoli-</i>
<i>Rhombella</i> , 174 ... 39	<i>Subocellana</i> , 145 ... 32	<i>ella</i> , 192 ..... 43
<i>Rusticella</i> , 176 ..... 39	<i>Antithesia Betuletana</i> ,	<i>Autumnella</i> , 193 ... 43
<i>Sarcitella</i> , 175 ..... 39	134 ..... 30	<i>Blanchardella</i> , 190 . 42
<i>Sequax</i> , 176 ..... 39	<i>Corticana</i> , 134 ..... 30	<i>Clerkella</i> , 193 ..... 43
<i>Subrosea</i> , 177 ..... 39	<i>Gentianæana</i> , 135 . 30	<i>Corylifoliella</i> , 192... 42
<i>Subcinerea</i> , 174 .... 39	<i>Grevilleana</i> , 135 .. 30	<i>Cramerella</i> , 191 .... 42
<i>Subocellea</i> , 177 ... 39	<i>Marginana</i> , 135 .... 30	<i>Cuculipenella</i> , 192 . 42
<i>Tremella</i> , 177 ..... 39	<i>Oblongana</i> , 135 ... 30	<i>Cydoniella</i> , 190..... 42
<i>Tricolorella</i> , 176 ... 39	<i>Pruniana</i> , 135 ..... 30	<i>Harrisella</i> , 191 ..... 42
<i>Zephyrella</i> , 173 ... 39	<i>Pullana</i> , 135 ..... 30	<i>Hortella</i> , 192 ..... 42
<i>Anaitis Plagiata</i> , 96 ... 22	<i>Salicella</i> , 135 ..... 30	<i>Klemanella</i> , 191 ... 42
<i>Präformata</i> , 97..... 22	<i>Tripunktana</i> , 134 ... 30	<i>Mespilella</i> , 191..... 42
<i>Anania 8-maculata</i> , 122 28	<i>Connexa</i> , 240 ..... 52	<i>Nivella</i> , 193 ... 42
<i>Anarta Cordigera</i> , 241 52	<i>Apamea Didyma</i> , 54... 12	<i>Obscurella</i> , 192..... 43
<i>Heliaca</i> , 73 ..... 17	<i>Fibrosa</i> , 53 ..... 12	<i>Rayella</i> , 191 ..... 42
<i>Myrtilli</i> , 73 ..... 16	<i>Furca</i> , 54 ..... 13	<i>Rufipunctella</i> , 192 . 43
<i>Vidua</i> , 73 ..... 17	<i>I-Niger</i> , 54 ..... 12	<i>Schreberella</i> , 190 ... 42
<i>Anchylopera Cuspida-</i> <i>na</i> , 143 ..... 32	<i>Nicitans</i> , 53..... 12	<i>Semiaurella</i> , 193 ... 43
<i>Derasana</i> , 144 ..... 32	<i>Oculea</i> , 54..... 12	<i>Spartifoliella</i> , 193 .. 43
<i>Deminutana</i> , 143 ... 32	<i>Ophiogramma</i> , 54... 13	<i>Sylvella</i> , 192..... 42
<i>Fractifasciana</i> , 143 . 32	<i>Secalina</i> , 53 ..... 12	<i>Trifaciella</i> , 191 ... 42
<i>Funalana</i> , 143 ..... 32	<i>Apataela Aceris</i> , 60 ... 14	<i>Tristrigella</i> , 191 ... 42
<i>Lundana</i> , 142 ..... 32	<i>Bradyoporina</i> , 60 ... 14	<i>Ulmifoliella</i> , 192 ... 43
<i>Lyellana</i> , 142 ..... 32	<i>Leporina</i> , 59..... 14	<i>Unipunctella</i> , 193... 43
<i>Obtusana</i> , 142 ... 32	<i>Aphelosetia Auritella</i> ,	<i>Argyrosetia Aurifasci-</i>
<i>Siculana</i> , 143 ..... 32	205 ..... 45	<i>ella</i> , 190 ..... 42
<i>Uncana</i> , 143..... 32	<i>Cygnipennella</i> , 205 . 45	<i>Aurivittella</i> , 190 ... 42
<i>Unculana</i> , 142 ..... 32	<i>Floslactis</i> , 205 ..... 45	<i>Brockella</i> , 190 ..... 42
<i>Ustomaculana</i> , 143. 32	<i>Fulvescens</i> , 206 ... 45	<i>Gedartella</i> , 189 ... 42
<i>Anesychia Dodecea</i> , 185 ..... 41	<i>Lucidella</i> , 205 ..... 45	<i>I. V-ella</i> , 190 ..... 42
<i>Echiella</i> , 185..... 41	<i>Marginea</i> , 206 ..... 45	<i>Literella</i> , 190 ..... 42
<i>Funerella</i> , 185 ..... 41	<i>Ocella</i> , 205 ..... 45	<i>Semifasciella</i> , 189... 42
	<i>Rufipennella</i> , 206... 45	<i>Argyrotoza Bergman-</i>
	<i>Rufocinerca</i> , 205 ... 45	<i>niana</i> , 163..... 36
	2 L 2	<i>Conwayana</i> , 163 ... 37

Pl.	Pl.	Pl.
<i>Argyrotoza Daldorfiana,</i> <i>page</i> 164 ..... 37	<i>Calocampa Exoleta,</i> <i>page</i> 48 ..... 11	<i>Catocala Elocata, page</i> 251 ..... 54
<i>Hoffmannsegiana,</i> 163 ..... 36	<i>Vetusta, 47</i> ..... 11	<i>Fraxini, 76</i> ..... 17
<i>Subaurantiana, 163.</i> 37	<i>Callisto Fuscocuprella,</i> 201 ..... 44	<i>Nupta, 76</i> ..... 17
<i>Aspilates Citraria, 89..</i> 20	<i>Fuscoviridella, 201..</i> 44	<i>Pacta, 251</i> ..... 54
<i>Gilvaria, 89</i> ..... 20	<i>Fyesella, 201</i> ..... 44	<i>Promissa, 76.</i> ..... 17
<i>Purpuraria, 252.</i> ..... 54	<i>Guttea, 200</i> ..... 44	<i>Sponsa, 76.</i> ..... 17
<i>Respersaria, 89.....</i> 20	<i>Callimorpha Jacobææ,</i> 28 ..... 8	<i>Celæria Haworthii, 56</i> 13
<i>Astyages Coracipen-</i> <i>nella, 202</i> ..... 44	<i>Minia, 28</i> ..... 8	<i>Hibernica, 56</i> ..... 13
<i>Cylindrella, 201.....</i> 44	<i>Calophasia Linaræ, 70</i> 16	<i>Lancea, 56</i> ..... 13
<i>Flaviciput, 202</i> ..... 45	<i>Perspicillaris, 249</i> ..... 54	<i>Renigera, 56.</i> ..... 13
<i>Grandipennis, 201..</i> 44	<i>Calotænia Celsia, 250</i> 54	<i>Celma Imbutata, 96.</i> 22
<i>Gryphipennella, 202</i> 44	<i>Campaea Margaritata,</i> 82 ..... 19	<i>Ceropacha Diluta, 62.</i> 14
<i>Lutarea, 202.....</i> 44	<i>Camptogramma Bili-</i> <i>neata, 100</i> ..... 23	<i>Duplaris, 62</i> ..... 14
<i>Nigricella, 202</i> ..... 46	<i>Camptylochila Bistri-</i> <i>galis, 119</i> ..... 27	<i>Flavicornis, 63</i> ..... 14
<i>Obscurella, 202.....</i> 44	<i>Undulalis, 119</i> ..... 27	<i>Fluctuosa, 62</i> ..... 14
<i>Ochroleucella, 202..</i> 44	<i>Capua Ochraceana,</i> 163 ..... 36	<i>Octogesima, 63</i> ..... 14
<i>Serratella, 202</i> ..... 44	<i>Caradrina Alsines, 43.</i> 11	<i>Or, 62</i> ..... 14
<i>Bactra Egenana, 147.</i> 33	<i>Ambigua, 43</i> ..... 10	<i>Ridens, 63.</i> ..... 14
<i>Egestana, 147</i> ..... 33	<i>Cubicularis, 44</i> ..... 11	<i>Cerigo Texta, 32</i> ..... 8
<i>Expallidana, 147</i> ... 33	<i>Glareosa, 44</i> ..... 11	<i>Cerostoma Annulatel-</i> <i>lus, 223</i> ..... 49
<i>Pauperana, 147.....</i> 33	<i>Implexa, 44</i> ..... 11	<i>Maculipennis, 223.</i> 49
<i>Plagana, 147.....</i> 33	<i>Laevis, 44</i> ..... 11	<i>Porrectella, 223</i> ... 49
<i>Bapta Bimaculata, 108</i> 24	<i>Morpheus, 44</i> ..... 11	<i>Xystostella, 223</i> ..... 49
<i>Punctata, 108</i> ..... 25	<i>Redacta, 43</i> ..... 11	<i>Cerura Arcuata, 18</i> ... 5
<i>Batia Flavifrontella, 207</i> 45	<i>Sepii, 44</i> ..... 11	<i>Bicuspis, 17</i> ..... 5
<i>Lambdalla, 206.....</i> 45	<i>Superstes, 44</i> ..... 11	<i>Bifida, 18</i> ..... 5
<i>Lunaris, 206</i> ..... 45	<i>Carpocapsa Aspidis-</i> <i>cana, 146</i> ..... 11	<i>Erminea, 18</i> ..... 5
<i>Lutarella, 206</i> ..... 45	<i>Areolana, 242</i> ..... 52	<i>Furcula, 18</i> ..... 5
<i>Panzerella, 206.....</i> 45	<i>Cana, 147</i> ..... 11	<i>Fuscinula, 18</i> ..... 5
<i>Saturatella, 206</i> ..... 45	<i>Fulvana, 146</i> ..... 33	<i>Integra, 17</i> ..... 5
<i>Biston Betularius, 80.</i> 18	<i>Grossana, 145</i> ..... 33	<i>Latifascia, 18</i> ..... 5
<i>Hirtarius, 80...</i> 18	<i>Hypericana, 146</i> ... 33	<i>Vinula, 18</i> ..... 5
<i>Prodromarius, 79</i> ... 18	<i>Lanceolana, 146</i> ... 33	<i>Chaonia Dodonea, 20.</i> 6
<i>Boarmia Abietaria, 85.</i> 20	<i>Leplastriana, 146</i> ... 33	<i>Roboris, 20</i> ..... 6
<i>Consonaria, 86</i> ..... 20	<i>Perlepidana, 146</i> ... 33	<i>Querneea, 247</i> ..... 53
<i>Crepuscularia, 86</i> ... 20	<i>Pomonella, 145</i> ..... 33	<i>Charæas Cespitis, 32.</i> 8
<i>Extersaria, 86</i> ..... 20	<i>Pupillana, 146</i> ..... 33	<i>Confinis, 33</i> ..... 8
<i>Punctularia, 86.....</i> 20	<i>Rheidiella, 146</i> ..... 33	<i>Fusca, 33</i> ..... 8
<i>Strigularia, 86</i> ..... 20	<i>Rufana, 147</i> ..... 33	<i>Graminis, 33</i> ..... 8
<i>Tetragonaria, 85</i> ... 20	<i>Scopoliana, 147</i> ..... 33	<i>Nigra, 33</i> ..... 8
<i>Bombycia Viminalis, 63</i> 14	<i>Splendana, 145</i> ..... 33	<i>Chatocillus Costellus,</i> 221 ..... 48
<i>Bombyx Mori, 248</i> ... 54	<i>Stelliferana, 146</i> ... 33	<i>Fissellus, 222</i> ..... 48
<i>Bradypetes Amataria,</i> 88 ..... 20	<i>Weberana, 145</i> ..... 33	<i>Maurellus, 222</i> ..... 48
<i>Brepha Notha, 77</i> ..... 17	<i>Cataclysta Lemnata,</i> 123 ..... 28	<i>Radiatellus, 222</i> ... 48
<i>Parthenias, 77</i> ..... 17	<i>Magnificalis, 253</i> ... 54	<i>Rufimitrellus, 222..</i> 48
<i>Puella, 77</i> ..... 17	<i>Catephia Leucomelas,</i> 250 ..... 54	<i>Sequellus, 223</i> ..... 49
<i>Bryophila Glandifera,</i> 61 ..... 14	<i>Trifasciata, 76</i> ..... 17	<i>Sylvellus, 222</i> ..... 48
<i>Perla, 61</i> ..... 14	<i>Catocala Conjuncta, 77</i> 17	<i>Variellus, 222</i> ..... 48
<i>Bupalus Piniarius, 78.</i> 18		<i>Vittellus, 222</i> ..... 49
<i>Cabera Exanthemata,</i> 87 ..... 20		<i>Chariclea Delphinii, 70</i> 16
<i>Pusaria, 87</i> ..... 20		<i>Charissa Dilucidaria,</i> 101 ..... 23
<i>Rotundaria, 87</i> ..... 20		<i>Obscuraria, 100</i> ..... 23
		<i>Operaria, 101</i> ..... 23
		<i>Pullata, 101</i> ..... 23

Pl.	Pl.	Pl.
<i>Charissa Serotinaria,</i> page 101 ..... 23	<i>Clisiocampa Neustria,</i> page 22 ..... 6	<i>Crambus Inquinatellus,</i> page 218 ..... 48
<i>Cheimatobia Brumata,</i> 102 ..... 23	<i>Closteria Anachoreta,</i> 17 Anastomosis, 247... 53	<i>Latistrius,</i> 217 ..... 47
<i>Rupicaprarria,</i> 102... 23	<i>Curtula,</i> 17 ..... 5	<i>Luteellus,</i> 218 ..... 48
<i>Cheimophila Phrygana-</i> <i>nella,</i> 184 ..... 41	<i>Reclusa,</i> 17 ..... 5	<i>Lythargyrellus,</i> 214. 47
<i>Cheimatophila Casta-</i> <i>neana,</i> 163 ..... 36	<i>Suffusa,</i> 239 ..... 52	<i>Margaritellus,</i> 217... 47
<i>Chelaria Rhomboid-</i> <i>ella,</i> 179 ..... 40	<i>Cnephasia Assinana,</i> 148 ..... 33	<i>Marginellus,</i> 216 ... 47
<i>Chesias Obliquaria,</i> 101 23	<i>Curvifasciana,</i> 149... 33	<i>Montanellus,</i> 216... 47
<i>Spartiata,</i> 101 ..... 23	<i>Ictericana,</i> 148... 33	<i>Nigristriellus,</i> 219... 48
<i>Chilo Caudellus,</i> 220. 48	<i>Interjectana,</i> 148 ... 33	<i>Obtusellus,</i> 219..... 48
Forficellus, 219..... 48	<i>Logiana,</i> 448..... 33	<i>Palecellus,</i> 219 ..... 48
Fumeus, 220..... 48	<i>Longana,</i> 148 ..... 33	<i>Pascellus,</i> 215..... 47
Gigantellus, 220 ... 48	<i>Nubilana,</i> 149 ..... 33	<i>Petrificellus,</i> 219 ... 48
Phragmitellus, 220. 48	<i>ObsOLETANA,</i> 148 ... 33	<i>Pinetellus,</i> 217 ..... 47
Punctigerellus, 220, 48	<i>Panziana,</i> 147 ..... 33	<i>Pratellus,</i> 216 ..... 47
<i>Chlorissa Cloraria,</i> 114 26	<i>Perfusiana,</i> 149 ... 33	<i>Pygmaeus,</i> 217 ..... 47
Putataria, 114 ..... 26	<i>Rectifasciana,</i> 148... 33	<i>Radiellus,</i> 217 ..... 47
Thymiaria, 114..... 26	<i>Simuana,</i> 148 ..... 33	<i>Rorellus,</i> 218 ..... 48
Viridata, 114..... 26	<i>Cnethocampa Pitio-</i> campa, 22..... 6	<i>Selacellus,</i> 218 ..... 48
<i>Chrysocorys Angusti-</i> pennella, 203 ... 45	Processionca, 248... 53	<i>Tentaculellus,</i> 215... 47
<i>Cidaria Didymata,</i> 90. 21	<i>Cochleophasia Pubi-</i> cornis, 183 ..... 41	<i>Tristis,</i> 218 ..... 48
Ferrugata, 91 ..... 21	Tessellea, 183 ..... 41	<i>Crocallis Elinguaria,</i> 80 18
Fluctuata, 91 ..... 21	<i>Cochylis Griseana,</i> 167 37	<i>Cucullea Absinthii,</i> 70 16
Latentaria, 91 ..... 21	Roseana, 167..... 37	Artemisia, 70 ..... 16
Montanata, 91 ..... 21	Ruficiliata, 167..... 37	Asteris, 69..... 16
Miaria, 91..... 21	Russicola, 167 ..... 37	Chamomillæ, 70 ... 16
Munitata, 90..... 21	Subroseana, 167 ... 37	Fissina, 70..... 16
Olivata, 91 ..... 21	<i>Colobochyla Salicalis,</i> 118 ..... 27	Gnaphalii, 250 ..... 54
Propugnata, 92..... 21	<i>Cosmia Atfinis,</i> 64 ... 15	Lactucæ, 69 ..... 16
Quadrifasciaria, 90. 21	Difflinis, 64 ..... 14	Lucifuga, 69 ..... 16
Salicata, 91 ..... 21	Fulvago, 64 ..... 15	Scrophulariæ, 69 ... 16
Unidentaria, 90 ... 21	Pyralina, 64 ..... 15	Tanaceti, 69 ..... 16
<i>Ciliix compressa,</i> 117.. 26	Trapezina, 64 ..... 15	Thapsiphaga, 70 ... 16
<i>Cledeobia Albistriga-</i> tus, 119... ..... 27	<i>Cossus Ligniperda,</i> 16. 5	Verbasci, 69 ..... 16
<i>Costastrigalis,</i> 119. 27	<i>Crambus Angustellus,</i> 216 ..... 47	Umbratica, 69 ..... 16
<i>Cleodora Falciformis,</i> 180 ..... 40	Arbustorum, 214 ... 47	<i>Cynaeda Dentalis,</i> 127. 29
Lucidella, 180 ..... 40	Argentellus, 215 ... 47	<i>Dasychira Fascelina,</i> 23 6
Nebulella, 180 ..... 40	Argyreus, 214 ..... 47	Pudibunda, 23 ..... 6
Ochroleucella, 180. 40	Aridellus, 218 ..... 48	<i>Dasystoma Salicella,</i> 184 41
Rufescens, 179 ..... 40	Aquilellus, 219..... 48	<i>Deiopeia Pulchella,</i> 29 8
Silacella, 179 ..... 40	Cerussellus, 217... 47	<i>Demas Coryli,</i> 24 ..... 6
<i>Cleogene Niveata,</i> 108 24	Cespitelus, 216 ..... 47	<i>Depressaria Albipunc-</i> tella, 171 ..... 38
Tinctaria, 252 ..... 54	Chrysonuchellus, 217 48	Alstroemeriana, 172. 38
<i>Cleora Bajularia,</i> 83... 19	Culmellus, 217..... 47	Apicella, 170..... 38
Cinctaria, 84..... 19	Culmorum, 219.... 48	Applana, 171..... 38
Lichenaria, 83 ..... 19	Dealbellus, 215 ... 47	Atomella, 172 ..... 38
Pictaria, 84 ..... 19	Dunnettus, 215 ... 47	Badiella, 170 ..... 38
Teneraria, 83 ..... 19	Ericellus, 215 ..... 47	Bluntii, 172 .... 38
Viduaria, 83 ..... 19	Falsellus, 218 ..... 48	Carduella, 170 ..... 38
<i>Clisiocampa Castren-</i> sis, 22 ..... 6	Fuscelinus, 219... 48	Characterosa, 170... 38
	Hamelius, 215 ..... 47	Costosa, 172..... 38
	Hortuellus, 216..... 47	Curvipunctosa, 171. 38
		Gilvella, 171..... 38
		Heracleana, 170 ... 38
		Immaculana, 171 ... 38
		Irrorella, 172 ..... 38
		Liturella, 172..... 38

Pl.	Pl.	Pl.
Depressaria Nervosa, page 170 .....	Emmelesia Rusticata, page 110 .....	Eudoreia Resinea, page 209 .....
Ocellana, 171.....	Sylvata, 110 .....	Subfusca, 208 .....
Purpurea, 173 .....	Tæniata, 110 .....	Tristrigella, 208 .....
Putridella, 172 .....	Trigonata, 110 .....	Eulepis Cibrum, 28 ..
Sparmanniana, 171. 38	Turbaria, 109. ....	Grammica, 28 .....
Umbellana, 170.....	Unifasciata, 110. ....	Euphasia Catena, 74... 17
Venosa, 170 .....	Endromis Versicolora, 21 .....	Eupithecia Abbreviata, 105 .....
Yatesana, 171.....	Bracteella, 253 .....	Absinthiata, 106 ... 24
Diaphora Mendica, 26. 7	Enicostoma Thunber- gana, 181 .....	Albipunctata, 105... 24
Diæsimia Literalis, 122 28	Ennomos Flexula, 116. 26	Angustata, 107 .....
Dictyopteryx Ciliiana, 162 .....	Ennychia Fascialis, 252 54	Centaureata, 107 .....
Contaminana, 162... 36	Ephyra Ocellaria, 251. 54	Cognata, 107 .....
Forskaliana, 163 ... 36	Omicronaria, 87.... 20	Consignata, 107 .....
Lœflingiana, 162 ... 36	Oribicularia, 87 .....	Elongata, 106 .....
Plumbana, 162 .....	Pendularia, 87 .....	Exiguata, 104 .....
Rhombana, 162.....	Porata, 87.....	Innotata, 106 .....
Diphlera Ludifica, 249 54	Punctaria, 88.....	Lævigata, 104 .....
Orion, 61 .....	Trilinearia, 88 .....	Linariata, 103 .....
Pteridis, 249.....	Epione Advenaria, 88. 20	Nebulata, 105 .....
Titula Æthiopiana, 134 31	Apiciarea, 88 .....	Nigro-punctata, 104 24
Angustiorana, 133... 30	Dilectaria, 251 .....	Nigro-sericeata, 104 24
Nebulana, 134 .....	Vespertaria, 88 .....	Notata, 106 .....
Porphyrana, 133 ... 30	Episema Cœruleoce- phala, 17 .....	Piperata, 107 .....
Rotundana, 133 .....	Erastria Albidilinea, 74 17	Plumbeolata, 106 .. 24
Semifasciana, 134... 30	Apicosa, 74.....	Pulchellata, 103 ... 23
Scriptana, 134 .....	Bankiana, 74.....	Pusillata, 106 .....
Sylvana, 136.....	Fuscula, 74.....	Rectangulata, 103... 23
Wellensiana, 134 ... 30	Minuta, 74.....	Rufifasciata, 104 ... 24
Diurnea Fagella, 184... 41	Ostrina, 73.....	Simpliciata, 106 .. 24
Novenbris, 184..... 41	Sulphuralis, 74.....	Singulariata, 105.... 24
Drepana Falcataria, 116 .....	Venustula, 74 .....	Strobilata, 104 .....
Hamula, 117..... 26	Uncula, 74.....	Subærata, 104 .....
Uncula, 117 .....	Eremobia Ochroleuca, 70 .....	Subfasciata, 105 .....
Unguicula, 117..... 26	Eriogaster Lanestris, 22 6	Subfulvata, 106 .. 24
Dypterygia Pinastri, 46 11	Eriopus Pteridis, 249. 54	Subfuscata, 105 .....
Earis Clorana, 128 ... 29	Euchromia Fulvipunc- tata, 153 .....	Subumbrata, 105 .. 24
Electra Achatinata, 96 22	Purpurana, 153..... 35	Succenturiata, 107 . 24
Comitata, 96..... 22	Euclidia Glypica, 77. 17	Variegata, 107 .....
Populata, 96 .....	Mi, 77 .....	V-ata, 104..... 24
Pyraliata, 96..... 22	Triquetra, 251 .....	Venosata, 107 .....
Spinachiata, 96..... 22	Eucosmia Undulata, 100 .....	Vulgata, 105 .....
Testata, 96..... 22	Eudioptis Lucernalis, 123 .....	Euplexia Lucipara, 53 6
Ellopia Fasciaria, 82... 19	Eudoreia Angustea, 209 46	Euplocamus Anthraci- nells, 253..... 54
Emmelesia Affinitata, 109 .....	Cembrella, 208 .....	Mediellus, 226 .....
Albulata, 109 .....	Dubitalis, 208 .....	Eupecilia Angustana, 166 .....
Bifasciata, 110 .....	Lineola, 208 .....	Dubitana, 166 .....
Blandiata, 109 .....	Mercarella, 209 .....	Luteolana, 166..... 43
Blomeri, 110.....	Murana, 209..... 46	Maculosana, 165 ... 43
Candidata, 110 .....	Pallida, 208 .....	Nana, 166..... 43
Decorata, 109..... 25	Pyralella, 208 .....	Permixtana, 166 ... 43
Ericetata, 109 .....	Eurrhypara Urticata,	Pygmæana, 166 .....
Heparata, 111 .....	123 .....	Sodaliana, 166 .....
Luteata, 111 .....		28
Rivulata, 109..... 25		

Pl.	Pl.	Pl.
<i>Eurymene Dolabraria,</i> page 88 ..... 14	<i>Glyphypteryx Zinckel-</i> <i>la, page 198</i> ..... 44	<i>Hadena Obscura, page</i> 240 ..... 52
<i>Eusilapteryx Auro-</i> <i>guttella, 232</i> ..... 50	<i>Gnophoria Rubricollis, 30</i> 8	<i>Ochracea, 50</i> ..... 12
<i>Euthalia Elutata, 98</i> ..... 22	<i>Gortyna Flavago 66</i> ... 15	<i>Plebeia, 49</i> ..... 12
<i>Impluviata, 98</i> ..... 22	<i>Luteago, 250</i> ..... 54	<i>Saponariae, 50</i> ..... 12
<i>Miata, 98</i> ..... 22	<i>Micacea, 65</i> ..... 15	<i>Satura, 49</i> ..... 12
<i>Psittacata, 98</i> ..... 22	<i>Gracillaria Cinerea, 232</i> 50	<i>Thalassina, 54</i> ..... 13
<i>Euthemonia Russula,</i> 25 ..... 7	<i>Elongella, 234</i> ..... 50	<i>Halia Vauaria, 86</i> ... 20
<i>Eutricha Pini, 23</i> ..... 7	<i>Haemidactylella, 233</i> 50	<i>Hama Basilinea, 53</i> ... 12
<i>Fidonia Atomaria, 78</i> . 18	<i>Leucopennella, 234</i> . 51	<i>Connexa, 240</i> ..... 52
<i>Carbonaria, 78</i> ..... 18	<i>Meleagripennella,</i> 232 ..... 50	<i>Testacea, 53</i> ..... 12
<i>Ericetaria, 78</i> ..... 18	- <i>Nebulea, 232</i> ..... 50	<i>Harpagus Albistrigella,</i> 201 ..... 44
<i>Fuliginaria, 78</i> ..... 18	<i>Ochracea, 233</i> ..... 50	<i>Cinctella, 201</i> ..... 44
<i>Melanaria, 252</i> ..... 54	<i>Praecanuga, 234</i> ... 51	<i>Harpalyce Biangulata,</i> 93 ..... 21
<i>Fumea Bombycella, 27</i> 7	<i>Purpurea, 233</i> ..... 50	<i>Corylata, 93</i> ..... 21
<i>Muscella, 27</i> ..... 7	<i>Roscipennella, 234</i> . 51	<i>Fulvata, 92</i> ..... 21
<i>Nitidella, 27</i> ..... 7	<i>Rufipennella, 233</i> ... 50	<i>Galiata, 92</i> ..... 21
<i>Pectinella, 27</i> ..... 7	<i>Senifascia, 233</i> ..... 50	<i>Ocellata, 92</i> ..... 21
<i>Pulla, 27</i> ..... 7	<i>Stigmatella, 233</i> ..... 50	<i>Quadri-annulata, 92</i> 21
<i>Galleria Cereana, 207</i> . 48	<i>Substriga, 233</i> ..... 50	<i>Silaceata, 93</i> ..... 21
<i>Gastropacha Ilicifolia,</i> 248 ..... 53	<i>Sulphurella, 234</i> ..... 51	<i>Subtristata, 93</i> ..... 21
<i>Populifolia, 248</i> ... 53	<i>Syringella, 232</i> ..... 50	<i>Sylvaticata, 93</i> ..... 21
<i>Quercifolia, 23</i> ..... 6	<i>Thunbergella, 233</i> .. 50	<i>Tristata, 92</i> ..... 21
<i>Geometra Alniaria, 251</i> 54	<i>V-Flava, 232</i> ..... 50	<i>Unangulata, 93</i> ..... 21
<i>Angularia, 81</i> ..... 19	<i>Versicolor, 232</i> ..... 50	<i>Unilobata, 92</i> ..... 21
<i>Canaria, 80</i> ..... 18	<i>Violacea, 234</i> ..... 51	<i>Harpiphypteryx Dentella,</i> 221 ..... 48
<i>Carpiniaria, 81</i> ..... 19	<i>Grammesia Bilinea, 43</i> 10	<i>Falcella, 221</i> ..... 48
<i>Delunaria, 81</i> ..... 19	<i>Trilinea, 42</i> ..... 10	<i>Scabrella, 221</i> ..... 48
<i>Erosaria, 80</i> ..... 18	<i>Graphiphora Augur, 37</i> 9	<i>Heliophobus Leuco-</i> <i>phæus, 51</i> ..... 12
<i>Fuscantaria, 81</i> ..... 19	<i>Baja, 38</i> ..... 10	<i>Popularis, 51</i> ..... 12
<i>Illunaria, 81</i> ..... 19	<i>Birivia, 240</i> ..... 52	<i>Heliothis Dipsacea, 73</i> 16
<i>Illustraria, 82</i> ..... 19	<i>Brunnea, 37</i> ..... 9	<i>Marginata, 72</i> ..... 16
<i>Jularia, 81</i> ..... 19	<i>Candelisequa, 38</i> ..... 9	<i>Peltigera, 72</i> ..... 16
<i>Lunaria, 81</i> ..... 19	<i>C-Nigrum, 38</i> ..... 10	<i>Scutosa, 241</i> ..... 52
<i>Ochraria, 80</i> ..... 18	<i>Crassa, 37</i> ..... 9	<i>Hemerophila Abrupta-</i> <i>ria, 85</i> ..... 20
<i>Quercaria, 81</i> ..... 19	<i>Depuncta, 249</i> ..... 54	<i>Hemithea Cythisaria,</i> 83 ..... 19
<i>Quercinaria, 80</i> ..... 19	<i>Erythrocephala, 38</i> ... 10	<i>Smaragdaria, 83</i> ... 19
<i>Sublunaria, 81</i> ..... 19	<i>Festiva, 38</i> ..... 10	<i>Vernaria, 83</i> ..... 19
<i>Tiliaria, 80</i> ..... 18	<i>Imbecilla, 249</i> ..... 54	<i>Heribea Cognatella,</i> 194 ..... 43
<i>Glæa Polita, 45</i> ..... 11	<i>Latens, 37</i> ..... 9	<i>Forsterella, 194</i> ... 43
<i>Rubiginea, 45</i> ..... 11	<i>Musiva, 39</i> ..... 10	<i>Haworthana, 194</i> ... 43
<i>Rubricosa, 44</i> ..... 11	<i>Plecta, 39</i> ..... 10	<i>Humerella, 194</i> ... 43
<i>Satellitia, 45</i> ..... 11	<i>Pyrophila, 37</i> ..... 9	<i>Simpliciella, 194</i> ... 43
<i>Spadicea, 45</i> ..... 11	<i>Punicea, 39</i> ..... 10	<i>Heterogenea Asellus, 28</i> 7
<i>Subnigra, 45</i> ..... 11	<i>Renigera, 37</i> ..... 9	<i>Heusimene Fimbriana,</i> 138 ..... 21
<i>Vaccinii, 45</i> ..... 11	<i>Subrosea, 37</i> ..... 9	<i>Himera Pennaria, 80</i> . 18
<i>Glyphypteryx Bimacu-</i> <i>lilla, 199</i> ..... 44	<i>Triangulum, 38</i> ..... 10	<i>Hipparchus Papilionia-</i> <i>rius, 83</i> ..... 19
<i>Eximia, 199</i> ..... 44	<i>Tristigma, 38</i> ..... 10	<i>Homoeosoma Gemina,</i> 213 ..... 47
<i>Linneella, 198</i> ..... 44	<i>Hadena Adusta, 49</i> ... 12	
<i>Metalrella, 199</i> ..... 44	<i>Amica, 49</i> ..... 12	
<i>Roesella, 198</i> ..... 44	<i>Capsincola, 50</i> ..... 12	
<i>Schæfferella, 198</i> ... 44	<i>Contigua, 49</i> ..... 12	
<i>Subcuprella, 199</i> ... 44	<i>Cucubali, 50</i> ..... 12	
<i>Variella, 199</i> ..... 44	<i>Genistæ, 54</i> ..... 13	

	Pl.		Pl.
<i>Hybernia Capreolaria,</i> page 79 .....	18	<i>Lampronia Flavipunctella,</i> page 229 .....	50
<i>Connectaria,</i> 79 ...	18	<i>Hellwigella,</i> 231 ...	50
<i>Defoliaria,</i> 79 .....	18	<i>Luzella,</i> 229 .....	50
<i>Prosapiaria,</i> 79 .....	18	<i>Marginepunctella,</i> 229 .....	50
<i>Hydrocampus Nym-</i> <i>phæata,</i> 123 .....	28	<i>Melanella,</i> 230 .....	50
<i>Potamogata,</i> 122 ...	28	<i>Prælatella,</i> 229 .....	50
<i>Hylophila Prasinana,</i> 128 .....	29	<i>Purpurella,</i> 230 .....	50
<i>Quercana,</i> 128 .....	29	<i>Rubroarella,</i> 231 .....	50
<i>Hypena Crassalis,</i> 117	27	<i>Rupella,</i> 229 .....	50
<i>Obesalis,</i> 117 .....	26	<i>Sanguinella,</i> 231 .....	50
<i>Palpalis,</i> 117 .....	26	<i>Semipurpurella,</i> 230	50
<i>Proboscidalis,</i> 117 .	26	<i>Seppella,</i> 231 .....	50
<i>Rostralis,</i> 117 .....	27	<i>Subpurpurella,</i> 230 .	50
<i>Hypercallia Christier-</i> <i>nana,</i> 169 .....	38	<i>Lampropteryx Badiata,</i> 95 .....	22
<i>Hypercompsa Domi-</i> <i>nula,</i> 25 .....	7	<i>Piceata,</i> 95 .....	22
<i>Hypogymna Dispar,</i> 23	6	<i>Suffumata,</i> 94 .....	21
<i>Hypsolopha Anten-</i> <i>nella,</i> 221 .....	48	<i>Larentia Bipunctaria,</i> 90 .....	21
<i>Asperella,</i> 221 .....	48	<i>Cervinata,</i> 89 .....	20
<i>Monilis,</i> 251 .....	54	<i>Chenopodiata,</i> 89 .....	20
<i>Persicella,</i> 221 .....	48	<i>Multistrigaria,</i> 90 .....	21
<i>Hypsopygia Costalis,</i> 120 .....	27	<i>Lasiocampa Dumetii,</i> 248 .....	53
<i>Ilyria Auroraria,</i> 108 .	24	<i>Medicaginis,</i> 21 .....	6
<i>Ilythia Anella.</i> 207 ...	46	<i>Quercus,</i> 21 .....	6
<i>Sociella,</i> 207 .....	45	<i>Roboris,</i> 22 .....	6
<i>Ismene Albistria,</i> 188 .	42	<i>Rubi,</i> 21 .....	6
<i>Clematella,</i> 189 ....	42	<i>Trifolii,</i> 21 .....	6
<i>Curvella,</i> 189 ....	42	<i>Leiocampa Dictaea,</i> 19	5
<i>Mendicella,</i> 188 .....	42	<i>Dictoidea,</i> 19 .....	5
<i>Ocellea,</i> 189 .....	42	<i>Lepidocera Birdella,</i> 226 .....	49
<i>Ossea,</i> 189 .....	42	<i>Chenopodiella,</i> 226 .	49
<i>Pruniella,</i> 188 .....	42	<i>Mediopectinella,</i> 226	49
<i>Semifusca,</i> 188 .....	42	<i>Taurella,</i> 226 .....	49
<i>Semipurpurella,</i> 188	42	<i>Leptogramma Fulvo-</i> <i>mixtana,</i> 161 .....	36
<i>Semetestacella,</i> 189 .	42	<i>Irrorana,</i> 161 .....	36
<i>Tetrapodella,</i> 188... .	42	<i>Literana,</i> 161 .....	36
<i>Incurvaria Masculella,</i> 227 .....	47	<i>Squamana,</i> 161 .....	36
<i>Oehlmanniella,</i> 227 .	49	<i>Tricolorana,</i> 161 .....	36
<i>Pectinella,</i> 227 .....	49	<i>Leucania Arcuata,</i> 67 .	15
<i>Spuria,</i> 227 .....	49	<i>Comma,</i> 66 .....	15
<i>Tripunctella,</i> 227 ...	49	<i>Fluxa,</i> 68 .....	15
<i>Lælia Cœnosa,</i> 24.....	7	<i>Geminipuncta,</i> 68 .....	15
<i>Lampronia Animanella,</i> 231 .....	50	<i>Impura,</i> 67 .....	15
<i>Atrella,</i> 230 .....	50	<i>Littoralis,</i> 67 .....	15
<i>Auropurpurella,</i> 230	50	<i>Neurica,</i> 68 .....	15
<i>Bistrigella,</i> 231.....	50	<i>Obsleta,</i> 67 .....	15
<i>Calthella,</i> 231 .....	50	<i>Ochracea,</i> 68 .....	15
<i>Capitella,</i> 229 .....	50	<i>Pallens,</i> 67 .....	15
<i>Concinnella,</i> 231 ...	50	<i>Pallida,</i> 68 .....	15
<i>Corticella,</i> 230 .....	50	<i>Pudorina,</i> 68 .....	15
		<i>Punctina,</i> 67 .....	15
		<i>Pygmina,</i> 68 .....	15

Pl.	Pl.	Pl.
<i>Lozotenia Heparana</i> , page 129 ..... 29	<i>Margaritia Institalis</i> , page 126 ..... 28	<i>Microsetia Trimacu-</i> <i>lla</i> , page 196 ... 43
<i>Holmiana</i> , 133 ..... 30	<i>Lancealis</i> , 124 ..... 28	<i>Unifasciella</i> , 196 ... 43
<i>Juliana</i> , 242 ..... 52	<i>Longipedalis</i> , 126... 28	<i>Violaceella</i> , 197 .... 44
<i>Lævigana</i> , 130 ..... 29	<i>Margaritalis</i> , 126 ... 28	<i>Minoia Chavophyllata</i> ,
<i>Modeeriana</i> , 132 ... 30	<i>Nebulalis</i> , 253 ..... 54	108 ..... 24
<i>Nebulana</i> , 130 ..... 29	<i>Ochrealis</i> , 125 ..... 28	<i>Euphorbiata</i> , 108 ... 24
<i>Obliquana</i> , 131..... 29	<i>Olivalis</i> , 127 ..... 29	<i>Miselia Albimacula</i> , 59 13
<i>Oporana</i> , 131 ..... 29	<i>Palealis</i> , 124..... 28	<i>Aprilina</i> , 57 ..... 13
<i>Ochreana</i> , 132 ..... 30	<i>Pallidalis</i> , 125 ..... 28	<i>Bimaculosa</i> , 57..... 13
<i>Ribeana</i> , 130..... 29	<i>Prunalis</i> , 127 ..... 29	<i>Compta</i> , 57 ..... 13
<i>Roborana</i> , 131 ..... 29	<i>Pulveralis</i> , 126 ..... 28	<i>Oxycaanthæ</i> , 57..... 13
<i>Rosana</i> , 131 ..... 29	<i>Sericrealis</i> , 127 ..... 29	<i>Mormo Maura</i> , 76..... 14
<i>Schreberiana</i> , 133 .. 30	<i>Stramentalis</i> , 126... 28	<i>Mythimna Conigera</i> ,
<i>Sorbiana</i> , 129 ..... 29	<i>Sticticalis</i> , 127 ..... 29	42 ..... 10
<i>Subocellana</i> , 131 ... 29	<i>Terminalis</i> , 125..... 28	<i>Grisea</i> , 42 ..... 10
<i>Trifasciana</i> , 132 ... 30	<i>Verbascalis</i> , 126 ... 28	<i>Lithargyria</i> , 42..... 10
<i>Xylosteana</i> , 131 ... 29	<i>Verticalis</i> , 124 ..... 28	<i>Turca</i> , 42 ..... 10
<i>Lytea Albimacula</i> , 240 52	<i>Mesographe Forficalis</i> ,	<i>Nenia Typica</i> , 46..... 11
<i>Leucographia</i> , 32 ... 8	123 ..... 28	<i>Nemeophila Plantagi-</i>
<i>Macaria Alternata</i> , 115 26	<i>Metallosetia Spissicor-</i>	<i>nis</i> , 25 ..... 7
<i>Liturata</i> , 115 ..... 26	ni, 203..... 45	<i>Nola Cucullatella</i> , 128 29
<i>Notata</i> , 115 ..... 26	<i>Trifolii</i> , 203 ..... 45	<i>Monachalis</i> , 128 ... 29
<i>Præatomata</i> , 116 ... 26	<i>Miana Æthiops</i> , 55 ... 13	<i>Strigulalis</i> , 128..... 29
<i>Subruftata</i> , 115 ..... 26	<i>Fasciuncula</i> , 55.... 13	<i>Nomophila Hybridalis</i> ,
<i>Unipunctata</i> , 116 ... 26	<i>Humeralis</i> , 55 ..... 13	213 ..... 47
<i>Mæsia Favillacearia</i> , 78 18	<i>Latruncula</i> , 55 ..... 13	<i>Nonagria Cannæ</i> , 66... 15
<i>Macrochila Bicostella</i> ,	<i>Literosa</i> , 55 ..... 13	<i>Crassicornis</i> , 66 ... 15
181 ..... 40	<i>Minima</i> , 56 ..... 13	<i>Lutosa</i> , 240 ..... 52
<i>Fasciella</i> , 180 ..... 40	<i>Rufuncula</i> , 55 ... 13	<i>Pilicornis</i> , 66 ..... 15
<i>Marginella</i> , 181 ... 40	<i>Strigilis</i> , 55 ..... 13	<i>Typhæ</i> , 66..... 15
<i>Parenthesella</i> , 181 . 40	<i>Terminalis</i> , 55 ..... 13	<i>Vectis</i> , 241 ..... 52
<i>Mamestra Albicolon</i> , 52 12	<i>Microsetia Atri-capi-</i>	<i>Notodontæ Dromeda-</i>
<i>Aliena</i> , 53 ..... 12	ta, 197 ..... 43	<i>rius</i> , 19 ..... 5
<i>Brassicæ</i> , 52 ..... 12	<i>Aurella</i> , 196 ..... 43	<i>Nudaria Hemerobia</i> , 27 7
<i>Chenopodii</i> , 52..... 12	<i>Aurafasciella</i> , 197... 44	<i>Mundana</i> , 27..... 7
<i>Furva</i> , 51 ..... 12	<i>Bella</i> , 195..... 43	<i>Senex</i> , 28 ..... 7
<i>Nigricans</i> , 52 ..... 12	<i>Cinereo-punctella</i> ,	<i>Numeria Pulveraria</i> , 86 20
<i>Olereacea</i> , 51 ..... 12	195 ..... 43	<i>Nyssia Hispidaria</i> , 79 . 18
<i>Persicariæ</i> , 53 ..... 12	<i>Exiguella</i> , 195 ..... 43	<i>Tauaria</i> , 242..... 52
<i>Pisi</i> , 51 ..... 12	<i>Floslactella</i> , 197 ... 43	<i>Zonaria</i> , 241..... 52
<i>Splendens</i> , 51 ..... 12	<i>Gleichenella</i> , 198 ..... 44	<i>Odonestis Potatoria</i> , 23 7
<i>Suasa</i> , 52 ..... 12	<i>Guttella</i> , 195..... 43	<i>Odontopera Bidentata</i> ,
<i>Margarita Alpinalis</i> ,	<i>Mediofasciella</i> , 196. 43	80 ..... 18
127 ..... 29	<i>Nigrella</i> , 196..... 43	<i>Ecophora Olivella</i> , 181 43
<i>Asinalis</i> , 124..... 28	<i>Nigrociliella</i> , 196 ... 43	<i>Sulphurella</i> , 182 ... 43
<i>Angustalis</i> , 125..... 28	<i>Obsoletella</i> , 194 ... 43	<i>Oncocera Cardui</i> , 213. 47
<i>Centrostrigalis</i> , 124 28	<i>Pfeifferella</i> , 198 ... 44	<i>Carnella</i> , 213..... 47
<i>Cilialis</i> , 125 ..... 28	<i>Poticella</i> , 196 ..... 43	<i>Sanguinella</i> , 213 ... 47
<i>Cinctalis</i> , 124 ..... 28	<i>Pulchella</i> , 195 ..... 43	<i>Ophiusa Crassiuscula</i> ,
<i>Diversalis</i> , 124 ..... 28	<i>Pygmaella</i> , 197 ... 44	76 ..... 17
<i>Ferrugalis</i> , 125 ..... 28	<i>Quadrella</i> , 195 ..... 43	<i>Ludicra</i> , 250..... 54
<i>Fuscalis</i> , 126..... 28	<i>Ruficapitella</i> , 197 ... 43	<i>Lusoria</i> , 75 . ..... 17
<i>Fimbrialis</i> , 126..... 28	<i>Sericicilla</i> , 197 ..... 44	<i>Oporabia Dilutata</i> , 102 23
<i>Flavalis</i> , 125 ..... 28	<i>Sequella</i> , 195 ..... 43	<i>Oporinia Nubilea</i> , 184 41
<i>Fulvalis</i> , 126 ..... 28	<i>Stipella</i> , 195..... 43	<i>Tortricella</i> , 184..... 41
<i>Glbralis</i> , 125 ..... 28	<i>Subbimaculella</i> , 196 43	<i>Orgyia Antiqua</i> , 24 ... 6
<i>Hyalinalis</i> , 125 ..... 28	<i>Subbistrigella</i> , 194.. 43	<i>Gonostigma</i> , 24 ... 6

Pl.	Pl.	Pl.
<i>Orthosia Cruda</i> , <i>page</i> 40	10	<i>Phycita Abietella</i> , <i>page</i>
<i>Flavilinea</i> , 41 .....	10	212.....
<i>Gracilis</i> , 40 .....	10	47
<i>Instabilis</i> , 39.....	10	<i>Advenella</i> , 211 .....
<i>Intermedia</i> , 39 .....	10	46
<i>Litura</i> , 41 .....	10	<i>Angustella</i> , 210.....
<i>Lota</i> , 41 .....	10	46
<i>Lunosa</i> , 41 .....	10	<i>Binavella</i> , 209 .....
<i>Macilenta</i> , 41 .....	10	46
<i>Miniosa</i> , 40 .....	10	<i>Bistriga</i> , 210.....
<i>Munda</i> , 40.....	10	46
<i>Pallida</i> ; 40.....	10	<i>Con sociella</i> , 211.....
<i>Pistacina</i> , 41.....	10	46
<i>Pusilla</i> , 41.....	10	<i>Cristella</i> , 242.....
<i>Sparsa</i> , 40.....	10	52
<i>Stabilis</i> , 40 .....	10	<i>Dilutella</i> , 210.....
<i>Upsilon</i> , 42 .....	10	46
<i>Orthotenia Bentley-</i>		<i>Elutella</i> , 210.....
<i>ana</i> , 165 .....	37	46
<i>Comitana</i> , 165 .....	37	<i>Fascia</i> , 211.....
<i>Gemmiana</i> , 165.....	37	46
<i>Haworthana</i> , 165...	37	<i>Formosa</i> , 212.....
<i>Resinella</i> , 165 .....	37	46
<i>Turionana</i> , 165.....	37	<i>Fusca</i> , 242.....
<i>Orthotelia Venosa</i> , 169	38	52
<i>Oura pteryx Sambuca-</i>		<i>Hostilis</i> , 212 .....
<i>ria</i> , 82 .....	19	46
<i>Oxyptae Gelatella</i> , 184	41	<i>Legatella</i> , 242.....
<i>Pachynemia Hippoca-</i>		52
<i>stanaria</i> , 101.....	23	<i>Marmorea</i> , 211.....
<i>Pancalia Fusco-aenea</i> ,		46
200 .....	44	<i>Nebulella</i> , 209 .....
<i>Fusco-cuprea</i> , 200 ..	44	46
<i>Latreillella</i> , 200 .....	44	<i>Obscura</i> , 212 .....
<i>Leuwenhockella</i> , 200	44	46
<i>Merianella</i> , 200 ...	44	<i>Obtusa</i> , 212 .....
<i>Woodiella</i> , 200.....	44	46
<i>Paracolax Derivalis</i> ,		<i>Ornatella</i> , 212 .....
118 .....	27	46
<i>Nemoralis</i> , 118.....	27	<i>Palumbella</i> , 213 .....
<i>Tarsicrinialis</i> , 118....	27	47
<i>Parapoxyn Stratiotata</i> ,		<i>Pinguis</i> , 211 .....
123 .....	28	46
<i>Penthophera Nigri-</i>		<i>Porphyrea</i> , 211.....
<i>cans</i> , 27.....	7	46
<i>Rubea</i> , 219 .....	54	<i>Roborella</i> , 242 .....
<i>Pericallia Syringaria</i> ,		52
82 .....	19	<i>Rhenella</i> , 211 .....
<i>Peridea Serrata</i> , 21 ...	6	46
<i>Peronea Albicostana</i> ,		<i>Rufa</i> , 210 .....
158 .....	35	46
<i>Albistriana</i> , 157 ....	35	<i>Semirufa</i> , 210 .....
<i>Albipunctana</i> , 156 .	35	46
<i>Albovittana</i> , 155 ..	35	<i>Tristrigella</i> , 212.....
<i>Aspersana</i> , 159.....	36	47
<i>Autumnana</i> , 157 .....	35	<i>Tumidana</i> , 210 .....
<i>Bistriana</i> , 158 .....	35	46
<i>Borana</i> , 159 .....	36	<i>Phytometra Anea</i> , 75
<i>Boscana</i> , 158 .....	36	17
		<i>Platypteryx Cultraria</i> ,
		116 .....
		26
		<i>Lacertula</i> , 116 .....
		26
		<i>Plusia Aurifera</i> , 72.....
		16
		<i>Bimaculata</i> , 71.....
		16
		<i>Bractea</i> , 72.....
		16
		<i>Chalcytis</i> , 250 .....
		54
		<i>Chrysitis</i> , 72.....
		16
		<i>Circumflexa</i> , 72.....
		16
		<i>Festucæ</i> , 72 .....
		16
		<i>Gamma</i> , 71 .....
		16
		<i>Iota</i> , 71.....
		16
		<i>Interrogationis</i> , 71..
		16
		<i>Orichaicea</i> , 72 .....
		16
		<i>Percontationis</i> , 71 ..
		16
		<i>Poecilocampa Populi</i> , 22
		6
		<i>Poecilochroma Com-</i>
		munana
		, 152.....
		34
		<i>Maculana</i> , 152 .....
		34
		<i>Maurana</i> , 152 .....
		34
		<i>Piceana</i> , 152 .....
		34
		<i>Semifuscana</i> , 152 ..
		34
		<i>Solandriana</i> , 152 ..
		34
		<i>Trapezana</i> , 152.....
		34
		<i>Poecilophasia Margina-</i>
		ta
		, 114 .....
		26
		<i>Polia Advena</i> , 58 .....
		13
		<i>Binnaculosa</i> , 58.....
		13
		<i>Chi</i> , 59 .....
		14

Pl.	Pl.	Pl.
<i>Polia Dysdea</i> , <i>page</i> 59 14	<i>Pseudotomia Simpliciana</i> , <i>page</i> 139 .... 31	<i>Pyrausta Cespitalis</i> , <i>page</i> 121..... 27
Flavocincta, 58..... 13	Strigana, 139..... 31	Fascialis, 252 ..... 54
Herbida, 58 ..... 13	Strobilella, 138..... 31	Ostrinalis, 122 ..... 27
Nitens, 58..... 13	Trauniana, 140..... 31	Porphyralis, 122.... 27
Occulta, 59 ..... 13	Psilura Monacha, 23 .. 6	Punicealis, 122..... 27
Polymita, 58..... 13	Psodos Alpinata, 77.... 18	Purpuralis, 121..... 27
Seladonia, 59..... 14	Trepidaria, 77..... 18	Sordidalis, 121 ... 27
Serena, 59..... 14	<i>Pterophorus Bipunctidactylus</i> , 235..... 51	<i>Pyrophila Tetra</i> , 46 ... 11
Templi, 58..... 13	Calodactylus, 237..... 51	<i>Tragopogonis</i> , 46 ... 11
Tincta, 58 ..... 13	Carpodactylus, 236 51	<i>Rhyacionia Hastiana</i> ,
<i>Polyphasia Amicnata</i> , 93 ..... 21	Cosmodactylus, 237 51	165 ..... 37
Centumnata, 94.... 21	Didactylus, 237..... 51	<i>Roxana Arcuana</i> , 145.. 32
Commanotata, 94.... 21	Fuscodactylus, 235.. 51	<i>Rumia Cratagata</i> , 82.. 19
Cincinnata, 94 ..... 21	Galactodactylus, 235 51	<i>Rusina Ferruginea</i> , 33.. 8
Immanata, 93 ..... 21	Heterodactylus, 238 51	<i>Sarrothripus Afzelianus</i> , 154..... 35
Marmorata, 94 ..... 11	Leucodactylus, 236.. 51	Degeneranus, 153... 34
Perfuscata, 94 ..... 21	Lunaedactylus, 236.. 51	Dilutanus, 154..... 34
Saturata, 94 ..... 21	Microdactylus, 238.. 51	Ilicanus, 154..... 34
<i>Polypogon Barbalis</i> , 118 ..... 27	Migadactylus, 236.. 51	Lathamianus, 153... 34
Cribralis, 118..... 27	Monodactylus, 235.. 51	Ramulanus, 154..... 35
<i>Porthesia Auriflua</i> , 25. 7	Niveidactylus, 236.. 51	Undulanus, 153 .... 34
<i>Chrysorrhœa</i> , 24 ..... 7	Ochrodactylus, 236.. 51	<i>Saturnia Pavonia</i> , ( <i>mi-</i> <i>nor</i> ), 21..... 6
<i>Prorectaria Albicosta</i> , 204 ..... 45	Pallidactylus, 236.. 51	<i>Scoria Dealbata</i> , 97 ... 22
Anatipennella, 203.. 45	Pentadactylus, 234.. 51	<i>Scotophila Porphyrea</i> ,
Anseripennella, 203 45	Pterodactylus, 235.. 51	56 ..... 13
Argentula, 204 ..... 45	Punctidactylus, 237. 51	<i>Scotosia Rhamnata</i> , 99 22
Gallipennella, 204.. 45	Rhododactylus, 237. 51	<i>Sparsaria</i> , 100 ..... 23
Leucapennella, 204.. 45	Similidactylus, 236.. 51	<i>Vetulata</i> , 100 ..... 23
Lineolea, 204 ..... 45	Spilodactylus, 235.. 51	<i>Segetia Neglecta</i> , 43... 10
Ochrea, 204 ..... 45	Tephradactylus, 235 51	<i>Xanthographa</i> , 43... 10
Ornatipennella, 204 45	Tesseradactylus, 237 51	<i>Semiophora Gothica</i> , 39 10
Otidipennella, 203.. 45	Tetractylus, 236.. 51	<i>Semioscopis Avella-</i>
Struthionipennella, 203 ..... 45	Tridactylus, 235..... 51	<i>nella</i> , 185 ..... 41
<i>Prionapteryx Nebuli- fera</i> , 214 ..... 47	Trigonodactylus, 237 51	<i>Steinkelerana</i> , 185 41
<i>Pseudotomia Atronar- gana</i> , 138 ..... 31	<i>Ptilodontis Palpina</i> , 20 6	<i>Sericoris Alterna</i> , 150 34
Atropurpana, 139. 31	<i>Ptilophora Variegata</i> , 20 ..... 6	<i>Aurofasciana</i> , 151... 34
Aurana, 140 ..... 31	<i>Ptycholoma Licheana</i> , 152 ..... 34	<i>Bifasciana</i> , 151..... 34
Compositella, 140.. 31	Obsoletana, 153..... 34	<i>Cespitana</i> , 150 ..... 34
Dorsana, 140..... 31	<i>Ptychopoda Bisetata</i> , 112 ..... 25	<i>Fasciolana</i> , 149..... 34
Ephippiana, 140.... 31	Cinereata, 112 ..... 25	<i>Fuligana</i> , 151..... 34
Fraternana, 138.... 31	Contiguiaria, 112.... 25	<i>Furfurana</i> , 151 ..... 34
Gundiana, 140..... 31	Degeneraria, 112 .. 25	<i>Gramineana</i> , 150... 34
Jacquiniana, 139.... 31	Dilutaria, 111 .. 25	<i>Marmorana</i> , 151 ... 34
Lediana, 140..... 31	Fimbriolata, 111 .... 25	<i>Micana</i> , 150 ..... 34
Lunulana, 139. .... 31	Immutata, 112..... 25	<i>Obsoletana</i> , 150 .... 34
Nigricana, 139 .... 31	Incanata, 112..... 25	<i>Politana</i> , 150..... 34
Nitidana, 140..... 31	Lividata, 112..... 25	<i>Pulchellana</i> , 150.... 34
Obscurana, 138.... 31	Ornata, 112..... 25	<i>Quadri-maculana</i> ,
Petiverella, 138.... 31	Rubricata, 113 ..... 25	149 ..... 33
Populana, 139.... 31	<i>Pygara Bucephala</i> , 17 5	<i>Striana</i> , 149 ..... 33
Proximana, 139.... 31	<i>Pyralis Dimidiatus</i> , 252 54	<i>Subsequana</i> , 151 ... 34
Puncticostana, 139.... 31	Farinalis, 120..... 27	<i>Undulana</i> , 150 ..... 34
Sequana, 138..... 31	Glaucinalis, 120 .... 27	<i>Urticana</i> , 149 ..... 34
	Pictalis, 120 ..... 27	<i>Setina Elborina</i> , 31.... 8
		<i>Irrorella</i> , 31 ..... 8
		<i>Rosicida</i> , 31..... 8

Pl.	Pl.	Pl.			
Simaethis Fabriciana, page 120 .....	28	Telea Comptella, <i>page</i> 187 .....	41	Triphæna Janthina, page 32 .....	8
Lutosa, 120.....	28	Crataegella, 187.....	41	Orbona, 31 .....	8
Myllerana, 121.....	28	Curtisella, 187 .....	41	Pronuba, 31 .....	8
Pariana, 120.....	28	Leucatella, 187.....	41	Subsequa, 31 .....	8
Punctosa, 121.....	28	Lutarella, 187 .....	42	Triphosa Cervinata, 100	23
Simyra Musculosa, 68. 15		Subfasciella, 187 ...	42	Cinereata, 100 .....	23
Nervosa, 73.....	16	Teras Caudata, 162.....	36	Dubitata, 100 .....	23
Venosa, 71.....	16	Effractata, 162.....	36	Valeria Oleagina, 57.....	13
Speranza Brunneata, 77	18	Emargana, 161.....	36	Venilia Maculata, 111.	25
Limbaria, 78.....	18	Excavata, 161.....	36	Quadrimeaculata, 111	25
Spilonota Argyrana, 137	31	Tethea Gracilis, 63 ...	14	Xanthia Aurago, 65 ...	25
Aquana, 136 .....	30	Retusa, 63.....	14	Centrago, 65.....	25
Comitana, 136 .....	30	Subtusa, 63 .....	14	Citrago, 65 .....	25
Costipunctana, 137. 31		Thera Coniferata, 102.	23	Croceago, 65.....	25
Cynosbatella, 136... 30		Fulvata, 102 .....	23	Fimbriago, 65 .....	25
Fœnella, 136 .....	30	Juniperata, 102.....	23	Flavago, 64 .....	15
Nigricostana, 137... 31		Simulata, 101 .....	23	Fulvago, 65 .....	15
Nubiferana, 135.....	30	Variata, 101 .....	23	Gilvago, 65 .....	15
Pflugiana, 136 .....	31	Theristis Acinacidella,		Rufina, 68.....	15
Quadrana, 137 .....	31	220 .....	48	Xanthosetia Diver-	
Rusticana, 137 .....	31	Nemorella, 220.....	48	sana, 169 .....	38
Sticticana, 137 .....	31	Thyatira Batis, 62 ...	14	Ferrugana, 169.....	38
Straemiana, 136.....	31	Deresa, 62.....	14	Hamana, 169 .....	38
Tetragonana, 137 ...	31	Timandra Emutaria,		Inopiana, 169 .....	38
Trigeminana, 137 ...	31	115 .....	26	Zœgana, 168.....	38
Trimaculana, 136 .....	30	Imitaria, 115.....	26	Xerene Adustrata, 98..	22
Ustulana, 137.....	31	Subatomaria, 241...	52	Albicillata, 97 .....	22
Spilosoma Lubrice-		Variegata, 115 .....	26	Plumbata, 98.....	22
peda, 26.....	7	Tinea Albibipunctella, 225	49	Procellata, 98 .....	22
Menthastri, 26 .....	7	Cloacea, 225 .....	49	Rubiginata, 98 .....	22
Papyratia, 26 .....	7	Destructor, 225.....	49	Xyliina Conspicillaris, 46	11
Radiata, 239.....	52	Flavescutella, 225..	49	Lambda, 47 .....	11
Urticæ, 26.....	7	Fuscipunctella, 224.	49	Petrificata, 47 .....	11
Stauropus Fagi, 19 ...	5	Granella, 225 .....	49	Pulla, 47 .....	11
Steganolophia Pru-		Lappella, 225 .....	49	Putris, 47 .....	11
nata, 94.....	21	Nigripunctella, 224. 49		Semibrunnea, 47 ...	11
Steganoptycha Angu-		Parasitella, 226.....	49	Solidaginis, 240 ...	52
lana, 141 .....	32	Pellionella, 224.....	49	Xylophasia Combusta,	
Bœberana, 141 .....	32	Semifulvella, 224 .....	49	48 .....	11
Cinerana, 142 .....	32	Sulphurella, 225 ...	49	Epomidion, 48 .....	11
Cuspida, 141.....	32	Tapetrella, 223.....	49	Hepatica, 48.....	11
Pavonana, 141 .....	32	Vertianella, 224 .....	49	Lithoxylea, 47 .....	11
Retusana, 142 .....	32	Ustella, 224 .....	49	Polyodon, 48.....	11
Rhombifasciana, 141	32	Tortrix Clorana, 128..	29	Rectilinea, 49 .....	12
Stictana, 142.....	32	Galiana, 129.....	29	Scolopacina, 48.....	11
Subuncana, 142 .....	32	Luteolana, 242.....	52	Sublustris, 48 .....	11
Tetraquetrana, 141.	31	Palleana, 129 .....	29	Yponomeuta Cogna-	
Triquetra, 141 .....	32	Viridana, 129 .....	29	tellæ, 186 .....	41
Unipunctana, 141...	32	Viburnana, 199.....	29	Evonymella, 186 ...	41
Stilbia Anomala, 75. 17		Trachea Atriplicis, 57.	13	Irrorella, 186 .....	41
Strenia Clathrata, 111.	25	Trichiura Cratægi, 22.	6	Padella, 186 .....	41
Synaphe Angustalis, 119	27	Triphæna Fimbria, 32.	8	Plumbella, 186.....	41
Telea Ambiguella, 187	41	Innuba, 31.....	8	Rorella, 186 .....	41
Cæsiella, 188 .....	42	Interjecta, 32 .....	8	Zeuzera Æsculi, 17 ...	5

THE END.

## OMISSIONS IN THE INDEX.


		Page	Pl.
Hepialus . . . . .	Humuli . . . . .	16	5
	Carnus . . . . .	16	5
	Velleda . . . . .	16	5
	Lupulina . . . . .	16	5
	Hecta . . . . .	16	5
	Sylvina . . . . .	16	5
Notodonta . . . . .	Perfusca . . . . .	19	5
	Ziezac . . . . .	19	5
Leucoma . . . . .	Sparshalli . . . . .	24	7
Psyche . . . . .	Fusea . . . . .	26	7
Lytæa . . . . .	Umbrosa . . . . .	32	8
Hadena . . . . .	Remissa . . . . .	49	12
Cymatophora . . . . .	Oo . . . . .	64	14
Pellonia . . . . .	Vibicaria . . . . .	89	20
Xerene . . . . .	Hastata . . . . .	97	22
Macaria . . . . .	Pallidaria . . . . .	115	26
Ennychia . . . . .	Cingulata . . . . .	121	27
	Anguinalis . . . . .	121	27
	Rufofascialis . . . . .	121	27
Macrochila . . . . .	Palpella . . . . .	181	40
Glyphipteryx . . . . .	Auroguttella . . . . .	199	44
Senta . . . . .	Flammca . . . . .	207	46
	Sericca . . . . .	207	46














SMITHSONIAN INSTITUTION LIBRARIES

3 9088 00251257 2

nhent QL543 W8X

Index entomologicus.